

**DR. RECKEWEG R26 REMISIN COMBINATION PRODUCT- calcarea iodata 12x, ferrum iodatum 12x, nitricum acidum 12x, phosphoricum acidum 12x, sulphur iodatum 12x liquid  
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**DR. RECKEWEG R26 Remisin**

**Active ingredients**

Calcarea iodata 12X, Ferrum iodatum 12X, Nitricum acidum 12X, Phosphoricum acidum 12X, Sulphur iodatum 12X, 1 g each in 10 g.

**Purpose**

Relieves symptoms associated with chronic illness

**Uses**

For the temporary relief of minor symptoms associated with chronic illness such as:

- Increases vitality and immune resistance

**Warnings**

**Stop use and ask a doctor if** symptoms persist, get worse, or if new symptoms occur.

**If pregnant or breastfeeding**, ask a health care professional before use.

**Keep out of reach of children.**

**Directions**

Adults and children  $\geq$  12 years 5-10 drops, children (6-11 years) 3-7 drops, children (2-5 years) 1-3 drops, all age groups 1-3 times daily in a little water or undiluted or as recommended.

**Other information**

Tamper resistant: do not use if safety ring at base of cap is broken.

Retain outer carton for full product information.

**Inactive ingredients**

Ethanol, purified water.

**Questions?**

Call 1-800-361-7872 or email [questions@reckeweg.com](mailto:questions@reckeweg.com)

R 26

US  
BLAU  
V0413

The statements on this package are supported by traditional homeopathic principles. The Food and Drug Administration does not evaluate homeopathic products.

**Distributed by:**  
Dr. Reckeweg America Inc.  
QC Canada H9P 2T8

### Drug Facts

#### Active ingredients (in 10 g)

Calcarea iodata 12X, Ferrum iodatum 12X, Nitricum acidum 12X, Phosphoricum acidum 12X, Sulphur iodatum 12X, 1 g each.

#### Purpose

Relieves symptoms associated with chronic illness

#### Uses

For the temporary relief of minor symptoms associated with chronic illness such as:

- Increases vitality and immune resistance

#### Warnings

**Stop use and ask a doctor if** symptoms persist, get worse, or if new symptoms occur.

**If pregnant or breastfeeding,** ask a health care professional before use.

**Keep out of reach of children.**

NDC# 53346-1326-5

# R 26

## Remisin

Homeopathic preparation for the temporary relief of minor symptoms associated with chronic illness such as:

- Increases vitality and immune resistance

Manufactured by:  
Dr. Reckeweg & Co. GmbH  
D-64625 Bensheim · Germany

Dr. Reckeweg®

1.68 fl oz  
(50 ml)

### Drug Facts (continued)

#### Directions

Adults and children 12 years and over	5-10 drops
---------------------------------------	------------

Children (6-11 years)	3-7 drops
-----------------------	-----------

Children (2-5 years)	1-3 drops
----------------------	-----------

- All age groups 1-3 times daily in a little water or undiluted or as recommended.

#### Other information

- Tamper resistant: do not use if safety ring at base of cap is broken.
- Retain outer carton for full product information.

#### Inactive ingredients

Ethanol, purified water.

#### Questions?

Call 1.800.361.7872 or email [questions@reckeweg.com](mailto:questions@reckeweg.com)

Made in Germany



NDC# 53346-1326-5

**Dr. Reckeweg R26 Remisin**

**Homeopathic preparation for the temporary relief of minor symptoms associated with chronic illness such as:**

- Increases vitality and immune resistance

**Manufactured by:**

Dr. Reckeweg Co. GmbH

D-64625 Bensheim

Germany

**1.68 fl oz  
(50 ml)**

**DR. RECKEWEG R26 REMISIN COMBINATION PRODUCT**

calcarea iodata 12x, ferrum iodatum 12x, nitricum acidum 12x, phosphoricum acidum 12x, sulphur iodatum 12x liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53346-1326
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
CALCIUM IODIDE (UNII: 8EK9QEE2H) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM IODIDE	12 [hp_X] in 50 mL
FERROUS IODIDE (UNII: F5452U54PN) (FERROUS IODIDE - UNII:F5452U54PN)	FERROUS IODIDE	12 [hp_X] in 50 mL
NITRIC ACID (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	12 [hp_X] in 50 mL
PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 50 mL
SULFUR IODIDE (UNII: L6L8KA2AA0) (SULFUR IODIDE - UNII:L6L8KA2AA0)	SULFUR IODIDE	12 [hp_X] in 50 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:53346-1326-5	50 mL in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/1986	

**Labeler** - PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO (318602612)

### Establishment

Name	Address	ID/FEI	Business Operations
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO		318602612	manufacture(53346-1326)

Revised: 4/2013

PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO