

**TUSNEL DM- dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid**  
**Llorens Pharmaceutical International Division, Inc.**

-----  
**Llorens-TusnelDM 517**

In each 5 mL

Dextromethorphan HBr - 20 mg

Guaifenesin - 400 mg

Phenylephrine HCl - 10 mg

**Purpose**

Cough Suppressant

Expectorant

Nasal Decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold
- nasal congestion •cough due to minor throat and bronchial irritation

**Warnings**

**Do not use** if you are taking a monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before using this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of prostate gland
- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis, or emphysema
- 

**Stop use and ask a doctor if you get**

- nervousness, dizziness, or sleeplessness occur
- cough lasts for more than 7 days, comes back or occurs with a fever, rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a doctor before using this product

**Keep out of reach of children.**In case of accidental overdose, seek advice of a doctor or contact a Poison Control Center right away.

**Directions:** Do not exceed 6 doses in 24 hour

Age	Dose
Adults and children over 12 years of age	Take 5 mL (one teaspoonful) every 4 hours
Children under 12 years of age	Ask a doctor

**Inactive ingredients:**artificial and natural flavor, citric acid, glycerin, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose

**Questions or Comments?**1-866-595-5598

**Drug Facts**

**Active ingredients (in each 5 mL tsp.)**

Dextromethorphan HBr, USP.....20 mg..... Cough Suppressant  
 Guaifenesin, USP.....400 mg..... Expectorant  
 Phenylephrine HCl, USP.....10 mg.....Nasal Decongestant

**Purposes**

**Uses:** • helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes • temporarily relieves these symptoms occurring with a cold: • nasal congestion • cough due to minor throat and bronchial irritation

**Warnings**

**Do not use** if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before using this product.

**Ask a doctor before use if you have** • heart disease • diabetes • thyroid disease • high blood pressure • trouble urinating due to an enlarged prostate gland • cough that occurs with too much phlegm (mucus) • cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product do not use more than directed**

**Stop use and ask a doctor if** • you get nervous, dizzy, or sleepless • cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ➡



**Llorens Pharmaceutical**  
NDC 54859-517-16

# TUSNEL<sup>®</sup> DM

**Cough Suppressant  
Expectorant  
Nasal Decongestant  
Cherry-Menthol Flavor**

**Drug Facts (continued)**

If **pregnant or breast-feeding**, ask a doctor before using this product.  
**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away.

**Directions:** Do not take more than 6 doses in any 24 hour period

Age	Dose
Adults and children over 12 years of age	Take 5 mL (one teaspoonful) every 4 hours
Children under 12 years of age	Ask a doctor

**Other information:**

- Store at controlled room temperature 20° to 25°C (68° - 77°F)
- Tamper Evident- Do not use this product if aluminum foil over bottle opening is torn, broken, or missing.

**Inactive ingredients:** artificial and natural flavor, citric acid, glycerin, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose

**Questions or Comments?** 1-866-595-5598

Code #: L-111 Rev. 07/25



3 54859 51716 6

16 fl. oz. (473 ml)

Lot:  
Exp:

Manufactured by:  
Llorens Pharmaceutical International Division, Inc.  
Miami, FL 33147

MADE IN USA 

Visit us at [www.llorensparm.com](http://www.llorensparm.com)

## TUSNEL DM

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54859-517
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 5 mL

<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	10 mg in 5 mL
---	---------------	------------------

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54859-517-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2019	

**Labeler** - Llorens Pharmaceutical International Division, Inc. (037342305)

**Registrant** - Llorens Pharmaceutical International Division, Inc. (037342305)

### Establishment

Name	Address	ID/FEI	Business Operations
Llorens Pharmaceutical International Division, Inc.		037342305	manufacture(54859-517)

Revised: 12/2025

Llorens Pharmaceutical International Division, Inc.