

**MARIO BADESCU SPF 30- avobenzone, octinoxate, octisalate,
octocrylene lotion
Bentley Laboratories LLC**

Mario Badescu Oil Free Moisturizer SPF 30

Drug Facts
Active ingredients

Avobenzone 3.0%
Octinoxate 7.5%
Octisalate 5.0%
Octocrylene 10.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water-resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Aqua (Water, Eau), Glycerin, Aluminum Starch Octenylsuccinate, Dimethicone, Cetearyl Alcohol, Ethylhexyl Methoxycrylene, PPG-2 Myristyl Ether Propionate, C12-15 Alkyl Benzoate, Cetareth-20, Sorbitan Oleate, Aloe Barbadensis Leaf Juice, Camellia Oleifera Leaf Extract, Hypericum Perforatum Leaf Extract, Ethylhexylglycerin, Tetrasodium Glutamate Diacetate, PEG-100 Stearate, Caprylyl Glycol, Carbomer, Parfum (Fragrance), Phenoxyethanol, Sodium Hydroxide

Other information

Protect this product from excessive heat and direct sun.

Questions or comments?

Call 1-800-223-3728 M - F 9 a.m. - 5 p.m. EST or visit mariobadescu.com

Mario Badescu Oil Free Moisturizer SPF 30 product label

MARIO

BADESCU

SKIN CARE

Established 1967

MB

OIL FREE

MOISTURIZER

BROAD SPECTRUM

SPF 30 SUNSCREEN

SKIN TYPES - C, O, S,

2 fl oz (59 ml)

Moisturize skin with antioxidant-packed hydration. Enhanced with Green Tea and St John's Wort to prevent premature signs of aging, this best-selling formula delivers lasting moisture and essential broad spectrum protection to encourage a smoother dewier complexion,

Made in the USA. 71849-J001

CRUELTY FREE | PARABEN FREE

Mario Badescu Skin Care, New York, NY • (800) BADESCU
Leceur Plaza 1 Salford M50 3UB, UK

order online at mario badescu.com

MARIO BADESCU

SKIN CARE

Established 1967

MB



Moisturize skin with antioxidant-packed hydration. Enhanced with Green Tea and St. John's Wort to prevent premature signs of aging, this best-selling formula delivers lasting moisture and essential broad spectrum protection to encourage a smoother, dewier complexion.

Made in USA. 71869-J001
CRUELTY FREE | PARABEN FREE
 Mario Badescu Skin Care, New York, NY • (800) BADESCU
 Licensee: Plaza 1, Salford, M50 2UB, UK

order online at mariobadescu.com

SKIN
TYPES

C,O,S

**OIL FREE
MOISTURIZER**

BROAD SPECTRUM
SPF 30 SUNSCREEN

Drug Facts

| Active ingredients | Purpose |
|---|-----------|
| Avobenzone 3%, Octinoxate 7.5%, Octisalate 5%, Octocrylene 10%..... | Sunscreen |

2 fl oz e (59 ml)

FOR DRUG FACTS LEFT HERE →

Inside Back

Drug Facts (continued)

Uses • helps prevent sunburn
 • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • apply liberally 15 minutes before sun exposure • use a water-resistant sunscreen if swimming or sweating • reapply at least every 2

HINGE: 1-5/8" x 3/8"

Inside Base

Drug Facts (continued)

hours • children under 6 months: Ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients Aqua (Water, Eau), Glycerin, Aluminum Starch Octenylsuccinate, Dimethicone, Cetearyl Alcohol, Ethylhexyl Methacrylate, PPG-2 Myristyl Ether Propionate, C12-15 Alkyl Benzoate, Ceteareth-20, Sorbitan Oleate, Aloe Barbadensis Leaf Juice, Camellia Oleifera Leaf Extract, Hypericum Perforatum Extract, Ethylhexylglycerin, Tetrasodium Glutamate Diacetate, PEG-100 Stearate, Caprylyl Glycol, Carbomer, Parfum (Fragrance), Phenoxethanol, Sodium Hydroxide

Other information Protect this product from excessive heat and direct sun.

Questions or comments? Call 1-800-223-3728 M – F 9 a.m. – 5 p.m. EST or visit mariobadescu.com

HINGE: 1-5/8" x 3/8"

res

MARIO BADESCU
SKIN CARE
Established 1967
MB

SKIN TYPES
C,O,S

OIL FREE MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

2 fl oz e (59 ml)

Moisturize skin with antioxidant-packed hydration. Enhanced with Green Tea and St. John's Wort to prevent premature signs of aging, this best-selling formula delivers lasting moisture and essential broad spectrum protection to encourage a smoother, clearer complexion.

Made in USA. 71869-J001
CRUELTY FREE | PARABEN FREE
Mario Badescu Skin Care, New York, NY • (800) BADESCU
Lacoste Plaza 1 Safford MSO 308, LLC
order online at mariobadescu.com

7 85364 90019 6

Drug Facts

| Active ingredients | Purpose |
|---|-----------|
| Avobenzone 3%, Octinoxate 7.5%, Octisalate 5%, Octocrylene 10%..... | Sunscreen |

FOR DRUG FACTS LEFT HERE

Inside Back

Drug Facts (continued)

Uses • helps prevent sunburn
• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
Stop use and ask a doctor if rash occurs.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• apply liberally 15 minutes before sun exposure • use a water-resistant sunscreen if swimming or sweating • reapply at least every 2

HINGE: 1-5/8" x 3/8"

Inside Base

Drug Facts (continued)

hours • children under 6 months: Ask a doctor

• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients Aqua (Water, Eau), Glycerin, Aluminum Starch Octenylsuccinate, Dimethicone, Cetearyl Alcohol, Ethylhexyl Methacrylate, PPG-2 Myristyl Ether Propionate, C12-15 Alkyl Benzoate, Ceteareth-20, Sorbitan Oleate, Aloe Barbadosis Leaf Juice, Camellia Oleifera Leaf Extract, Hypericum Perforatum Extract, Ethylhexylglycerin, Tetrasodium Glutamate Diacetate, PEG-100 Stearate, Caprylyl Glycol, Carbomer, Parfum (Fragrance), Phenoxethanol, Sodium Hydroxide

Other information Protect this product from excessive heat and direct sun.

Questions or comments? Call 1-800-223-3728 M – F 9 a.m. – 5 p.m. EST or visit mariobadescu.com

HINGE: 1-5/8" x 3/8"

MARIO BADESCU SPF 30

avobenzone, octinoxate, octisalate, octocrylene lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:54111-134 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|---|--------------------------|-----------------|
| Ingredient Name | Basis of Strength | Strength |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 1.5 g in 59 mL |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 3.75 g in 59 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 2.5 g in 59 mL |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 5 g in 59 mL |

| Inactive Ingredients | |
|--|-----------------|
| Ingredient Name | Strength |
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8) | |
| PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY) | |
| SORBITAN MONOOLEATE (UNII: 06XEA2VD56) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| CAMELLIA OLEIFERA LEAF (UNII: 5077EL0C60) | |
| HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY) | |
| PEG-100 STEARATE (UNII: YD01N1999R) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| CARBOXPOLYMETHYLENE (UNII: 0A5MM307FC) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |

| Packaging | | | | |
|------------------|------------------|---|-----------------------------|---------------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:54111-134-50 | 59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 02/01/2017 | |

| Marketing Information | | | |
|------------------------------|---|-----------------------------|---------------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 02/01/2017 | |

Labeler - Bentley Laboratories LLC (068351753)

