# ACETAMINOPHEN- acetaminophen tablet, film coated, extended release Chain Drug Marketing Association Inc.

-----

# **Acetaminophen**

**Drug Facts** 

# **Active ingredient (in each caplet)**

Acetaminophen USP, 650 mg

# **Purpose**

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

## **Warnings**

# Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

#### Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

do not take more than directed (see overdose warning)

adults	<ul> <li>take 2 caplets every 8 hours with water</li> <li>swallow whole; do not crush, chew, split or dissolve</li> <li>do not take more than 6 caplets in 24 hours</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>
under 18 years of age	<ul><li>ask a doctor</li></ul>

#### Other information

- store at 20 25° C (68 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.

# **Inactive ingredients**

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose,

povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

# **Questions?**

call **1-800-406-7984** 

Distributed by C.D.M.A., Inc.© 43157 W. Nine Mile Novi, MI 48376-0995

# PRINCIPAL DISPLAY PANEL - 100 Caplet Bottle Carton

QC<sub>®</sub> QUALITY CHOICE

NDC 63868-089-01

<sup>†</sup>Compare to Active Ingredient in TYLENOL <sup>®</sup>Arthritis Pain

Last up to 8 Hours | Use Only as Directed

Arthritis Pain Relief

Acetaminophen Extended-release Tablets USP, 650 mg

Pain Reliever | Fever Reducer

For the Temporary Relief of Minor Arthritis Pain


DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

100 CAPLETS\*

(\*capsule-shaped tablets)

EASY TO OPEN BOTTLE



## **ACETAMINOPHEN**

acetaminophen tablet, film coated, extended release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-089
Route of Administration	ORAL		

# **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
-----------------	--------------------------	----------

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN 650 mg

Inactive Ingredients			
Ingredient Name	Strength		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
STARCH, CORN (UNII: O8232NY3SJ)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
SODIUM LAURYL SULFATE (UNII: 368GB5141J)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TITANIUM DIOXIDE (UNII: 15FIX9V2 P)			

Product Characteristics				
Color	white	Score	no score	
Shape	OVAL (Capsule shaped)	Size	19mm	
Flavor		Imprint Code	cor116	
Contains				

l	P	Packaging				
	#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1	NDC:63868-089- 50	50 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002		
	2	NDC:63868-089- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	04/30/2002	

# **Labeler -** Chain Drug Marketing Association Inc. (011920774)

# **Registrant -** Sun Pharmaceutical Industries Inc. (146974886)

# **Establishment**

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(63868-089)

Revised: 12/2024

Chain Drug Marketing Association Inc.