

**URTICARIA - RASHES - antimon. crud., apis mel., arsenicum alb., berber. vulg., bovista, bryonia, cantharis, chelidonium majus, croton, dulcamara, graphites, histaminum hydrochloricum, lycopodium, mezereum, nux vom., petroleum, pulex irritans, pulsatilla, rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Urticaria - Rashes**

**INDICATIONS & USAGE SECTION**

**Urticaria - Rashes** Formulated for symptoms associated with hives and other allergic skin responses such as burning, itching, redness, swelling and discomfort.

**DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

**ACTIVE INGREDIENT SECTION**

Antimon. crud. 15x, Apis mel. 15x, Arsenicum alb. 15x, Berber. vulg. 15x, Bovista 15x, Bryonia 15x, Cantharis 15x, Chelidonium majus 15x, Croton 15x, Dulcamara 15x, Graphites 15x, Histaminum hydrochloricum 15x, Lycopodium 15x, Mezereum 15x, Nux vom. 15x, Petroleum 15x, Pulex irritans 15x, Pulsatilla 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sulphur 15x, Echinacea 3x, Rumex crisp. 3x, Taraxacum 3x, Urtica ur.3x.

**PURPOSE SECTION**

Formulated for symptoms associated with hives and other allergic skin responses such as burning, itching, redness, swelling and discomfort.

**INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.

**QUESTIONS? SECTION**

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012  
Questions? 1.800.448.7256

**WARNINGS SECTION**

**Warning:** Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

**PREGNANCY OR BREAST FEEDING SECTION**

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for

more than a few days.

## KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

## PACKAGE LABEL

**www.newtonlabs.net**  
Newton Laboratories, Inc. FDA Est #1051203 • Conyers, GA 30012  
**Questions? 1.800.448.7256**  
**Warnings:** Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

**NEWTON**  
*homeopathics* **PRO**  
NDC# 55714-4529-1 *Nurturing Naturally Since 1987™*

# Urticaria ~Rashes

*Formulated for symptoms associated with hives and other allergic skin responses such as burning, itching, redness, swelling and discomfort.*

**1 oz (28.35 g)**

Dispensed by healthcare professionals only.  
Not for over-the-counter sale.

**Directions:** Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

**Active Ingredients:** Antimon. crud. 15x, Apis mel. 15x, Arsenicum alb. 15x, Berber. vulg. 15x, Bovista 15x, Bryonia 15x, Cantharis 15x, Chelidonium majus 15x, Croton 15x, Dulcamara 15x, Graphites 15x, Histaminum hydrochloricum 15x, Lycopodium 15x, Mezereum 15x, Nux vom. 15x, Petroleum 15x, Pulex irritans 15x, Pulsatilla 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sulphur 15x, Echinacea 3x, Rumex crisp. 3x, Taraxacum 3x, Urtica ur. 3x.

**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.

*Stock# R065 Lot#*

## URTICARIA - RASHES

antimon. crud., apis mel., arsenicum alb., berber. vulg., bovista, bryonia, cantharis, chelidonium majus, croton, dulcamara, graphites, histaminum hydrochloricum, lycopodium, mezereum, nux vom., petroleum, pulex irritans, pulsatilla, rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:55714-4529
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Antimony Trisulfide</b> (UNII: F79059A38U) (Antimony Trisulfide - UNII:F79059A38U)	Antimony Trisulfide	15 [hp_X] in 1 g
<b>Apis Mellifera</b> (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	15 [hp_X] in 1 g
<b>Arsenic Trioxide</b> (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 g
<b>Berberis Vulgaris Root Bark</b> (UNII: 1TH8Q20J0U) (Berberis Vulgaris Root Bark - UNII:1TH8Q20J0U)	Berberis Vulgaris Root Bark	15 [hp_X] in 1 g

<b>Giant Puffball</b> (UNII: I6839Y031A) (Giant Puffball - UNII:I6839Y031A)	Giant Puffball	15 [hp_X] in 1 g
<b>Bryonia Alba Root</b> (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 g
<b>Lytta Vesicatoria</b> (UNII: 3Q034RO3BT) (Lytta Vesicatoria - UNII:3Q034RO3BT)	Lytta Vesicatoria	15 [hp_X] in 1 g
<b>Chelidonium Majus</b> (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN)	Chelidonium Majus	15 [hp_X] in 1 g
<b>Croton Tiglium Seed</b> (UNII: 0HK2GZK66E) (Croton Tiglium Seed - UNII:0HK2GZK66E)	Croton Tiglium Seed	15 [hp_X] in 1 g
<b>Solanum Dulcamara Top</b> (UNII: KPS1B1162N) (Solanum Dulcamara Top - UNII:KPS1B1162N)	Solanum Dulcamara Top	15 [hp_X] in 1 g
<b>Graphite</b> (UNII: 4QQN74LH4O) (Graphite - UNII:4QQN74LH4O)	Graphite	15 [hp_X] in 1 g
<b>Histamine Dihydrochloride</b> (UNII: 3POA0Q644U) (Histamine - UNII:820484N8I3)	Histamine Dihydrochloride	15 [hp_X] in 1 g
<b>Lycopodium Clavatum Spore</b> (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 g
<b>Daphne Mezereum Bark</b> (UNII: X2N6E405GV) (Daphne Mezereum Bark - UNII:X2N6E405GV)	Daphne Mezereum Bark	15 [hp_X] in 1 g
<b>Strychnos Nux-vomica Seed</b> (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 g
<b>Kerosene</b> (UNII: 1C89KKC04E) (Kerosene - UNII:1C89KKC04E)	Kerosene	15 [hp_X] in 1 g
<b>Pulex Irritans</b> (UNII: L63DD62R8R) (Pulex Irritans - UNII:L63DD62R8R)	Pulex Irritans	15 [hp_X] in 1 g
<b>Pulsatilla Vulgaris</b> (UNII: I76KB35JEV) (Pulsatilla Vulgaris - UNII:I76KB35JEV)	Pulsatilla Vulgaris	15 [hp_X] in 1 g
<b>Toxicodendron Pubescens Leaf</b> (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 g
<b>Smilax Regelia Root</b> (UNII: 2H1576D5WG) (Smilax Regelia Root - UNII:2H1576D5WG)	Smilax Regelia Root	15 [hp_X] in 1 g
<b>Sulfur</b> (UNII: 70FD1KFU70) (Sulfur - UNII:70FD1KFU70)	Sulfur	15 [hp_X] in 1 g
<b>Echinacea, Unspecified</b> (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	3 [hp_X] in 1 g
<b>Rumex Crispus Root</b> (UNII: 9N1RM2S62C) (Rumex Crispus Root - UNII:9N1RM2S62C)	Rumex Crispus Root	3 [hp_X] in 1 g
<b>Taraxacum Officinale</b> (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375)	Taraxacum Officinale	3 [hp_X] in 1 g
<b>Urtica Urens</b> (UNII: IHN2NQ5OF9) (Urtica Urens - UNII:IHN2NQ5OF9)	Urtica Urens	3 [hp_X] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>Sucrose</b> (UNII: C151H8M554)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4529-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-4529-2	56.7 g in 1 BOTTLE, GLASS		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2011	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

## Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4529)

Revised: 6/2011

Newton Laboratories, Inc.