

**BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid
bandage liquid
Kroger Co.**

Kroger Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts, scrapes and burns
- for the temporary relief of pain

Warnings

For external use only.

Flammable:

Keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- condition persists or gets worse
- infection occurs

- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- **cap bottle tightly**
- store between 20°C to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions?

800-632-6900

Principal Display Panel

Kroger

Liquid Bandage

Topical Analgesic & Antiseptic

to Help Prevent Infection

Antiseptic Formula Dries Quickly to

Form an Invisible Protective Cover

That is Flexible

0.3 FL OZ (9mL)






WOUNDS

Liquid Bandage

Topical Analgesic & Antiseptic to Help Prevent Infection

Antiseptic Formula Dries Quickly to Form an Invisible Protective Cover That is Flexible



0.3 FL OZ (9 mL)

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OH 45202
MADE IN USA WITH U.S. AND IMPORTED PARTS
QUALITY GUARANTEE
800-632-6900 | www.kroger.com

*New-Skin® is a registered trademark of Moberg Pharma North America LLC, Cedar Knolls, NJ 07927, Moberg Pharma North America LLC is not affiliated with The Kroger Co. or this product.




PLEASE RECYCLE



53-033KR

NO VARNISH AREA



Questions? 800-632-6900

Inactive Ingredients acetone, amylic acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Other Information cap bottle tightly ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more Liquid Bandage and quickly wipe off

Drug Facts (continued)

Directions ■ for adults and children 2 years of age and older ■ clean affected area ■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating may be applied for extra protection ■ children under 2 years of age: consult a doctor

Control Center right away.

Keep out of reach of children. If swallowed, get medical help or call a Poison

■ symptoms persist for more than 7 days or clear up and occur again within a few days

Stop use and ask a doctor if ■ condition persists or gets worse ■ reaction occurs

When using this product ■ avoid contact with eyes

■ animal bites ■ serious burns

Ask a doctor before use if you have ■ deep or puncture wounds ■ deep cuts

■ longer than 1 week unless directed by a doctor

Do not use ■ in the eyes ■ over large areas of the body

Flammable: Keep away from fire or flame.

For external use only.

Warnings

Uses ■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

NECKBAND IS BROKEN

DO NOT USE IF





BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-150
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 9 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 9 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-	9 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a	12/06/2017	

150-03	Combination Product	12/06/2017	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	12/06/2017	

Labeler - Kroger Co. (006999528)

Revised: 12/2024

Kroger Co.