

**BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid  
bandage liquid  
Kroger Co.**

-----  
**Kroger Liquid Bandage**

***Active ingredients***

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

***Purpose***

First aid antiseptic

Topical analgesic

***Uses***

- first aid to prevent bacteria contamination in minor cuts, scrapes and burns
- for the temporary relief of pain

***Warnings***

**For external use only.**

**Flammable:**

Keep away from fire or flame.

**Do not use**

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- deep or puncture wounds
- deep cuts
- animal bites
- serious burns

**When using this product**

- avoid contact with eyes

**Stop use and ask a doctor if**

- condition persists or gets worse
- infection occurs

- symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or call a Poison Control Center right away.

**Directions**

- for adults and children 2 years of age and older
- clean affected area
- apply a small amount on the area 1 to 3 times daily and let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

**Other information**

- **cap bottle tightly**
- store between 20°C to 25°C (68° to 77°F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

**Inactive ingredients**

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

**Questions?**

**800-632-6900**

**Principal Display Panel**

**Kroger**

**Liquid Bandage**

Topical Analgesic & Antiseptic


to Help Prevent Infection

Antiseptic Formula Dries Quickly to

Form an Invisible Protective Cover

That is Flexible

0.3 FL OZ (9mL)







WOUNDS

# Liquid Bandage

**Topical Analgesic & Antiseptic  
to Help Prevent Infection**

Antiseptic Formula Dries Quickly to  
Form an Invisible Protective Cover  
That is Flexible



0.3 FL OZ (9 mL)

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OH 45202  
MADE IN USA WITH U.S. AND IMPORTED PARTS  
QUALITY GUARANTEE  
800-632-6900 | www.kroger.com

\*New-Skin® is a registered trademark of  
Moberg Pharma North America LLC,  
Cedar Knolls, NJ 07927. Moberg Pharma  
North America LLC is not affiliated with  
The Kroger Co. or this product.




PLEASE  
RECYCLE



53-033KR

NO VARNISH  
AREA



Questions? 800-632-6900

nitrocellulose, SD alcohol 40

**Inactive Ingredients** acetone, amylic acetate, castor oil, ethyl acetate,

Liquid Bandage and quickly wipe off

**Other Information** cap bottle tightly ■ store between 20° to 25°C  
(68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more

**Drug Facts (continued)**

may be applied for extra protection ■ children under 2 years of age: consult a doctor

**Directions** ■ for adults and children 2 years of age and older ■ clean affected area

■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating

Control Center right away.

**Keep out of reach of children.** ■ swallowed, get medical help or call a Poison

■ symptoms persist for more than 7 days or clear up and occur again within a few days

**Stop use and ask a doctor if** ■ condition persists or gets worse ■ reaction occurs

**When using this product** ■ avoid contact with eyes

■ animal bites ■ serious burns

**Ask a doctor before use if you have** ■ deep or puncture wounds ■ deep cuts

■ longer than 1 week unless directed by a doctor

**Do not use** ■ in the eyes ■ over large areas of the body

**Flammable:** Keep away from fire or flame.

**Warnings**

For external use only.

**Uses** ■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

**Active Ingredients** Benzethonium chloride 0.2%  
Dyclonine hydrochloride 0.75%  
First aid antiseptic

**Purpose** Topical analgesic

**DO NOT USE IF  
NECKBAND IS BROKEN**

**BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE**

liquid bandage liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-150
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 9 mL
<b>DYCLONINE HYDROCHLORIDE</b> (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 9 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ACETONE</b> (UNII: 1364PS73AF)	
<b>AMYL ACETATE</b> (UNII: 92Q24NH7AS)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>ETHYL ACETATE</b> (UNII: 76845O8NMZ)	
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:30142-150-03	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/06/2017	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M003	12/06/2017	

**Labeler** - Kroger Co. (006999528)

Revised: 10/2025

Kroger Co.