FLEXXSONIC PAIN RELIEF- capsaicin gel Flexxsonic Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

FlexxSonic Pain Relief

Drug Facts

Active ingredient

Capsicum Oleoresin 0.0625% (contains Capsaicin 0.025%)

Purpose

Pain Relieving

Uses

for the temporary relief of minor aches and pains of muscles and joints associated with

- simple backache
- arthritis
- strains
- sprains
- bruises

Warnings

For external use only.

- do not apply to wounds or damaged skin
- do not bandage tightly
- do not use with heating pad, pack, wrap, hot water bottle or any heating element When using this product do not get into eyes
- avoid contact with other mucous membranes Discontinue use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

- if swallowed, get medical help or contact a Poison Control center right away
- if pregnant or nursing, seek the advice of a health professional before using

Directions

- Children under 12 years of age consult a physician
- Apply a thin layer to affected area not more than 3 to 4 times daily
- Gently massage into the skin until fully absorbed
- Wash hands with soap and water after each application to avoid spreading to the eyes or other sensitive mucous membranes

Other information

• It is recommended to test for skin sensitivity prior to use. Apply product to a small area, follow the

directions and wait 24 hours. Proceed with application if no adverse reaction.

- A burning sensation may occur upon initial application but generally disappears with continued use. For a severe burning discomfort, remove excess product with a soft cloth and cooking oil.
- If applying product to hands, wait 30 minutes before washing.
- Avoid water, heat, or direct sunlight while using product.
- If wearing contact lenses, insert prior to application and avoid touching them after applying product.
- If eye contact occurs, flush immediately with water.

Inactive ingredients

Water (Aqua), Glycerin, PEG-75 Lanolin, Aloe Barbadensis Leaf Juice, PEG-40 Hydrogenated Castor Oil, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Polysorbate 20, Glucosamine HCI, Emu Oil, Dimethyl Sulfone, Celosia Argentea Seed Extract, Ginkgo Biloba Extract, Panax Ginseng Root Extract, Medicago Saliva (Alfalfa) Extract, Cymbopogon Schoenanthus Extract, Tocopheryl Acetate, DMDM Hydantoin, Propylene Glycol, Methylparaben, Propylparaben.

Questions or comments?

Call 866-280-2406 or visit www.FlexxSonic.com

Distributed by FlexxSonic Corp. 1516 N Elmhurst Road, Suite 2131 Mount Prospect, IL 60056

PRINCIPAL DISPLAY PANEL - 113 g Bottle Carton

ADVANCED FORMULA

Maximum Pain Relief THERAPY GEL

FLEXXSONIC
PAIN RELIEF SYSTEM

NET WT 4 OZ (113g)



Drug Facts

Active ingredient Capsicum Oleoresin 0.0625% (contains Capsaicin 0.025%)

Pain Relieving

Uses for the temporary relief of minor aches and pains of muscles and joints associated with ■ simple backache ■ arthritis ■ strains ■ sprains ■ bruises

Warnings

For external use only.

do not apply to wounds or damaged skin do not bandage tightly do not use with heating pad, pack, wrap, hot water bottle or any heating element

When using this product do not get into eyes avoid contact with other mucous membranes

Discontinue use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again

symptoms persus tur into a view rough of the within a few days within a few days Keep out of reach of children.

If swellowed, get medical help or contact a Poison Control center right away will pregnant or nursing, seek the advice of a health professional before using

Directions

- DIFFECTIONS

 Children under 12 years of age consult a physician

 Apply a thin layer to affected area not more than 3 to 4 times daily

 Gently massage into the skin until fully absorbed

 Wash hands with soap and water after each application to avoid spreading to the eyes or other sensitive mucous membranes

Other information

- It is recommended to test for skin sensitivity prior to use. Apply product to a small area, follow the directions and wait 24 hours. Proceed with application if no adverse reaction.

 A burning sensation may occur upon initial application but generally disappears with continued use. For a severe burning discomfort, remove excess product with a soft cloth and cooking oil.
- If applying product to hands, wait 30 minutes before washing.
- Avoid water, heat, or direct sunlight while using product.

 If wearing contact lenses, insert prior to application and avoid touching them after applying product. If eye contact occurs, flush immediately with water

Inactive ingredients Water (Aqua), Glycerin, PEG-75 Landin, Albe Barbadensis Leaf Juice, PEG-40 Hydrogenated Castor Oil, Acrylates/C10-30 Akyl Acrylate Crosspolymer, Triethanolamine, Polysorbate 20, Glucosamine HCL, Emu Oil, Dimethyl Sülchone, Celosia Argentea Seed Extract, Ginkgo Bloba Extract, Panax Ginseng Root Extract, Medicago Saliva (Alfalfa) Extract, Cymbopogon Schoenarthus Extract, Coophenyl Acetate, DMDM Hydantoin, Propylene Glycol, Methylparaben, Propylparaben.

Questions or comments?
Call 866-280-2406 or visit www.FlexxSonic.com

MADE IN USA Distributed by FlexxSonic Corp. 1516 N Elmhurst Road, Suite 2131 Mount Prospect, IL 60056 866-280-2406 www.FlexxSonic.com FS1004

ADVANCED FORMULA

with Natura Ingredients

Targeted Relief for Pain associated with Arthritis, Backache. Strains and Muscle/ **Joint Pain**

Fast-Acting

Non-Greasy

Non-Staining

Odorless

Scan for video:



ADVANCED FORMULA

Maximum THERAPY GEL

ADVANCED FORMULA

with Natural Ingredients

Targeted Relief for Pain associated with Arthritis, Backache. Strains and Muscle/ **Joint Pain**

Fast-Acting

Non-Greasy

Non-Staining

Odorless







FLEXXSONIC PAIN RELIEF

capsaicin gel

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:69397-156

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Capsaicin (UNII: S07O44R1ZM) (Capsaicin - UNII:S07O44R1ZM)	Capsaicin	0.25 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Glycerin (UNII: PDC6A3C0OX)	
PEG-75 LANOLIN (UNII: 09179 O X7TB)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
ALFALFA LEAF (UNII: HY3L927V6M)	
CYMBO PO GON SCHO ENANTHUS LEAF (UNII: XF54B1Z2HF)	
GLUCO SAMINE HYDRO CHLO RIDE (UNII: 750 W5330 FY)	
GINKGO (UNII: 19FUJ2C58T)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
EMU O IL (UNII: 344821WD61)	
DMDM HYDANTO IN (UNII: BYR0546 TOW)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8 C7HI9 T)	
PROPYLPARABEN (UNII: Z8 IX2SC1OH)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
.ALPHATO CO PHERO L ACETATE (UNII: 9E8X80D2L0)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69397-156- 44	113 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part348	07/01/2015		

Labeler - Flexxsonic Corporation (079378932)

Establishment				
Name	Address	ID/FEI	Business Operations	
Concept Laboratories, Inc.		962282612	MANUFACTURE(69397-156)	

Revised: 7/2015 Flexxsonic Corporation