SEVERE NIGHTTIME COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, and phenylephrine hydrochloride capsule, gelatin coated WALGREENS

-----

#### SEVERE NIGHTTIME COLD AND FLU

### **Drug Facts**

Active ingredients (in each softgel)	Purposes	
Acetaminophen 325 mg	Pain reliever/fever reducer	
Dextromethorphan HBr 10 mg	Cough suppressant	
Doxylamine succinate 6.25 mg	Antihistamine	
Phenylephrine HCl 5 mg	Nasal decongestant	

#### Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- minor aches & pains
- headache
- fever
- sore throat
- runny nose & sneezing
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage

## **Warnings**

# Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

# Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Allergy Alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleep

### Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

# Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

# When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

# Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

• cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

Keep out of reach of children.

## Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- take only as directed see Overdose warning
- do not exceed 4 doses per 24 hours

adults & children 12	2 softgels with water
years & over	every 4 hours
children 4 to under 12	ask a doctor
years	ask a doctor
children under 4 years	do not use

#### Other information

• store at room temperature

# **Inactive ingredients**

D&C Yellow# 10, FD&C Blue# 1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan, sodium hydroxide\*, titanium dioxide \* may contain this ingredient

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015

## Questions or comments?

Call toll free: 1-888-333-9792

#### PRINCIPAL DISPLAY PANEL

Walgreens

Compare to Vicks® NyQuil® Severe

Cold & Flu active ingredients††

**NIGHTTIME** 

Severe Cold & Flu

ACETAMINOPHEN/ PAIN RELIEVER/ FEVER REDUCER

DEXTROMETHORPHAN HBR/ COUGH SUPPRESSANT

DOXYLAMINE SUCCINATE/ ANTIHISTAMINE

PHENYLEPHRINE HCL/ NASAL DECONGESTANT

MAXIMUM STRENGTH

Relieves headache, fever, sore throat, minor

aches & pains, nasal/sinus congestion & sinus

pressure, sneezing, runny nose & cough

24

SOFTGELS



# SEVERE NIGHTTIME COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, and phenylephrine hydrochloride capsule, gelatin coated

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-8997
Route of Administration	ORAL		

Active ingredient/Active Molety			
Ingredient Name	Basis of Strength	Strength	

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients			
Ingredient Name	Strength		
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
GELATIN (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
POVIDONE K30 (UNII: U725QWY32X)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM HYDROXIDE (UNII: 55X04QC32I)			
SORBITOL (UNII: 506T60A25R)			
SORBITAN (UNII: 6092ICV9RU)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

Product Characteristics				
Color	green	Score	no score	
Shape	OVAL (OBLONG)	Size	20mm	
Flavor		Imprint Code	116;A07	
Contains				

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0363- 8997-24	2 in 1 CARTON	08/23/2021		
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/23/2021	

# Labeler - WALGREENS (008965063)

Revised: 12/2023 WALGREENS