

**SPF 50 CHEMICAL MYSTERMAN SLAM- avabenzone 3% homosalate 10%
octocrylene 6% lotion
Slam Lotion**

SLAM SPF 50 3oz Chemical lotion Mysteryman

Active ingredients

Avobenzone 3.00%
Homosalate 10.00%
Octocrylene 6.00%.

Purpose

Sunscreen
Sunscreen
Sunscreen

Uses

- helps prevent sunburn•

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately

Directions

- apply liberally and spread evenly by hand 15 minutes before sun exposure• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

• **Sun Protection Measures.** Spending tme in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2. p.m.
- wear a long-sleeve shirt, pants, hats, and sunglasses.
- children under 6 months: Ask a doctor.

Inactive ingredients

Aluminum Starch Octenylsuccinate, Arachidic Acid, Benzyl Alcohol, Butyloctyl Salicylate, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Fragrance, Lauric Acid, Myristic Acid, Palmitic Acid, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Triethanolamine, VP/Eicosene Copolymer, Water

▶ BACKGROUND TO HERE ▼



SLAM
Suntan Like A Man

**MEN'S SCENTED
SUNSCREEN**

50 MYSTERYMAN

Anti-aging
Sprays on clear
Water Resistant (80 Minutes)
Free of Oxybenzone & Octinoxate
Broad Spectrum SPF 50

Net Wt. 5oz. (142 g)

Drug Facts

Active ingredients	Purpose
Avobenzone 3.00%	Sunscreen
Homosalate 10.00%	Sunscreen
Octisalate 5.00%	Sunscreen

Uses • Helps prevent sunburn. Higher SPF gives more sun protection.

Warnings
For external use only.

Flammable: Do not use near heat, flame or while smoking.

Do not use on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • spray liberally and spread evenly by hand 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face
- do not apply in windy conditions • use in a well-ventilated area

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2. p.m. • wear a long-sleeve shirt, pants, hats, and sunglasses. • children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun • may stain fabrics.

Inactive ingredients
Butyloctyl Salicylate, Ethyl Alcohol Denatured, Fragrance, Oryza Sativa (Rice) Bran Oil, Polyester-8, VA/Butyl Maleate/Isobornyl Acrylate Copolymer.

Questions? (561) 903-0714

DISTRIBUTED BY: SLAM LOTION
848 Dodge Ave, Ste 436, Evanston IL 60202

MADE IN THE USA WITH US AND GLOBALLY SOURCED MATERIALS



SPF 50 CHEMICAL MYSTERMAN SLAM

avabenzone 3% homosalate 10% octocrylene 6% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85943-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
ARACHIDIC ACID (UNII: PQB8MJD4RB)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CARBOMER (UNII: 0A5MM307FC)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LAURIC ACID (UNII: 1160N9NU9U)	
MYRISTIC ACID (UNII: 0I3V7S25AW)	
PALMITIC ACID (UNII: 2V16EO95H1)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHANOLAMINE (UNII: 9O3K93S3TK)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
WATER (UNII: 059QF0KO0R)	
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85943-008-03	89 mL in 1 TUBE; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M20	08/06/2025	

Labeler - Slam Lotion (119543108)

Registrant - Inspec Solutions (081030372)

Establishment

Name	Address	ID/FEI	Business Operations
Inspec Solutions		081030372	manufacture(85943-008)

Revised: 3/2026

Slam Lotion