ABOVE EXTREME INVISIBLE MEN 72 HOURS- above extreme invisible men 72 hours aerosol, spray BASTON INDUSTRIA DE AEROSSOIS LTDA

ABOVE EXTREME INVISIBLE MEN 72 HOURS SPRAY

ACTIVE INGREDIENT SECTION

ALUMINUM SESQUICHOLOHYDRATE

OTC PURPOSE SECTION

ANTIPERSPIRANT

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

EMAIL : SUPPORT@MYSPRAY.GROUP OR CALL (305) 677-5030

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE, DO NOT PUNCTURE OR INCINERATE, DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON **BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL** ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL. BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES. RINSE WITH PLENTY OF WATER. IF SWALLOWED. DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL. BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

BUTANE (BUTANO) PROPANE (PROPANO) ISOBUTANE (ISOBUTANO) ISOPROPYL MYRISTATE (MIRISTATO DE ISOPROPILA) ISODODECANE (ISODODECANO) ALUMINUM AOUA (ÁGUA) PPG-14 BUTYL ETHER (ÉTER BUTÍLICO PPG-14) PARFUM (PERFUME) QUATERNIUM-18 HECTORITE (QUATÉRNIO-18 HECTORITA) 2-METHYL 5-CYCLOHEXYLPENTANOL (2-METIL 5-CICLOEXILPENTANOL) **PROPYLENE CARBONATE (CARBONATO DE PROPILENO)** TOCOPHERYL ACETATE (ACETATO DE DEXTROALFATOCOFEROL) GOSSYPIUM HERBACEUM SEED OIL (ÓLEO DA SEMENTE DE ALGODOEIRO) BUTYROSPERMUM PARKII BUTTER (MANTEIGA DE KARITÉ) MACADAMIA TERNIFOLIA SEED OIL (ÓLEO DA SEMENTE DE MACADÂMIA) COCOS NUCIFERA FRUIT EXTRACT (EXTRATO DO FRUTO DE COQUEIRO) CHAMOMILLA RECUTITA FLOWER EXTRACT (EXTRATO DA FLOR DE CAMOMILA)

ALOE BARBADENSIS LEAF EXTRACT (EXTRATO DA FOLHA DE ALOE VERA) CAMELLIA SINENSIS LEAF EXTRACT (EXTRATO DA FOLHA DE CHÁ-DA-ÍNDIA) CINNAMOMUM ZEYLANICUM BARK EXTRACT (EXTRATO DA CASCA DE CANELEIRA) ACORUS CALAMUS ROOT EXTRACT (EXTRATO DA RAIZ DE CÁLAMO-AROMÁTICO)

COMMIPHORA MYRRHA RESIN EXTRACT (EXTRATO DA RESINA DE MIRRA) OLEA EUROPAEA FRUIT OIL (ÓLEO DE OLIVA)

ARGANIA SPINOSA KERNEL OIL (ÓLEO DE ARGAN)

LECITHIN (LECITINA)

POLYGLYCERYL-3 DIISOSTEARATE (DIISOESTEARATO DE POLIGLICERILA-3) GLYCERIN (GLICEROL) &nb



<u>A</u>bove[®] EXTREME

Ac

Alu

LEIA AS INSTRUCÕES DO RÓTULO ANTES DE USAR.

MODO DE USAR: AGITE BEM A EMBALAGEM E APLIQUE NAS AXILAS A UMA DISTÂN CIA APROXIMADA DE15CM. PROTEIAOS OLHOS DURANTE AAPLICAÇÃO. MODODE EMPLEO: AGITE BIEN EL ENVASE Y APLIQUE EL PRODUCTO EN LAS AXILAS A UNA DISTANCIA APROXIMADA DE 15 CM. PROTÉJASE LOS OJOS DURANTE LA APLICACIÓN.

PRECAUÇÕES: CUIDADO PRODUTO INFLAMÁVEL. USO Externo, conteúdo sob pressão. Não pulverizar perto de Eogo ou corpos incandescentes, não perfurar nem INCINERAR A EMBALAGEM MESMO QUANDO VAZIA. NÃO USAR Nem guardar em locais quentes ou perto de chamas. Não Expor aos raios solares nem a temperaturas superiores A 50°C. EVITAR A INALAÇÃO DIRETA DESTE PRODUTO, EM CASO DE CONTATO COM OS OLHOS, LAVE COMÁGUAEM ABUNDÂNCIA. NÃO USAR SE A PELE ESTIVER IRRITADA OU LESIONADA. CASO OCORRA IRRITAÇÃO OU PRURIDO NO LOCAL DA APLICAÇÃO, DEVERÁ SUSPENDER O USO. CONSERVE FORA DO ALCANCE DAS Crianças e dos animais domésticos. Usar somente nas ÁREAS INDICADAS. EM CASO DE INGESTÃO, NÃO PROVOQUE VÔMITO E PROCURE UM MÉDICO. NÃO DEIXAR EMBALAGEM DE AEROSSOL DENTRO DE VEÍCULO / RISCO DE VAZAMENTO E EXPLOSÃO, LOTE E VALIDADE VIDE FUNDO DA EMBALAGEM.

PRECAUCIONES: ¡CUIDADO! PRODUCTO INFLAMABLE. USO EXTERNO. CONTENIDO BAJO PRESIÓN. POR MEDIDA DE SEGURIDAD UTILICE EL PRODUCTO CONFORME SU MODO DE USO. NO PULVERIZAR CERCA DEL FUEGO O CUERPOS INCANDESCENTES, NO PERFORAR NI INCINERAR EL ENVASE, AUNQUE ESTÉ VACÍO. NO USAR NI GUARDAR EN LUGAR CALIENTE O CERCA DE LAS LLAMAS. NO EXPONER A LOS RAYOS SOLARES NI A TEMPERATURAS SUPERIORES A LOS 50°C. EVITE INHAL AR ESTE PRODUCTO. PROTEJA SUS OJOS DURANTE LA APLICACIÓN. EN EL CASO DE CONTACTO CON LOS OJOS, LÁVELOS CON ABUNDANTE AGUA, NO USAR SI LA PIEL SE ENCUENTRA IRRITADA O LESIONADA. SI OCURRE IRRITACIÓN O PRURITO EN EL LUGAR DE La Aplicación, se deberá suspender su USO. **Conservar** LEIOS DEL ÁLCANCE DE LOS NIÑOS Y ANIMALES DOMÉSTICOS. USE SOLAMENTE EN LAS ÁREAS INDICADAS. EN El caso de ingestión no provoque el vómito y buscaf AYUDA MÉDICA. NO DEIE EL ENVASE AEROSOL DENTRO DE UN VEHÍCULO, RIESGO DE ESCAPE Y EXPLOSIÓN. VEA EL LOTE Y FECHADE VALIDADEN LAPARTE POSTERIOR DEL ENVASE.

*TESTADO PÓS CONDIÇÕES REAIS DE USO DO PRODUTO, COM ROUPAS DE ALGODÃO, NAS CORES BRANCA, PRETA, AMARELA, AZUL, VERDEEVERMELHA

BASTON INDÚSTRIA DE AEROSSÓIS LTDA

AV. DAS PALMEIRAS, 1705 - PALMEIRA/PR - BRASIL C.N.P.I. 08.65.974/001-70 - INSC. EST. 902.96.966-72 RESP. TÉC.: LUCÍLIA CAROLINA V. COSTA - CRQ 09303062 IX REGIÃO A.F.E./M.S.: 2.05.717-7PROCESSO: VIDE FUNDO DA EMBALAGEM ATEND. AO CONSUMIDOR: 55 (42) 3252-1705 Sac@Baston.com.br - indústria Brasileira / Indústria Brasilena | Made in Brazil - Distributed BY: SPRAY INTERNATIONAL LLC 11401 NW 134TH STREET SUITE 107 MEDLEY FL 33178

(O)

siga a gente!

@above.oficial

Drug Facts

tive Ingredient	Purpose
ninum Sesquichlorohydrate (19,2%)	anti-perspirant

Uses Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application.

Warninas

FLAMMABLE DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING, CAN CAUSE SERIOUS MULIRY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. AVOID SPRAING IN EYES, CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INSINERATE. DO NOT EXPOSE UNDER PRESSURE DO NOT PUNCTURE OR INCIDERATE DO NOT EXPOSE TO HEAR SINUIDATION TO STIDER AT THE DEPARTURES ABOVE JUEF /GO'C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SON. STOP USE IF ASA'N OR RRATIATION OCCURS. GET MEDICAL TREVITON INMEDITAL'ASA A DOCTORE BEFORE USING FYUL HAVE KONKY DISASE. KEEP OUT OF RACH OF CHILDREN AND ANIMALS. USE OUT / A SD IRECTED. INTENTIONAL MISUSE BY DE JUEIBRATELY CONCENTRATING AND INALIANO. THE COMTENTS CAN BE HAMPHIL OR FARAL ANDD THE INALATION OF THE PRODUCT. IN CASE OF CONTACT VIET HEVES, NIESE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VONTING, CONSULT VOIR FRANCHARE F SWALLOWED, DO NOT INDUCE VONTING, CONSULT VOIR FRANCHARE MANDER MINEDIATELY DO NOT LEAVE THE REROSCI CONTAINER IN A VEHICLE. RISK OF LEAVAGE AND EPISOLOGIN. CONTAINER MARTERIAL SETEL BATCH AND EVIRATION ABUSE. THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE WWW INHALANTORG

Directions apply to underarms only

Composição / Ingredients / Composición

BUTANE (BUTANO), PROPANE (PROPANO), ISOBUTANE (ISOBUTANO), BUJANE (BUJANC), PRUTANE (PRUTANC), SUBUJANE (SUBUJANC) ISOPROVI, MINTATTE (MIRISTATO DE SOROPICIA), SUBODECANE (ISODODECANO), ALUMINUM SESQUICHOLOHYDRATE (SEQUICLOROHIDRATO DE ALUMINO), AQUÁ (AGUA), PPG-14 BUTY ETHER (ÉTER BUTLICO PPG-14), QUÁTERNIUM-18 HECTORITE (QUATÉRNIO-18 HECTORITA), 2-METHYL 5-CYCLOHEX/UPENTANCI (2-(UQAIENDU-JE HECIGHIA), Z-MEIHYL S-GYCUDHEXYPENIANU (Z-MEILS-SCICIOZUPENIANU), PROYUENE CARBONATE (AREDNATO DE PROPILENO), TOCOPHERYL ACETATE (ACETATO DE DEXTROJARIOCOFEROL, GOSSYBIUM HERBACEUM SED OLI (DIED DA SENENTE DE ALGODEIRO), BUTYOSPERNUM PARENI BUTTER (MANTERA DE KARTÉ), MAGDAMIA TENNEDUA SED OLI (DIED DA SEMENTE DE MACADÂMIA), COCOS NUCIFERA FRUIT EXTRACT (EXTRATO alemante de marganemia, docos morte laver kante estavente (laverando De Fruito de Coqueiro), chamomilla recutita flowere extract (extracto da folha de lace vera), camella senesis les extract (extracto da folha de lace vera), camella senesis les extracto (extracto da folha de lace vera), camella senesis les extracto (extracto da folha de lace vera), camella senesis les extracto BARK EXTRACT (EXTRATO DA CASCA DE CANELEIRA), ACORUS CALAMUS ROOT EXTRACT (EXTRATO DA RAIZ DE CÁLAMO-AROMÁTICO), RUUI EXIRACI LEXIRAIO DA KALZ DE CALAMO-ARUMAICO) commendoarwerk resin estracia (Estracio ar estrado ar entral, olea Europaea Fruito II. (Oleo de Oliva), argania spinosa kernel oli. (Oleo de Argan), lectitini (Lectitina), polyesucervi-3 diosstetaret (Diosstetarato de Polucioerui-3), cuycerni (Guicerol), guycervi stearate (Monosstearato de Guicerila) PARFUM (PERFUME), HEXYL CINNAMAL (HEXIL CINAMAL), CITRONELLOL (CITRONELOL), LINALOOL (LINALOL), EUGENOL (EUGENOL), CITRAL (CITRAL)

Questions?

e-mail support@myspray.group or call: +1 (305) 677-5030



ABOVE EXTREME INVISIBLE MEN 72 HOURS

HUMAN OTC DRUG

above extreme invisible men 72 hours aerosol, spray

Product Information

Product Type

Item Code (Source)

NDC:73306-1158

Route of Administration TOPICAL

Active Ingred	ient/Active M	loiety				
J	Ingredient Name			Ba	sis of Strengt	n Strength
	QUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM (DRATE - UNII:UCN889409V)		1 ALUM	ALUMINUM SESQUICHLOROHYDRATI		
Inactive Ingre	edients					
	Ingredient Name			Strength		
ISOBUTANE (UNII:	BXR49TP611)					
Product Char	acteristics					
Color		white	Score			
Shape			Size			
Flavor			Imprint Code	•		
Contains						
Packaging						
# Item Code	Package Description		Marketing Date		eting End Date	
1 NDC:73306-	90 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		06/19/2023			



Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M019	06/19/2023	

Establishment					
Name	Address	ID/FEI	Business Operations		
BASTON INDUSTRIA DE AEROSSOIS LTDA		897727605	manufacture(73306-1158)		

Revised: 7/2024

BASTON INDUSTRIA DE AEROSSOIS LTDA