ABOVE EXTREME MEN MOVEMENT 72 HOURS- above extreme men movement 72 hours aerosol, spray BASTON INDUSTRIA DE AEROSSOIS LTDA

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ABOVE EXTREME MEN MOVEMENT 72H SPRAY

BUTANE (BUTANO)
PROPANE (PROPANO)
ISOBUTANE (ISOBUTANO)
ISOPROPYL MYRISTATE (MIRISTATO DE ISOPROPILA)
ISODODECANE (ISODODECANO)

AQUA (ÁGUA)

PPG-14 BUTYL ETHER (ÉTER BUTÍLICO PPG-14)

PARFUM (PERFUME)

QUATERNIUM-18 HECTORITE (QUATÉRNIO-18 HECTORITA)

2-METHYL 5-CYCLOHEXYLPENTANOL (2-METIL 5-CICLOEXILPENTANOL)

PROPYLENE CARBONATE (CARBONATO DE PROPILENO)

TOCOPHERYL ACETATE (ACETATO DE DEXTROALFATOCOFEROL)

GOSSYPIUM HERBACEUM SEED OIL (ÓLEO DA SEMENTE DE ALGODOEIRO)

BUTYROSPERMUM PARKII BUTTER (MANTEIGA DE KARITÉ)

MACADAMIA TERNIFOLIA SEED OIL (ÓLEO DA SEMENTE DE MACADÂMIA)

COCOS NUCIFERA FRUIT EXTRACT (EXTRATO DO FRUTO DE COQUEIRO)

CHAMOMILLA RECUTITA FLOWER EXTRACT (EXTRATO DA FLOR DE CAMOMILA)

ALOE BARBADENSIS LEAF EXTRACT (EXTRATO DA FOLHA DE ALOE VERA)
CAMELLIA SINENSIS LEAF EXTRACT (EXTRATO DA FOLHA DE CHÁ-DA-ÍNDIA)
CINNAMOMUM ZEYLANICUM BARK EXTRACT (EXTRATO DA CASCA DE
CANELEIRA)

ACORUS CALAMUS ROOT EXTRACT (EXTRATO DA RAIZ DE CÁLAMO-AROMÁTICO)

COMMIPHORA MYRRHA RESIN EXTRACT (EXTRATO DA RESINA DE MIRRA)

OLEA EUROPAEA FRUIT OIL (ÓLEO DE OLIVA)

ARGANIA SPINOSA KERNEL OIL (ÓLEO DE ARGAN)

LECITHIN (LECITINA)

POLYGLYCERYL-3 DIISOSTEARATE (DIISOESTEARATO DE POLIGLICERILA-3) & nb

ALUMINUM SESQUICHOLOHYDRATE

ANTIPERSPIRANT

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

EMAIL: SUPPORT@MYSPRAY.GROUP OR CALL (305) 677-5030

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VOMITING: CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL. BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG

KEEP OUT OF REACH OF CHILDREN

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

Shake the container well and apply to the underarms approximately 15cm away. Protect the eyes during the application

FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. KEEP AWAY FROM FACE AND MOUTH TO AVOID BREATHING IN. AVOID SPRAYING IN EYES. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. DO NOT EXPOSE TO HEAT, SUNLIGHT OR STORE AT TEMPERATURES ABOVE 120°F/50°C OR IN ENCLOSED PLACES THAT COULD OVERHEAT. DO NOT USE ON BROKEN SKIN. STOP USE IF RASH OR IRRITATION OCCURS. GET MEDICAL ATTENTION IMMEDIATELY. ASK A DOCTOR BEFORE USING IF YOU HAVE KIDNEY DISEASE. KEEP OUT OF REACH OF CHILDREN AND ANIMALS. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR

FATAL. AVOID THE INHALATION OF THE PRODUCT. IN CASE OF CONTACT WITH EYES, RINSE WITH PLENTY OF WATER. IF SWALLOWED, DO NOT INDUCE VOMITING; CONSULT YOUR HEALTHCARE PROVIDER IMMEDIATELY. DO NOT LEAVE THE AEROSOL CONTAINER IN A VEHICLE. RISK OF LEAKAGE AND EXPLOSION. CONTAINER MATERIAL: STEEL. BATCH AND EXPIRATION ON THE BOTTOM OF THE CONTAINER. HELP STOP INHALATION ABUSE: WWW.INHALANT.ORG



ABOVE EXTREME MEN MOVEMENT 72 HOURS

above extreme men movement 72 hours aerosol, spray

Product Information	Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73306-1156	
Route of Administration	TOPICAL			

l	Active Ingredient/Active Moiety					
	Ingredient Name	Basis of Strength	Strength			
	ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII: UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	19 mg in 90 g			

Inactive Ingredients	
Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:73306- 1156-1	90 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	06/20/2023		



Marketing Information

Marketing Category

Application Number or Monograph Citation

Marketing Start Date

Marketing End Date

OTC monograph final M01

06/20/2023

Registrant - BASTON INDUSTRIA DE AEROSSOIS LTDA (897727605)

Establishment			
Name	Address	ID/FEI	Business Operations
BASTON INDUSTRIA DE AEROSSOIS LTDA		897727605	manufacture(73306-1156)

Revised: 6/2023 BASTON INDUSTRIA DE AEROSSOIS LTDA