

**LAXATIVE FOR WOMEN- bisacodyl tablet, coated**  
**Family Dollar Services Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Family Wellness 44-676A**

***Active ingredient (in each tablet)***

Bisacodyl USP, 5 mg

***Purpose***

Stimulant laxative

***Uses***

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

**When using this product**

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

***Inactive ingredients***

carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose, polydextrose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate

***Questions or comments?***

**1-800-426-9391**

***Principal Display Panel***

**FAMILY**  
***wellness™***

**Laxative for Women**

**Bisacodyl USP, 5 mg**  
**Stimulant Laxative**

Gentle, Predictable  
Overnight Relief

100% SATISFACTION  
GUARANTEED  
**OR YOUR MONEY BACK**

**30 ENTERIC COATED**  
**TABLETS**

ACTUAL SIZE

**OTC**  
***network***

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

50844      ORG041867601

**DISTRIBUTED BY: MIDWOOD BRANDS, LLC**

10611 MONROE RD., MATTHEWS, NC 28105

**NOT 100% SATISFIED?**

Return package and unused product within 30 days to any  
Family Dollar store for a refund (with receipt) or exchange.

B-0500-676A-01-RR  
ORG041867601

SKU 0915221



TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
—ANY SIGNS OF TAMPERING—

No Print / No Varnish  
Lot no. & Exp. date

FAMILY  
wellness™



# Laxative for Women

Bisacodyl USP, 5 mg  
Stimulant Laxative

Gentle, Predictable  
Overnight Relief

30 ENTERIC COATED  
TABLETS



ACTUAL SIZE



DISTRIBUTED BY: MIDWOOD BRANDS, LLC  
10611 MONROE RD., MATTHEWS, NC 28105  
**NOT 100% SATISFIED?**  
Return package and unused product within 30 days to any  
Family Dollar store for a refund (with receipt) or exchange.

50844 ORG041867601

**Drug Facts (continued)**  
bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate  
**Questions or comments?** 1-800-426-9391

### Drug Facts (continued)

**Warnings**  
Do not use if you cannot swallow without chewing.  
Ask a doctor before use if you have  
■ a sudden change in bowel habits that lasts more than 2 weeks  
■ stomach pain, nausea or vomiting  
When using this product  
■ do not chew or crush tablet(s)  
■ do not use within 1 hour after taking an antacid or milk  
■ you may have stomach discomfort, faintness and cramps  
Stop use and ask a doctor if  
■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.  
■ you need to use a laxative for more than 1 week  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### Drug Facts (continued)

**Directions**  
■ take with a glass of water  
adults and children 12 years and over  
take 1 to 3 tablets in a single daily dose  
children 6 to under 12 years  
take 1 tablet in a single daily dose  
children under 6 years  
ask a doctor  
**Other information**  
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid excessive humidity  
■ see end flap for expiration date and lot number  
**Inactive ingredients** carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose, polydextrose, polyethylene glycol, shellac wax, simethicone, sodium

# LAXATIVE FOR WOMEN

bisacodyl tablet, coated

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-676
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10 X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID (UNII: 1CS02G8656)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SHELLAC (UNII: 46N107B710)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	

## Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	B
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-676-01	2 in 1 CARTON	09/16/2015	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	09/16/2015	

**Labeler** - Family Dollar Services Inc (024472631)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(55319-676)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(55319-676)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(55319-676)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(55319-676)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(55319-676)

Revised: 12/2019

Family Dollar Services Inc