CARPE SPF 30 FACE PRIMER- titanium dioxide, zinc oxide lotion Clutch, Inc. DBA Carpe

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Carpe - Sweat Absorbing Lasting Matte SPF Primer (11-ER-077)

Active Ingredients

Titanium Dioxide - 5.3% Zinc Oxide - 2.4%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not useon damaged or broken skin.
- When using this productkeep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply: After 40 minutes of swimming or sweating. Immediately after towel drying. At least every 2 hours.
- Children under six months: Ask a doctor.
- **Sun Protection Measures**: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun especially from 10 a.m. 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Aluminum Hydroxide, Cyclopentasiloxane, Dimethicone Crosspolymer, Helianthus Annuus (Sunflower) Extract, Hydrogen Dimethicone, Iron Oxides, Isopropyl Myristate, Isopropyl Titanium Triisostearate, Mica, Octyldodecyl Oleate, Oryza Sativa (Rice) Bran Extract, Polyamide-5, Polysilicone-11, Propylene Carbonate, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica Silylate, Stearalkonium Hectorite, Synthetic Wax, Tocopherol

Other Information

Protect this product fro excessive heat and direct sun.



CARPE SPF 30 FACE PRIMER titanium dioxide, zinc oxide lotion Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:83306-414 Route of Administration TOPICAL Active Ingredient/Active Moiety Ingredient Name Basis of Strength Strength

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 5.3 g in 100 g **ZINC OXIDE** (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) ZINC OXIDE 2.4 g in 100 g

Inactive Ingredients				
Ingredient Name	Strength			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
PROPYLENE CARBONATE (UNII: 8D08K3S51E)				
TOCOPHEROL (UNII: R0ZB2556P8)				
SYNTHETIC WAX (1900 MW) (UNII: 5M631N9V0S)				
HYDROGEN DIMETHICONE (30 CST) (UNII: JF2ZJ6R2WD)				
CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)				
RICE BRAN (UNII: R60QEP13IC)				
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
OCTYLDODECYL OLEATE (UNII: MCA43PK7MH)				
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)				
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)				
STEARALKONIUM HECTORITE (UNII: OLX698AH5P)				
POLYAMIDE-5 (UNII: UEM62QMW5F)				
ROSEMARY (UNII: IJ67X351P9)				
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)				
FERROSOFERRIC OXIDE (UNII: XM0M87F357)				
MICA (UNII: V8A1AW0880)				

l	Packaging						
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1	NDC:83306- 414-83	48 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/01/2023			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	05/01/2023	

Labeler - Clutch, Inc. DBA Carpe (080214892)

Revised: 6/2023 Clutch, Inc. DBA Carpe