

CARPE SPF 30 FACE PRIMER- titanium dioxide, zinc oxide lotion
Clutch, Inc. DBA Carpe

Carpe - Sweat Absorbing Lasting Matte SPF Primer (11-ER-077)

Active Ingredients

Titanium Dioxide – 5.3%
Zinc Oxide – 2.4%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply: • After 40 minutes of swimming or sweating. • Immediately after towel drying. • At least every 2 hours.
- Children under six months: Ask a doctor.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun especially from 10 a.m. – 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Aluminum Hydroxide, Cyclopentasiloxane, Dimethicone Crosspolymer, Helianthus

Annuus (Sunflower) Extract, Hydrogen Dimethicone, Iron Oxides, Isopropyl Myristate, Isopropyl Titanium Triisostearate, Mica, Octyldodecyl Oleate, Oryza Sativa (Rice) Bran Extract, Polyamide-5, Polysilicone-11, Propylene Carbonate, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica Silylate, Stearalkonium Hectorite, Synthetic Wax, Tocopherol

Other Information

Protect this product from excessive heat and direct sun.



TINTED

SWEAT ABSORBING LASTING MATTE SPF PRIMER

BROAD SPECTRUM SPF 30 SUNSCREEN
SWEAT & WATER RESISTANT (40 MIN)

NET WT 1.7 OZ (48 G)

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 5.3%.....	Sunscreen
Zinc Oxide 2.4%.....	Sunscreen

Uses ■ Helps prevent Sunburn. ■ If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally 15 minutes before sun exposure
 ■ Reapply: After 40 minutes of swimming or sweating. Immediately after towel drying. At least every 2 hours. ■ Children under 6 months: ask a doctor.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. to 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sun glasses.

Inactive Ingredients Aluminum Hydroxide, Cyclopentasiloxane, Dimethicone Crosspolymer, Helianthus Annuus (Sunflower) Extract, Hydrogen Dimethicone, Iron Oxides, Isopropyl Myristate, Isopropyl Titanium Triisostearate, Mica, Octyldodecyl Oleate, Oryza Sativa (Rice) Bran Extract, Polyamide-5, Polysilicone-11, Propylene Carbonate, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica Silylate, Stearalkonium Hectorite, Synthetic Wax, Tocopherol

Other Information Protect this product from excessive heat and direct sun.

SHAKE WELL BEFORE EACH USE

Questions: Call 888-621-0135
 help@carpe.com
 Distributed by: Clutch, Inc. (DBA Carpe)
 Durham, NC 27701
 Designed and Filled in USA



8 5769 00875 6

CARPE SPF 30 FACE PRIMER

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83306-414
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.3 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SYNTHETIC WAX (1900 MW) (UNII: 5M631N9V0S)	
HYDROGEN DIMETHICONE (30 CST) (UNII: JF2ZJ6R2WD)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
RICE BRAN (UNII: R60QEP13IC)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
OCTYLDODECYL OLEATE (UNII: MCA43PK7MH)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)	
STEARALKONIUM HECTORITE (UNII: OLX698AH5P)	
POLYAMIDE-5 (UNII: UEM62QMW5F)	
ROSEMARY (UNII: IJ67X351P9)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83306-414-83	48 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2023	

Labeler - Clutch, Inc. DBA Carpe (080214892)

Revised: 12/2024

Clutch, Inc. DBA Carpe