

LAXATIVE FOR WOMEN- bisacodyl tablet, delayed release
Rite Aid Corporation

Rite Aid 44-676A

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

| | |
|---------------------------------------|--|
| adults and children 12 years and over | take 1 to 3 tablets in a single daily dose |
| children 6 to under 12 years | take 1 tablet in a single daily dose |
| children under 6 years | ask a doctor |

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

Inactive ingredients

carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose, polydextrose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-800-426-9391

Principal display panel

NDC 11822-0676-5

LAXATIVE

FOR WOMEN

BISACODYL USP 5 mg

STIMULANT LAXATIVE

Gentle, dependable constipation relief

Enteric coated

ACTUAL SIZE

90 TABLETS

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

50844 REV0119B67652

DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS

ETTERS, PA 17319 www.riteaid.com

**SATISFACTION
GUARANTEE**

If you're not satisfied, we'll
happily refund your money



Rite Aid 44-676A

LAXATIVE FOR WOMEN

bisacodyl tablet, delayed release

| Product Information | | | | |
|--|------------------|---|----------------------|--------------------|
| Product Type | | HUMAN OTC DRUG | Item Code (Source) | NDC:11822-0676 |
| Route of Administration | | ORAL | | |
| | | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | | Basis of Strength | Strength |
| BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y) | | | BISACODYL | 5 mg |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | | Strength |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | | | |
| STARCH, CORN (UNII: O8232NY3SJ) | | | | |
| FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T) | | | | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | | | | |
| ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK) | | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I3O) | | | | |
| METHACRYLIC ACID (UNII: 1CS02G8656) | | | | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | | | | |
| POLYDEXTROSE (UNII: VH2XOU12IE) | | | | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | | | | |
| SHELLAC (UNII: 46N107B71O) | | | | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| SODIUM BICARBONATE (UNII: 8MDF5V39QO) | | | | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | | | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | | | |
| TALC (UNII: 7SEV7J4R1U) | | | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | | |
| TRIACETIN (UNII: XHX3C3X673) | | | | |
| TRIETHYL CITRATE (UNII: 8Z96QXD6UM) | | | | |
| | | | | |
| Product Characteristics | | | | |
| Color | pink | Score | no score | |
| Shape | ROUND | Size | 8mm | |
| Flavor | | Imprint Code | B | |
| Contains | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:11822-0676-5 | 6 in 1 CARTON | 09/16/2015 | |
| 1 | | 15 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:11822- | 2 in 1 CARTON | 09/16/2015 | 02/21/2022 |

| | | | | |
|------------------------------|---|---|-----------------------------|---------------------------|
| 4 | 0676-1 | 2 IN 1 CARTON | 09/16/2015 | 02/21/2022 |
| 2 | | 15 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | 505G(a)(3) | | 09/16/2015 | |

Labeler - Rite Aid Corporation (014578892)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 038154464 | pack(11822-0676) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|--|
| LNK International, Inc. | | 832867837 | manufacture(11822-0676) , pack(11822-0676) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|-------------------------|
| LNK International, Inc. | | 832867894 | manufacture(11822-0676) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 967626305 | pack(11822-0676) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|-------------------------|
| LNK International, Inc. | | 117025878 | manufacture(11822-0676) |