# VICKS NYQUIL ULTRA CONCENTRATED COLD AND FLU- acetaminophen, dextromethorphan hbr, doxylamine succinate capsule, liquid filled The Procter & Gamble Manufacturing Company

-----

# VICKS® NyQuil™ ULTRA CONCENTRATED COLD & FLU, LiquiCaps™ Drug Facts

#### Active ingredients (in each LiquiCap)

Acetaminophen 325 mg Dextromethorphan HBr 10 mg Doxylamine succinate 6.25 mg

#### **Purpose**

Pain reliever/fever reducer Cough suppressant Antihistamine

#### Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing

### Warnings

**Liver warning:**This product contains acetaminophen.

Severe liver damage may occur if you take

- more than 8 Liquicaps in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy Alert**: Acetaminophen may cause severe skin reactions.

Symptoms may include:

• skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is

accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

## Ask a doctor or pharmacist before use if you are

• taking sedatives or tranquilizers • taking the blood thinning drug warfarin

# When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

# Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- take only as directed
- do not exceed 8 LiquiCaps per 24 hrs

adults & children 12 yrs & over	2 LiquiCaps with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

#### Other information

store at no greater than 25° C

# Inactive ingredients

Inactive Ingredients D&C Yellow No. 10, FD&C Blue No. 1, gelatin, glycerin, lecithin, mica, polyethylene glycol, polyvinyl acetate phthalate, povidone, sorbitol sorbitan solution, titanium dioxide, water

#### Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED.

DIST. BY PROCTER & GAMBLE, CINCINNATI, OH 45202

# PRINCIPAL DISPLAY PANEL - 48 LiquiCaps™

MAX STRENGTH 100% MORE LIQUICAPS† VICKS®

NyQuil™

#### **ULTRA CONCENTRATED**

COLD & FLU

Acetaminophen, Doxylamine Succinate, Dextromethorphan HBr

Headache, Fever, Sore Throat, Minor Aches & Pains Sneezing, Runny Nose Cough

25% SMALLER\*

**EASY TO SWALLOW** 

Nighttime Relief

48 LIQUICAPS™



# VICKS NYQUIL ULTRA CONCENTRATED COLD AND FLU

acetaminophen, dextromethorphan hbr, doxylamine succinate capsule, liquid filled

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69423-801	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg		

Inactive Ingredients			
Ingredient Name	Strength		
MICA (UNII: V8A1AW0880)			
GELATIN (UNII: 2G86QN327L)			
SORBITOL (UNII: 506T60A25R)			
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)			
POLYVINYL ACETATE PHTHALATE (UNII: 58QVG85GW3)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
GLYCERIN (UNII: PDC6A3C0OX)			
WATER (UNII: 059QF0KO0R)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			
POVIDONE (UNII: FZ989GH94E)			
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			

Product Characteristics				
Color	green	Score	no score	
Shape	OVAL	Size	15mm	
Flavor		Imprint Code	NQ	
Contains				

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:69423-801-	1 in 1 CARTON	07/06/2023			
1	48 in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/06/2023	

# **Labeler -** The Procter & Gamble Manufacturing Company (004238200)

Revised: 10/2025

The Procter & Gamble Manufacturing Company