

**MEN SCENTED SUNSCREEN SPF 50 BEACHMAN SLAM- avabenzone 3%
homosalate 10% octisalate 5% spray
Slam Lotion**

SPF 50 Spray Beachmen

Active ingredients

Avobenzone 3.00%
Homosalate 10.00%
Octisalate 5.00%.

Purpose

Sunscreen
Sunscreen
Sunscreen

Uses

- helps prevent sunburn•

Warnings

For external use only.

Flammable:

Do not use near heat, flame or while smoking.

Do not use

on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove. • Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure• reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face
- do not apply in windy conditions • use in a well-ventilated area
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2. p.m. • wear a long-sleeve shirt, pants, hats, and sunglasses.
- children under 6 months: Ask a doctor.

Inactive Ingredieints

Alcohol Denat.

Butyloctyl Salicylate


Fragrance

Oryza Sativa (Rice) Bran Oil

Polyester-8

VA/Butyl Maleate/Isobornyl Acrylate Copolymer

▶ BACKGROUND TO HERE ▼



Suntan Like A Man

**MEN'S SCENTED
SUNSCREEN**

50 BEACHMAN

Anti-aging
Sprays on clear
Water Resistant (80 Minutes)
Free of Oxybenzone & Octinoxate
Broad Spectrum SPF 50

Net Wt. 5oz. (142 g)

Drug Facts

Active ingredients	Purpose
Avobenzone 3.00%	Sunscreen
Homosalate 10.00%	Sunscreen
Octisalate 5.00%	Sunscreen

Uses • Helps prevent sunburn. Higher SPF gives more sun protection.

Warnings
For external use only.
Flammable: Do not use near heat, flame or while smoking.
Do not use on damaged or broken skin.
When using this product • keep out of eyes. Rinse with water to remove. • Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.
Stop use and ask doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.


Directions • spray liberally and spread evenly by hand 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
• hold container 4 to 6 inches from the skin to apply
• do not spray directly into face. Spray on hands then apply to face
• do not apply in windy conditions • use in a well-ventilated area
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear a long-sleeve shirt, pants, hats, and sunglasses.
• children under 6 months: Ask a doctor.


Other information • protect this product from excessive heat and direct sun • may stain fabrics.

Inactive ingredients
Butyloctyl Salicylate, Ethyl Alcohol Denatured, Fragrance, Oryza Sativa (Rice) Bran Oil, Polyester-8, VA/Butyl Maleate/Isobornyl Acrylate Copolymer.

Questions ? (561) 903-0714

DISTRIBUTED BY: SLAM LOTION
848 Dodge Ave, Ste 436, Evanston IL 60202

 MADE IN THE USA WITH US AND GLOBALLY SOURCED MATERIALS



MEN SCENTED SUNSCREEN SPF 50 BEACHMAN SLAM

avabenzone 3% homosalate 10% octisalate 5% spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85943-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

FRAGRANCE VERBENA JUNIPERBERRY ORC1403606 (UNII: A59PZZ5O26)	
ORYZA SATIVA (RICE) BRAN (UNII: R60QEP13IC)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85943-002-05	142 g in 1 CAN; Type 0: Not a Combination Product	08/06/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M20	08/06/2025	

Labeler - Slam Lotion (119543108)

Registrant - Inspec Solutions (081030372)

Establishment

Name	Address	ID/FEI	Business Operations
Inspec Solutions		081030372	manufacture(85943-002)

Revised: 8/2025

Slam Lotion