DERMACHLOR FLUSH PLUS- lidocaine hydrochloride, chlorhexidine liquid Henry Schein Animal Health

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Dermachlor Flush Plus

HENRY SCHEIN ANIMAL HEALTH

Ingredients:

Propylene Glycol, Lidocaine Hydrochloride 0.5%, Malic Acid, Benzoic Acid, Salicylic Acid, Chlorhexidine 0.2%, Glycerin, Fragrance, Bitrex and FD&C Red 40 in a Water Base.

Properties:

Dermachlor Flush Plus is a general cleansing solution with chlorhexidine as a topical antiseptic. It aids in the healing of superficial skin infections in dogs, cats, and horses, therefore creating an ideal environment for healthy tissue growth. Also contains Bitrex, a non-toxic bitter-tasting substance that discourages biting and licking of the wound.

Directions for Use:

Apply an amount sufficient to cover the wound, and use a cotton ball to gently remove any debris or excess solution, and allow to dry. Repeat application 2-3 times daily, or as recommended by your veterinarian. Avoid excessive application.

Precautions:

For External Use Only - Irritating To The Eye.

Caution:

Use As Directed By Your Veterinarian

Product Label



DERMACHLOR™ FLUSH PLUS with Lidocaine & Bitrex®

A Cleansing Topical Antiseptic that Discourages Biting and Licking of Wounds.

Net Contents: 4 oz

FOR VETERINARY USE ONLY KEEP OUT OF THE REACH OF CHILDREN

> Distributed Exclusively by Henry Schein Animal Health Dublin, OH 43017 www.henryscheinvet.com



VetUS™

MENRY SCHEIN®

Ingredients: Propylene Glycol, Lidocaine Hydrochloride 0.5%, Malic Acid, Benzoic Acid, Salicylic Acid, Chlorhexidine 0.2%, Glycerin, Fragrance, Bitrex® and FD&C Red 40 in a Water Base.

Properties: Dermachlor™ Flush Plus is a general cleansing solution with chlorhexidine as a topical antiseptic. It aids in the healing of superficial skin infections in dogs, cats and horses, therefore creating an ideal environment for healthy tissue growth. Also contains Bitrex®, a non-toxic bitter-tasting substance that discourages biting and licking of the wound.

Directions for Use: Apply an amount sufficient to cover the wound, and use a cotton ball to gently remove any debris or excess solution, and allow to dry. Repeat application 2-3 times daily, or as recommended by your veterinarian. Avoid excessive application.

Precautions: For External Use Only - Irritating To The Eye.

Caution: Use As Directed By Your Veterinarian.

REORDER #010368



VetUS

DERMACHLOR FLUSH PLUS

lidocaine hydrochloride, chlorhexidine liquid

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:11695-0125

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE UNII:98 PI200987) LIDO CAINE HYDRO CHLO RIDE ANHYDRO US in 1 mL CHLO RHEXIDINE (UNII: R4K00 DY52L) (CHLO RHEXIDINE UNII:R4K00 DY52L) CHLORHEXIDINE in 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
MALIC ACID (UNII: 817L1N4CKP)				
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)				
SALICYLIC ACID (UNII: O414PZ4LPZ)				
GLYCERIN (UNII: PDC6A3C0OX)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				

F	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:11695-0125-4	120 mL in 1 BOTTLE					
2	NDC:11695-0125-6	480 mL in 1 BOTTLE					

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
unapproved drug other		08/26/2015					

Labeler - Henry Schein Animal Health (017880659)

Revised: 8/2015 Henry Schein Animal Health