

PAIN RELIEF CREAM- menthol cream
SanaMax Plus LLC

SanaMax PLUS PAIN RELIEF CREAM

Drug Facts

Active Ingredients Menthol 1.25%

Purpose Topical analgesic

Uses: temporarily relieves the minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only.

Do not use: ■ on wounds, damaged, broken, or irritated skin

■ with a heating pad ■ on a child under 12 years of age with arthritis-like conditions.

Ask a doctor before use if you have redness over the affected area.

When using this product ■ avoid contact with eyes or mucous membrane

■ do not bandage tightly

Stop use and ask a doctor if

■ condition worsens or symptoms persist for more than 7 days

■ skin irritation occurs

Keep out of reach of children to avoid accidental ingestion.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

■ use only as directed ■ adults and children 12 years of age and older: apply to affected area 3 to 4 times daily

■ children under 12 years of age: ask a doctor before use

Other information:

■ Store at 68° to 77°F (20° to 25°C)

Inactive Ingredients:

Benzyl Alcohol, Cananga Odorata (Ylang Ylang) Flower Oil, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cetearyl Alcohol, Chamomilla Recutita (Matricaria) Flower Oil, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Crambe Abyssinica Seed Oil, Cymbopogon Schoenanthus Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Glyceryl Stearate, Helichrysum

Italicum Flower Oil, Lavandula Angustifolia (Lavender) Oil, Lecithin, Mentha Piperita (Peppermint) Oil, Mentha Viridis (Spearmint) Leaf Oil, PEG-40 Hydrogenated Castor Oil, PEG-6, Phenoxyethanol, Pogostemon Cablin (Patchouli) Oil, Polyglyceryl-3 Ricinoleate, Salvia Sclarea (Clary Sage) Oil, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Water/Aqua

Principal Display Package Labeling

SanaMax PLUS

BALANCED FORMULA

SanaMax PLUS

PAIN RELIEF CREAM

*Temporary relief from backache,
minor arthritis, muscle and joint pain.*

Quick Absorbing

Paraben Free

Non Staining

Non-Greasy

Non-Burning

Fast Relief

Relaxing Scent

Calming Effect

DOCTOR RECOMMENDED

WITH 12 ESSENTIAL OILS

NET WT 1 OZ (28g)

SanaMax PLUS

PAIN RELIEF CREAM

SanaMax Plus is trusted by medical doctors, pharmacists, physical therapists, chiropractors, massage therapists, podiatrists, and athletic trainers. It applies easily and penetrates quickly for fast temporary relief from sore muscles, backaches, sore joints, and arthritis.

SanaMax Plus is a balanced formula that contains 12 essential oils. It is quick absorbing but is not greasy, does not stain, has a relaxing scent, a calming effect, and does not

burn.

SanaMax Plus is not tested on animals, is made in the USA with USP grade ingredients, is free of parabens, and propylene glycol.

**Distributed by:
SanaMax Plus LLC
McAllen, TX 78501**

***Questions or Comments*
sanamaxplus.com**

NDC 72425-201-02

8 60473 00240 2

PE 2020/013

VER 01

BOX

NET WT / PESO NETO
1 OZ (28g)

+ BALANCED FORMULA • FORMULA BALANCEADA +

SanaMax

PLUS

PAIN RELIEF CREAM

CREMA PARA EL ALIVIO DE DOLOR

PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION

CONSULTE DATOS SOBRE EL MEDICAMENTO EN EL EMPAQUE EXTERNO

Active Ingredients	Purpose	Ingredientes Activos	Propósito
Menthol 1.25	Topical analgesic	Mentol 1.25%	Analgésico de uso tópico
Uses: Temporarily relieves the minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains		Usos: Para el alivio temporal de los dolores y achaques leves de los músculos y las articulaciones asociado con: ■ dolor de espalda ■ artritis ■ distensiones ■ moretones ■ torceduras	
Warnings: For external use only Do not use: ■ on wounds or damaged skin ■ with a heating pad ■ on a child under 12 years of age with arthritis-like conditions. Ask a doctor before use if you have redness over the affected area. When using this product: ■ avoid contact with eyes or mucous membranes ■ do not bandage tightly		Advertencias: Solo para uso externo. No lo use: ■ sobre heridas, con piel dañada, rota o irritada ■ en conjunto con una almohadilla térmica ■ en niños menores de 12 años con condiciones semejantes a la artritis. Consulte a su médico antes de uso si tiene irritación en su piel sobre el área afectada. Cuando use este producto: ■ evite el contacto con los ojos y con membranas mucosas ■ no cubrir con vendaje apretado	
Stop use and ask doctor if: ■ excessive skin irritation occurs ■ condition worsens or symptoms persist for more than 7 days Keep out of reach of children to avoid accidental ingestion. If swallowed, get medical help or contact a Poison Control Center immediately.		Descontinúe su uso y consulte a un médico si ■ le ocurre irritación en su piel ■ su condición empeora o los síntomas duran 7 días o más ■ le ocurre irritación en su piel Manténgase fuera del alcance de los niños para evitar la ingestión accidental. Si se ingiere, inmediatamente pida ayuda médica o contacte un Centro de Control de Envenenamiento.	
Directions: ■ Use only as directed ■ Adults and children 12 years of age and older: apply to affected area 3 to 4 times daily. ■ Children under 12 years of age: ask doctor before use		Indicaciones: ■ utilizar según indicaciones ■ adultos y niños mayores de 12 años: aplíquese hasta 3 o 4 veces por día. ■ niños menores de 12 años: consulte a su médico antes de usar.	
Other Information: ■ Store at 68° to 77°F (20° to 25°C)		Información Adicional: ■ Guárdese a una temperatura de 20° a 25°C (68° a 77°F)	
Inactive Ingredients: Benzyl Alcohol, Cananga Odorata (Ylang Ylang) Flower Oil, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cetylalcohol, Chamomilla Recutita (Matricaria) Flower Oil, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Crambe Abyssinica Seed Oil, Cymbopogon Schoenanthus Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Glyceryl Stearate, Helichrysum Italicum Flower Oil, Lavandula Angustifolia (Lavender) Oil, Lecithin, Mentha Piperita (Peppermint) Oil, Mentha Viridis (Spearmint) Leaf Oil, PEG-40 Hydrogenated Castor Oil, PEG-6, Phenoxethanol, Pogostemon Cablin (Patchouli) Oil, Polyglyceryl-3 Ricinoleate, Salvia Sclarea (Clary Sage) Oil, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Water/Aqua		Ingredientes Inactivos: Alcohol de Bencilo, Aceite de Flor de Cananga Odorata (Ylang Ylang), Triglicérido de Caprílico/Caprico, Glicol de Caprílico, Alcohol Cetílico, Aceite de Flor de Marzanilla Recutita (Matricaria), Aceite de Fruta Citrus Aurantium Bergamia (Bergamota), Aceite de Cascara Citrus Aurantium Dulcis (Naranja), Aceite de Semilla Crambe Abyssinica, Aceite Cymbopogon Schoenanthus, Ethylhexylglycerin, Aceite de Hoja de Eucalipto Globulus, Glicerina, Estearato de Glicerilo, Aceite de Flor de Helicriso Italicum (Helicriso), Aceite de Lavandula Angustifolia (Lavanda), Lecitina, Aceite de Menta Piperita (Menta), Aceite de Hoja de Menta Viridis (Hierbabuena), PEG-40, Aceite de Ricino Hidrogenado, PEG-6, Fenoxietanol, Aceite de Pogostemon Cablin (Pachuli), Poliglicérol-3 Ricinoleato, Aceite de Salvia Sclarea (Amor), Acrilato de Sodio/Copolímero de Acrilóildimetilo Taurato de Sodio, Agua/Aqua	

Distributed by / Distribuido por: SanaMax Plus, LLC, McAllen, Texas 78501

NET WT / PESO NETO
1 OZ (28g)

+ BALANCED FORMULA • FORMULA BALANCEADA +

SanaMax

PLUS

PAIN RELIEF CREAM

CREMA PARA EL ALIVIO DE DOLOR

PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION

CONSULTE DATOS SOBRE EL MEDICAMENTO EN EL EMPAQUE EXTERNO

Active Ingredients	Purpose	Ingredientes Activos	Propósito
Menthol 1.25	Topical analgesic	Mentol 1.25%	Analgésico de uso tópico
Uses: Temporarily relieves the minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains		Usos: Para el alivio temporal de los dolores y achaques leves de los músculos y las articulaciones asociado con: ■ dolor de espalda ■ artritis ■ distensiones ■ moretones ■ torceduras	
Warnings: For external use only Do not use: ■ on wounds or damaged skin ■ with a heating pad ■ on a child under 12 years of age with arthritis-like conditions. Ask a doctor before use if you have redness over the affected area. When using this product: ■ avoid contact with eyes or mucous membranes ■ do not bandage tightly		Advertencias: Solo para uso externo. No lo use: ■ sobre heridas, con piel dañada, rota o irritada ■ en conjunto con una almohadilla térmica ■ en niños menores de 12 años con condiciones semejantes a la artritis. Consulte a su médico antes de uso si tiene irritación en su piel sobre el área afectada. Cuando use este producto: ■ evite el contacto con los ojos y con membranas mucosas ■ no cubrir con vendaje apretado	
Stop use and ask doctor if: ■ excessive skin irritation occurs ■ condition worsens or symptoms persist for more than 7 days Keep out of reach of children to avoid accidental ingestion. If swallowed, get medical help or contact a Poison Control Center immediately.		Descontinúe su uso y consulte a un médico si ■ le ocurre irritación en su piel ■ su condición empeora o los síntomas duran 7 días o más ■ le ocurre irritación en su piel Manténgase fuera del alcance de los niños para evitar la ingestión accidental. Si se ingiere, inmediatamente pida ayuda médica o contacte un Centro de Control de Envenenamiento.	
Directions: ■ Use only as directed ■ Adults and children 12 years of age and older: apply to affected area 3 to 4 times daily. ■ Children under 12 years of age: ask doctor before use		Indicaciones: ■ utilizar según indicaciones ■ adultos y niños mayores de 12 años: aplíquese hasta 3 o 4 veces por día. ■ niños menores de 12 años: consulte a su médico antes de usar.	
Other Information: ■ Store at 68° to 77°F (20° to 25°C)		Información Adicional: ■ Guárdese a una temperatura de 20° a 25°C (68° a 77°F)	
Inactive Ingredients: Benzyl Alcohol, Cananga Odorata (Ylang Ylang) Flower Oil, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cetylalcohol, Chamomilla Recutita (Matricaria) Flower Oil, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Crambe Abyssinica Seed Oil, Cymbopogon Schoenanthus Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Glycerin, Glyceryl Stearate, Helichrysum Italicum Flower Oil, Lavandula Angustifolia (Lavender) Oil, Lecithin, Mentha Piperita (Peppermint) Oil, Mentha Viridis (Spearmint) Leaf Oil, PEG-40 Hydrogenated Castor Oil, PEG-6, Phenoxethanol, Pogostemon Cablin (Patchouli) Oil, Polyglyceryl-3 Ricinoleate, Salvia Sclarea (Clary Sage) Oil, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Water/Aqua		Ingredientes Inactivos: Alcohol de Bencilo, Aceite de Flor de Cananga Odorata (Ylang Ylang), Triglicérido de Caprílico/Caprico, Glicol de Caprílico, Alcohol Cetílico, Aceite de Flor de Marzanilla Recutita (Matricaria), Aceite de Fruta Citrus Aurantium Bergamia (Bergamota), Aceite de Cascara Citrus Aurantium Dulcis (Naranja), Aceite de Semilla Crambe Abyssinica, Aceite Cymbopogon Schoenanthus, Ethylhexylglycerin, Aceite de Hoja de Eucalipto Globulus, Glicerina, Estearato de Glicerilo, Aceite de Flor de Helicriso Italicum (Helicriso), Aceite de Lavandula Angustifolia (Lavanda), Lecitina, Aceite de Menta Piperita (Menta), Aceite de Hoja de Menta Viridis (Hierbabuena), PEG-40, Aceite de Ricino Hidrogenado, PEG-6, Fenoxietanol, Aceite de Pogostemon Cablin (Pachuli), Poliglicérol-3 Ricinoleato, Aceite de Salvia Sclarea (Amor), Acrilato de Sodio/Copolímero de Acrilóildimetilo Taurato de Sodio, Agua/Aqua	

Distributed by / Distribuido por: SanaMax Plus, LLC, McAllen, Texas 78501

res

PAIN RELIEF CREAM

menthol cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72425-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1.25 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CANANGA ODORATA FLOWER (UNII: 76GTF6Z97M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CHAMOMILE FLOWER OIL (UNII: 60F80Z61A9)	
BERGAMOT OIL (UNII: 39W1PKE3JI)	
ORANGE OIL (UNII: AKN3KSD11B)	
CRAMBE HISPANICA SUBSP. ABYSSINICA SEED OIL (UNII: 0QW9S92J3K)	
CYBOPOGON SCHOENANTHUS OIL (UNII: XE7K568ILO)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HELICHRYSUM ITALICUM FLOWER OIL (UNII: O97ZV7726K)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
SPEARMINT OIL (UNII: C3M81465G5)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POGOSTEMON CABLIN LEAF OIL (UNII: F3IN55X5PO)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
CLARY SAGE OIL (UNII: 87L0D4U3M0)	
SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (4000000 MW) (UNII: 1DXE3F3OZX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72425-201-	1 is 1 BOX	12/02/2010	

1	02	1 III 1 BOX	12/02/2019	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017		12/02/2019	

Labeler - SanaMax Plus LLC (081260808)

Registrant - Identipak, Inc. (942862350)

Establishment			
Name	Address	ID/FEI	Business Operations
Identipak, Inc.		942862350	manufacture(72425-201)

Revised: 12/2024

SanaMax Plus LLC