

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (LIGHT 1) - BEIGE- octinoxate powder**

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (LIGHT 2) - BEIGE- octinoxate powder**

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (MEDIUM 1) - BEIGE- octinoxate powder**

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (MEDIUM 2) - BEIGE- octinoxate powder**

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (MEDIUM 3) - BEIGE- octinoxate powder**

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (MEDIUM 4) - BROWN- octinoxate powder**

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (OBSCURE 1) - BROWN- octinoxate powder**

**Ventura Corporation LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20**

### ***Drug Facts***

#### **Active Ingredients**

OCTINOXATE 5.00%

#### **Purpose**

Sunscreen

#### **Uses**

- Helps prevent sunburn.

#### **Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Apply liberally and evenly 15 minutes before sun exposure.

- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**

MICA, TALC, ZINC STEARATE, BORON NITRIDE, DIMETHICONE, OCTYLDODECANOL, TRIMETHYLSILOXYSILICATE, METHYL METHACRYLATE CROSSPOLYMER, PERFLUOROCTYL TRIETHOXYSILANE, TOCOPHERYL ACETATE, MAGNESIUM MYRISTATE, PHENOXYETHANOL, CAPRYLYL GLYCOL, FRAGRANCE, CHLORPHENESIN.

**MAY CONTAIN:**

TITANIUM DIOXIDE, IRON OXIDES.

**PUERTO RICO:** Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.

**PRINCIPAL DISPLAY PANEL - 7 g Tube Box - (LIGHT 1) - BEIGE**

cy°zone

**STUDIO**

**LOOK**

cy°zone

**POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20**

Net Wt. 0.24 oz. (7g.)

cy°zone

STUDIO  
LOOK  
cy°zone

POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20

Net Wt. 0.24 oz. (7g.)



**Drug Facts**

**Active Ingredient**      **Purpose**  
OCTINOXATE 5.00% .....Sunscreen

**Uses**

- Helps prevent sunburn.

**Warnings**

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damage or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ▶

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Mica, Talc, Zinc Stearate, Boron Nitride, Dimethicone, Octyldodecanol, Trimethylsiloxysilicate, Methyl Methacrylate Crosspolymer, Perfluorooctyl Triethoxysilane, Tocopheryl Acetate, Magnesium Myristate, Phenoxethanol, Caprylyl Glycol, Fragrance, Chlorphenesin. **May contain:** Titanium Dioxide, Iron Oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
www.cyzone.com

**PRINCIPAL DISPLAY PANEL - 7 g Tube Box - (LIGHT 2) - BEIGE**

**cy°zone**

**STUDIO**

**LOOK**

**cy°zone**

**POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20**

Net Wt. 0.24 oz. (7g.)

cy°zone

STUDIO  
LOOK  
cy°zone

POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20

Net Wt. 0.24 oz. (7g.)





PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
www.cyzone.com

**PRINCIPAL DISPLAY PANEL - 7 g Tube Box - (MEDIUM 1) - BEIGE**

**cy°zone**

**STUDIO**

**LOOK**

**cy°zone**

**POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20**

Net Wt. 0.24 oz. (7g.)

cy°zone

STUDIO  
LOOK  
cy°zone

POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20

Net Wt. 0.24 oz. (7g.)



**PRINCIPAL DISPLAY PANEL - 7 g Tube Box - (MEDIUM 2) - BEIGE**

cy°zone

STUDIO

LOOK

cy°zone

**POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20**

Net Wt. 0.24 oz. (7g.)



cy°zone

STUDIO  
LOOK  
cy°zone

POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20

Net Wt. 0.24 oz. (7g.)



**Drug Facts**

**Active Ingredient**      **Purpose**  
 OCTINOXATE 5.00% .....Sunscreen

**Uses**

■ Helps prevent sunburn.

**Warnings**

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damage or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ▶

**Directions**

■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours

■ Use a water resistant sunscreen if swimming or sweating.

■ Children under 6 months of age: Ask a doctor.

**Other information**

■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Mica, Talc, Zinc Stearate, Boron Nitride, Dimethicone, Octyldodecanol, Trimethylsiloxysilicate, Methyl Methacrylate Crosspolymer, Perfluorooctyl Triethoxysilane, Tocopheryl Acetate, Magnesium Myristate, Phenoxethanol, Caprylyl Glycol, Fragrance, Chlorphenesin. **May contain:** Titanium Dioxide, Iron Oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.

[www.cyzone.com](http://www.cyzone.com)

**PRINCIPAL DISPLAY PANEL - 7 g Tube Box - (MEDIUM 3) - BEIGE**

**cy°zone**

**STUDIO**

**LOOK**

**cy°zone**

**POLVOS COMPACTOS DE ALTA  
 COBERTURA CON FPS 20**

Net Wt. 0.24 oz. (7g.)

cy°zone

STUDIO  
LOOK  
cy°zone

POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20

Net Wt. 0.24 oz. (7g.)



**PRINCIPAL DISPLAY PANEL - 7 g Tube Box - (MEDIUM 4) - BROWN**

**cy°zone**

**STUDIO**

**LOOK**

**cy°zone**

**POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20**

Net Wt. 0.24 oz. (7g.)

cy°zone

STUDIO  
LOOK  
cy°zone

POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20

Net Wt. 0.24 oz. (7g.)



**PRINCIPAL DISPLAY PANEL - 7 g Tube Box - (OBSCURE 1) - BROWN**

**cy°zone**

**STUDIO**

**LOOK**

**cy°zone**

**POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20**

Net Wt. 0.24 oz. (7g.)

cy°zone

STUDIO  
LOOK  
cy°zone

POLVOS COMPACTOS DE ALTA  
COBERTURA CON FPS 20

Net Wt. 0.24 oz. (7g.)



**Drug Facts**  
**Active Ingredient**      **Purpose**  
 OCTINOXATE 5.00% .....Sunscreen

**Uses**  
 ■ Helps prevent sunburn.

**Warnings**  
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

■ **For external use only.**  
 ■ **Do not use** on damage or broken skin.

■ **When using this product** keep out of eyes. Rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ▶

**Directions**  
 ■ Apply liberally and evenly 15 minutes before sun exposure.  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating.  
 ■ Children under 6 months of age: Ask a doctor.

**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients** Mica, Talc, Zinc Stearate, Boron Nitride, Dimethicone, Octyldodecanol, Trimethylsiloxysilicate, Methyl Methacrylate Crosspolymer, Perfluorooctyl Triethoxysilane, Tocopheryl Acetate, Magnesium Myristate, Phenoxethanol, Caprylyl Glycol, Fragrance, Chlorphenesin. **May contain:** Titanium Dioxide, Iron Oxides.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
[www.cyzone.com](http://www.cyzone.com)

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (LIGHT 1) - BEIGE**

octinoxate powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-482
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.05 g in 1 g

**Inactive Ingredients**



Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
TALC (UNII: 7SEV7J4R1U)	
ZINC STEARATE (UNII: H92E6QA4FV)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PERFLUORO OCTYL TRIETHOXYSILANE (UNII: 814P46684U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-482-01	1 in 1 BOX	08/24/2015	
1		7 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/24/2015	

## CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (LIGHT 2) - BEIGE

octinoxate powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-483
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.05 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
TALC (UNII: 7SEV7J4R1U)	
ZINC STEARATE (UNII: H92E6QA4FV)	

BORON NITRIDE (UNII: 2U4T60A6YD)
DIMETHICONE (UNII: 92RU3N3Y1O)
OCTYLDODECANOL (UNII: 461N1O614Y)
PERFLUOROCTYL TRIETHOXYSILANE (UNII: 814P46684U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
MAGNESIUM MYRISTATE (UNII: Z1917F0578)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-483-01	1 in 1 BOX	08/24/2015	
1		7 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/24/2015	

## CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (MEDIUM 1) - BEIGE

octinoxate powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-484
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.05 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
TALC (UNII: 7SEV7J4R1U)	
ZINC STEARATE (UNII: H92E6QA4FV)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	

PERFLUORO OCTYL TRIETHO XYSILANE (UNII: 814P46684U)	
.ALPHA.-TO COPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-484-01	1 in 1 BOX	08/24/2015	
1		7 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/24/2015	

## CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (MEDIUM 2) - BEIGE

octinoxate powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-485
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.05 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
TALC (UNII: 7SEV7J4R1U)	
ZINC STEARATE (UNII: H92E6QA4FV)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PERFLUORO OCTYL TRIETHO XYSILANE (UNII: 814P46684U)	
.ALPHA.-TO COPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-485-01	1 in 1 BOX	08/24/2015	
1		7 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/24/2015	

## CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (MEDIUM 3) - BEIGE

octinoxate powder

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-486
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.05 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
TALC (UNII: 7SEV7J4R1U)	
ZINC STEARATE (UNII: H92E6QA4FV)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PERFLUORO OCTYL TRIETHOXYSILANE (UNII: 814P46684U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-486-01	1 in 1 BOX	08/24/2015	
1		7 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/24/2015	

## CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (MEDIUM 4) - BROWN

octinoxate powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-487
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.05 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
TALC (UNII: 7SEV7J4R1U)	
ZINC STEARATE (UNII: H92E6QA4FV)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PERFLUORO OCTYL TRIETHOXYSILANE (UNII: 814P46684U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
PHENOXYETHANOL (UNII: H1E492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-487-01	1 in 1 BOX	08/24/2015	
1		7 g in 1 TUBE; Type 0: Not a Combination Product		

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	08/24/2015	

**CYZONE STUDIO LOOK POLVOS COMPACTOS DE ALTA COBERTURA CON FPS 20 (OBSCURE 1) - BROWN**  
 octinoxate powder

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-488
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.05 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
TALC (UNII: 7SEV7J4R1U)	
ZINC STEARATE (UNII: H92E6QA4FV)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PERFLUOROOCTYL TRIETHOXYSILANE (UNII: 814P46684U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-488-01	1 in 1 BOX	08/24/2015	

1	7 g in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part352	08/24/2015	

**Labeler** - Ventura Corporation LTD (602751344)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-482, 13537-483, 13537-484, 13537-485, 13537-486, 13537-487, 13537-488)

Revised: 11/2019

Ventura Corporation LTD