

**NIZORAL PET- chlorhexidine gluconate, ketoconazole shampoo**  
**Kramer Laboratories**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Drug Facts**

**Active Ingredients:**

Chlorhexidine Gluconate 2%

Ketoconazole 1%

**Purpose:**

Pet Shampoo

**Uses:**

BROAD SPECTRUM antimicrobial to fight bacterial and fungal infections

**Directions for use:**

Shake well before use. Wet coat thoroughly with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet coat and allow the shampoo to sit for 5-10 minutes before rinsing off. May be used initially 2 to 3 times a week for 4 weeks, then reducing once a week, or as directed by your veterinarian. Wash hands after using.

**Precautions:**

Read directions before use. Not for otic use. Wash hands after using.

**Do not use:**

**Caution:** For use on dogs and cats only. Do not use on humans.

**When using this product:**

Avoid contact with eyes or mucous membranes. If product gets into eyes, flush thoroughly with water and if irritation persists or worsens contact a medical professional.

**Stop use and ask a doctor:**

If undue skin irritation develops or increases, discontinue use and consult a veterinarian. For topical use only on dogs and cats. If irritation occurs or problem persists, discontinue use and consult your veterinarian.

**Keep out of reach of children.**

Before use, read all label information. If you have a drug reaction, contact a veterinarian and report it by calling:

**1.800.824.4894**

**Storage:**

Store at room temperature.

**Other Ingredients:**

Water, Lauramine Oxide, Cocamidopropyl Betaine, Polyacrylate-1 Crosspolymer, Decyl Glucoside, N,N Dimethyltetradecylamine Oxide, Glycolic Acid, Fragrance, Sodium Chloride, Glycerin, Decylamine Oxide, Cetamine Oxide, Tetrasodium EDTA, Methylchloroisothiazolinone, Methylisothiazolinone.

**PRINCIPAL DISPLAY PANEL**

**Nizoral®**

**Pet Shampoo**

**KETOCONAZOLE 1%**  
**CHLORHEXADINE GLUCONATE 2%**

**Medicated**  
**Pet Shampoo**

**BROAD SPECTRUM**  
antimicrobial to fight bacterial  
and fungal infections

**SUPPORTS**  
skin hygiene and coat health

**RELIEVES**  
itching, dryness and hotspots

16 fl oz (473mL)

How Does Nizoral®  
Medicated Pet

## Shampoo Work?

NIZORAL<sup>®</sup> Medicated Pet Shampoo combines an antifungal (Ketoconazole 1%) with an antibacterial (Chlorhexidine Gluconate 2%) to effectively manage both fungal and bacterial skin infections. It helps support healthy skin for both dogs and cats and relieves itching, dryness, and hotspots. Its pleasant scent refreshes and helps to neutralize unpleasant odors.

K1125

**Caution:** For use on dogs and cats only. Do not use on humans.

Before use, read all label information. If you have a drug reaction, contact a veterinarian and report it by calling:

**1.800.824.4894**

KRAMER  
LABORATORIES

Distributed by:  
Kramer Laboratories, Inc.  
Bridgewater, NJ 08807 USA

© 2025 KRAMER LABORATORIES, INC.

# Nizoral<sup>®</sup>

## Pet Shampoo

KETOCONAZOLE 1%  
CHLORHEXADINE GLUCONATE 2%



**Active Ingredients:**  
Chlorhexidine Gluconate 2%  
Ketoconazole 1%

**Other Ingredients:**  
Water, Lauramine Oxide, Cocamidopropyl Betaine, Polyacrylate-1 Crosspolymer, Decyl Glucoside, N,N Dimethyltetradecylamine Oxide, Glycolic Acid, Fragrance, Sodium Chloride, Glycerin, Decylamine Oxide, Cetamine Oxide, Tetrasodium EDTA, Methylchloroisothiazolinone, Methylisothiazolinone.

**Directions for Use:**  
Shake well before use. Wet coat thoroughly with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet coat and allow the shampoo to sit for 5-10 minutes before rinsing off. May be used initially 2 to 3 times a week for 4 weeks, then reducing once a week, or as directed by your veterinarian. Wash hands after using.

**Precautions:**  
Read directions before use. **Keep out of reach of children.** Avoid contact with eyes or mucous membranes. If product gets into eyes, flush thoroughly with water and if irritation persists or worsens contact a medical professional. Not for otic use. Wash hands after using. If undue skin irritation develops or increases, discontinue use and consult a veterinarian. For topical use only on dogs and cats. If irritation occurs or problem persists, discontinue use and consult your veterinarian.

**Storage:**  
Store at room temperature.

# Nizoral<sup>®</sup>

## Pet Shampoo

KETOCONAZOLE 1%  
CHLORHEXADINE GLUCONATE 2%



**Caution:** For use on dogs and cats only. Do not use on humans.

Before use, read all label information. If you have a drug reaction, contact a veterinarian and report it by calling:

 1.800.824.4894

 **KRAMER**  
LABORATORIES

Distributed by:  
Kramer Laboratories, Inc.  
Bridgewater, NJ 08807 USA  
© 2025 KRAMER LABORATORIES, INC.



# Nizoral<sup>®</sup>

## Pet Shampoo

KETOCONAZOLE 1%  
CHLORHEXADINE GLUCONATE 2%



## Medicated Pet Shampoo

**BROAD SPECTRUM**  
antimicrobial to fight bacterial  
and fungal infections

**SUPPORTS**  
skin hygiene and coat health

**RELIEVES**  
itching, dryness and hotspots

16 fl oz (473mL)

# Nizoral<sup>®</sup>

## Pet Shampoo

KETOCONAZOLE 1%  
CHLORHEXADINE GLUCONATE 2%



## How Does Nizoral<sup>®</sup> Medicated Pet Shampoo Work?

NIZORAL<sup>®</sup> Medicated Pet Shampoo combines an antifungal (Ketoconazole 1%) with an antibacterial (Chlorhexidine Gluconate 2%) to effectively manage both fungal and bacterial skin infections. It helps support healthy skin for both dogs and cats and relieves itching, dryness, and hotspots. Its pleasant scent refreshes and helps to neutralize unpleasant odors.

K1125

# Nizoral<sup>®</sup> Pet Shampoo

KETOCONAZOLE 1%  
CHLORHEXADINE GLUCONATE 2%



**Active Ingredients:**

Chlorhexidine Gluconate 2%  
Ketoconazole 1%

**Other Ingredients:**

Water, Lauramine Oxide, Cocamidopropyl Betaine, Polyacrylate-1 Crosspolymer, Decyl Glucoside, N,N Dimethyltetradecylamine Oxide, Glycolic Acid, Fragrance, Sodium Chloride, Glycerin, Decylamine Oxide, Cetamine Oxide, Tetrasodium EDTA, Methylchloroisothiazolinone, Methylisothiazolinone.

**Directions for Use:**

Shake well before use. Wet coat thoroughly with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet coat and allow the shampoo to sit for 5-10 minutes before rinsing off. May be used initially 2 to 3 times a week for 4 weeks, then reducing once a week, or as directed by your veterinarian. Wash hands after using.

**Precautions:**

Read directions before use. **Keep out of reach of children.** Avoid contact with eyes or mucous membranes. If product gets into eyes, flush thoroughly with water and if irritation persists or worsens contact a medical professional. Not for otic use. Wash hands after using. If undue skin irritation develops or increases, discontinue use and consult a veterinarian. For topical use only on dogs and cats. If irritation occurs or problem persists, discontinue use and consult your veterinarian.

**Storage:**

Store at room temperature.

**Caution:** For use on dogs and cats only. Do not use on humans.

## Medicated Pet Shampoo

**BROAD SPECTRUM**  
antimicrobial to fight bacterial  
and fungal infections

**SUPPORTS**  
skin hygiene and coat health

**RELIEVES**  
itching, dryness and hotspots

Before use, read all label information. If you have a drug reaction, contact a veterinarian and report it by calling:

1.800.824.4894



Distributed by:  
Kramer Laboratories, Inc.  
Bridgewater, NJ 08807 USA

© 2025 KRAMER  
LABORATORIES, INC.

16 fl oz (473mL)

K1125

## NIZORAL PET

chlorhexidine gluconate, ketoconazole shampoo

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:55505-236
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Ketoconazole</b> (UNII: R9400W927I) (Ketoconazole - UNII:R9400W927I)	Ketoconazole	1 g in 100 mL
<b>Chlorhexidine Gluconate</b> (UNII: MOR84MUD8E) (Chlorhexidine - UNII:R4KO0DY52L)	Chlorhexidine Gluconate	2 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0K00R)	
<b>Lauramine Oxide</b> (UNII: 4F6FC4MI8W)	

<b>Cocamidopropyl Betaine</b> (UNII: 5OCF3O11KX)
<b>Polyacrylate-1 Crosspolymer</b> (UNII: R5P9Z5WD6D)
<b>Decyl Glucoside</b> (UNII: Z17H97EA6Y)
<b>Myristamine Oxide</b> (UNII: J086PM3RRT)
<b>Glycolic Acid</b> (UNII: 0WT12SX38S)
<b>Sodium Chloride</b> (UNII: 451W47IQ8X)
<b>Glycerin</b> (UNII: PDC6A3C0OX)
<b>Decylamine Oxide</b> (UNII: G387VUT5EZ)
<b>Palmitamine Oxide</b> (UNII: 9DJ9RBA18Z)
<b>Edetate Sodium</b> (UNII: MP1J8420LU)
<b>Methylchloroisothiazolinone</b> (UNII: DEL7T5QRPN)
<b>Methylisothiazolinone</b> (UNII: 229D0E1QFA)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55505-236-42	1 in 1 CARTON		
1		473 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/01/2026	

**Labeler** - Kramer Laboratories (122720675)

Revised: 1/2026

Kramer Laboratories