

**HURRICAINA TOPICAL ANESTHETIC LIQUID- benzocaine liquid**  
**Beutlich Pharmaceuticals, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**W/C Liquid**

**Active ingredient**

Benzocaine 20%

**Purpose**

Oral Anesthetic

**Uses**

for temporary relief of occasional minor irritation and pain associated with:

- canker sores
- sore mouth and throat
- minor injury of the mouth and gums
- minor dental procedures
- minor irritation of the mouth and gums caused by dentures or orthodontic appliances

**Warnings**

**Methemoglobinemia warning:** Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert:** Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

**Do not use****Do not use**

- if imprinted seal under cap is broken or missing
- for teething
- in children under 2 years of age

**When using this product**

**When using this product** avoid contact with eyes

**Keep out of reach of children**

**Keep out of reach of children** If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

**Directions****Directions**

- do not exceed recommended dosage

adults and children 2 years of age and older: apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.

children under 12 years of age: should be supervised in the use of the product

children under 2 years of age: do not use

**Other information**

- store at 20°-25°C (68°-77°F)

**Inactive ingredients**

flavor, polyethylene glycol, sodium saccharin

**Questions or comments?**

1-800-238-8542

M-F: 8:00 a.m.- 4:30 p.m. ET

**Principal Display Panel**

NDC 0283-0569-31



HURRICAINÉ®

Topical Anesthetic LIQUID

20% Benzocaine Oral Anesthetic

ORIGINAL WILD CHERRY

Manufactured for:


Beutlich® Pharmaceuticals, LLC

Bunnell, FL 32110

Made in the USA

1 fl. oz.

**NDC: 0283-0569-72**



NDC 0283-0569-72



**FAST RELIEF OF ORAL PAIN**


- Dentures • Cold Sores
- Sore Gums • Orthodontics
- Canker Sores

*Works Within 30 Seconds!*

72 Individually Wrapped Snap-n-Go™ Swabs  
0.005 fl. oz. (0.15 mL) each

Manufactured for:  
Beutlich® Pharmaceuticals, LLC  
Bunnell, FL 32110



- DIRECTIONS FOR USE:**
1. Remove swab from wrapper. Hold swab with colored round marker up. Place fingers near ring. 
  2. Snap colored round marker gently. The liquid will flow to the bottom end of the cotton tip. 
  3. Place saturated end to desired area. 

**REMEMBER:**  
KEEP SATURATED END ON SURFACE; DO NOT TURN OVER!

**Drug Facts (continued)**

**Other information**  
store at 20-25 °C (68-77 °F)

**Inactive ingredients**  
flavor, polyethylene glycol, sodium saccharin

**Questions or comments?**  
1-800-238-8542  
M-F: 8:00 a.m. – 4:30 p.m. ET



- Unit dose packaging helps eliminate potential for cross-contamination
  - Convenient single applicator allows for dispensing to patients
  - Neat and easy application and disposal
- HurriCaine® Topical Anesthetic is also available in the following dosage forms:
- Gel**  
Original Wild Cherry, Piña Colada, Watermelon, Fresh Mint and Strawberry
- Liquid**  
Original Wild Cherry, Piña Colada and Strawberry
- Spray and Spray Kit**  
Original Wild Cherry and Cool Mint

**Beutlich**  
PHARMACEUTICALS, LLC  
Since 1951  
7775 S. US Hwy 1, Suite H  
Bunnell, FL 32110

Please retain Drug Facts for future reference.

**Drug Facts**

Active ingredient	Purpose
Benzocaine 20%	Oral Anesthetic

**Uses** for the temporary relief of occasional minor irritation and pain, associated with • canker sores • sore mouth and throat • minor injury of the mouth and gums • minor dental procedures • minor irritation of the mouth and gums caused by dentures or orthodontic appliances

**Warnings**  
**Methemoglobinemia warning:** Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: • pale, gray, or blue colored skin (cyanosis) • headache • rapid heart rate • shortness of breath • dizziness or lightheadedness • fatigue or lack of energy

**Allergy alert:** Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persist or worsens, see your dentist or doctor promptly.

**Do not use** • if swab has been previously opened • for teething • in children under 2 years of age

**When using this product** avoid contact with eyes

**Keep out of reach of children.** If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

Directions	• do not exceed recommended dosage
adults and children 2 years of age and older	apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.
children under 12 years of age	should be supervised in the use of the product
children under 2 years of age	do not use

**LOT** [ ] **NO COATING**

EXP: [ ]


HurriCaine is a registered trademark of Beutlich Pharmaceuticals, LLC.  
Snap-n-Go is a trademark of Beutlich Pharmaceuticals, LLC.  
COLOR RING is the trademark of Swabplus Inc.  
www.beutlich.com

HCS 326 0518

**NDC: 0283-0569-02**



NDC 0283-0569-02



**FAST RELIEF OF ORAL PAIN**

- Dentures
- Cold Sores
- Sore Gums
- Orthodontics
- Canker Sores

*Works Within 30 Seconds!*

2 Individually Wrapped  
**Snap -n- Go™ Swabs**  
 0.005 fl. oz. (0.15 mL) each

Manufactured for:  
 Beutlich® Pharmaceuticals, LLC  
 Bunnell, FL 32110

**DIRECTIONS FOR USE:**



1. Remove swab from wrapper. Hold swab with colored round marker up. Place fingers near ring.



2. Snap colored round marker gently. The liquid will flow to the bottom end of the cotton tip.



3. Place saturated end to desired area. **REMEMBER: KEEP SATURATED END ON SURFACE; DO NOT TURN OVER!**

**Beutlich®**  
 PHARMACEUTICALS LLC  
 Since 1954

7775 S. US Hwy 1, Suite H  
 Bunnell, FL 32110

Please retain Drug Facts for future reference.

**Drug Facts**

**Active ingredient Purpose**  
 Benzocaine 20%.....Oral Anesthetic

**Uses** for the temporary relief of occasional minor irritation and pain, associated with

- canker sores
- sore mouth and throat
- minor injury of the mouth and gums
- minor dental procedures
- minor irritation of the mouth and gums caused by dentures or orthodontic appliances

**Warnings**

**Methemoglobinemia warning:** Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert:** Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persist or worsens, see your dentist or doctor promptly.

**Drug Facts (continued)**

**Warnings (continued)**

**Do not use**

- if swab has been previously opened
- for teething
- in children under 2 years of age

**When using this product** avoid contact with eyes

**Keep out of reach of children.** If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**

do not exceed recommended dosage

adults and children 2 years of age and older	apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.
--	--

children under 12 years of age	should be supervised in the use of the product
--------------------------------	--

children under 2 years of age	do not use
-------------------------------	------------

**Other information**  
 store at 20-25 °C (68-77 °F)

**Inactive ingredients**  
 flavor, polyethylene glycol, sodium saccharin

**Questions or comments?**  
 1-800-238-8542  
 M-F: 8:00 a.m. - 4:30 p.m. ET

**NO COATING**

Hurricane® is a registered trademark of Beutlich Pharmaceuticals, LLC. Snap-n-Go is a trademark of Beutlich Pharmaceuticals, LLC. COLOR RING is the trademark of Swabplus Inc. www.beutlich.com  
 HSG2 703 0518



**HURRICAINÉ TOPICAL ANESTHETIC LIQUID**

benzocaine liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0283-0569
<b>Route of Administration</b>	DENTAL, PERIODONTAL, ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0283-0569-31	29.6 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/15/1969	
2	NDC:0283-0569-17	1 g in 1 PACKET; Type 0: Not a Combination Product	01/28/2020	
3	NDC:0283-0569-72	72 g in 1 APPLICATOR; Type 0: Not a Combination Product	05/15/1969	
4	NDC:0283-0569-02	2 g in 1 APPLICATOR; Type 0: Not a Combination Product	05/15/1969	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	05/15/1969	

**Labeler** - Beutlich Pharmaceuticals, LLC (005209325)**Registrant** - Beutlich Pharmaceuticals, LLC (005209325)**Establishment**

Name	Address	ID/FEI	Business Operations
Dental Technologies Inc.		148312838	manufacture(0283-0569)

**Establishment**

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Speciality Pharma Manufacturing		013957125	manufacture(0283-0569)
---------------------------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
SWABPLUS		116984439	manufacture(0283-0569)

## Establishment

Name	Address	ID/FEI	Business Operations
Beutlich Pharmaceuticals, LLC		005209325	label(0283-0569) , pack(0283-0569)

Revised: 3/2023

Beutlich Pharmaceuticals, LLC