

SHISEIDO FUTURE SOLUTION LX INFINITE TREATMENT PRIMER- titanium dioxide, octinoxate, and ensulizole emulsion
SHISEIDO AMERICAS CORPORATION

SHISEIDO FUTURE SOLUTION LX INFINITE TREATMENT PRIMER

Drug Facts

Active ingredients	Purpose
ENSULIZOLE 1.0%	Sunscreen
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 4.1%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every two hours
- **Sun Protection Measures.**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXADECANE • SD ALCOHOL 40-B • ZEA MAYS (CORN) STARCH • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SILICA • TRIISOSTEARIN • DISTEARDIMONIUM HECTORITE • CETYLETHYLHEXANOATE • XYLITOL • ERYTHRITOL • TRIMETHYLSILOXYSILICATE • TREHALOSE • TOCOPHERYL ACETATE • 2-O-ETHYL ASCORBIC ACID • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SCUTELLARIA BAICALENSIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • HYDROLYZED CONCHIOLIN PROTEIN • ROSA ROXBURGHII FRUIT EXTRACT • GOLD • TRIETHANOLAMINE • ISOSTEARIC ACID • ALUMINUM HYDROXIDE • STEARIC ACID • DISODIUM EDTA • ALCOHOL • CALCIUM ALUMINUM BOROSILICATE • BHT • HYDROGEN DIMETHICONE • TOCOPHEROL • POLYSILICONE-2 • TRIETHOXYCAPRYLYLSILANE • SODIUM CITRATE • TIN OXIDE • BARIUM SULFATE • CITRIC ACID • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • MICA • IRON OXIDES

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 40 mL Tube Carton

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX
Infinite Treatment Primer

SkingenecellEnmei

BROAD SPECTRUM
SPF 30
SUNSCREEN

40mL NET WT. 1.4 OZ.

Infinite Treatment Primer



SHISEIDO
FUTURE SOLUTION LX
INFINITE TREATMENT PRIMER
BROAD SPECTRUM
SPF 30

Treasure the life in your skin.

A luxury, dual-purpose primer for skin-maturing & tanning. With a hypoallergenic formula, it instantly smooths away pores and corrects your complexion while nourishing, protecting and revitalizing. Experience your skin's natural coverage and a pearlescent glow that replicates the luster of pearls.

Formulated with SkingeneCellEnmei (SE), a Shiseido proprietary complex, it leads to enhanced clarity of skin's inner layers and a youthful complexion.*Stratum corneum

Enriched with pearl extract, it improves dullness for a clearer complexion.

*Utilizes Nucleous Layer Technology, reinforcing skin's defenses against environmental stressors.

*Utilizes Pearl Diffusion Technology that duplicates the glow of pearls, instantly evening out pores and skin tone while illuminating the skin for a subtle pearlescent finish.

*Apply one pearl-size amount to clean, moisturized skin and smooth evenly.

NON-COMEDOGENIC,
DERMATOLOGIST TESTED.

Drug Facts

Active ingredients Purpose
ENSULIZOLE 1.0% } Sunscreen
OCTINOXATE 3.9% }
TITANIUM DIOXIDE 4.3% }

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK NY 10017
MADE IN U.S.A.
GLO 18120
www.shiseido.com



Drug Facts
(continued)

Directions

For sunscreen use:

■ **apply liberally** 15 minutes before sun exposure

■ **use a water resistant** sunscreen if swimming or sweating

■ **reapply** at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

<http://s1872.com/18120AA>
See our website for more information.

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX
Infinite Treatment Primer

SkingeneCellEnmei

BROAD SPECTRUM
SPF 30
SUNSCREEN

40mL NET WT. 1.4 OZ.

Drug Facts
(continued)

Inactive ingredients

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXADECANES • SD ALCOHOL 40-B • ZEA MAYS (CORN) STARCH • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • SILICA • TRISOSTEARIN • DISTEARDIMONIUM HECTORITE • CETYL ETHYLHEXANOATE • XYLITOL • ERYTHRITOL • TRIMETHYLSILOXYSILICATE • TREHALOSE • TOCOPHERYL ACETATE • 2-O-ETHYL ASCORBIC ACID • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SCUTELLARIA BAICALENSIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • SODIUM ACETYLATED HYALURONATE • HYDROLYZED CONCHONOLIN PROTEIN • ISODONIS JAPONICUS LEAF/STALK EXTRACT • ROSA ROXBURGHII FRUIT EXTRACT • GOLD • TRIETHANOLAMINE • ISOSTEARIC ACID • ALUMINUM HYDROXIDE • STEARIC ACID • DISODIUM EDTA • ALCOHOL • CALCIUM ALUMINUM BORSILICATE • BHT • HYDROGEN DIMETHICONE • TOCOPHEROL • POLYSILOXANE-2 • TRIETHOXYCAPRYLYLSILANE • SODIUM CITRATE • TIN OXIDE • BARIUM SULFATE • CITRIC ACID • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • MICA • IRON OXIDES

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

<M09825-011>

40X27X152.5

1 2 3 4 5 6 7 8 9 0

7 30852 18120 5

18120-41-5040
AAA

SHISEIDO FUTURE SOLUTION LX INFINITE TREATMENT PRIMER

titanium dioxide, octinoxate, and ensulizole emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-657
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.77 g in 40 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.71 g in 40 mL
ENSULIZOLE (UNII: 9YQ9D1W42) (ENSULIZOLE - UNII:9YQ9D1W42)	ENSULIZOLE	0.428 g in 40 mL

Inactive Ingredients

Ingredient Name	Strength
GREEN TEA LEAF (UNII: W2Z U1RY8B0)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
GOLD (UNII: 79Y1949PYO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ALCOHOL (UNII: 3K9958V90M)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
CALCIUM ALUMINUM BOROSILICATE (UNII: 3JRB8A35M0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
STARCH, CORN (UNII: O8232NY35J)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIISOSTEARIN (UNII: 71503RH8KG)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
XYLITOL (UNII: VCQ006KQ1E)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
TROLAMINE (UNII: 9O3K93S3TK)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
ERYTHRITOL (UNII: RA96B954X6)	
MICA (UNII: V8A1AW0880)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TREHALOSE (UNII: B8WCK70T7I)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-657-10	1 in 1 CARTON	05/01/2021	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2021	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION