PANOXYL- benzoyl peroxide soap Crown Laboratories

Panoxyl Acne Treatment Bar

Active ingredient

Benzoyl peroxide 10%

Purpose

Acne medication

Use

• for the treatment of acne

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product

Stop use and ask a doctor if

irritation becomes severe

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- work into a lather
- cover the entire affected area with a thin layer and rinse thoroughly one to three times daily
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

• Store at 20 ° - 25 °C (68 ° - 77 °F) [see USP Controlled Room Temperature].

Inactive ingredients

Aqua, Cetearyl Alcohol, Decyl Glucoside, Dextrin, Glycerin, Sodium Chloride, Sodium Cocoyl Isethionate, Tetrasodium Glutamate Diacetate

Questions?

call **1-833-279-6522**

Panoxyl Acne Treatmet Bar Carton

NEW LOOK

PanOxyl[®]

Acne Treatment Bar

for Face & Body

10% BENZOYL PEROXIDE

MAXIMUM STRENGTH

- Clears existing acne and helps prevent new breakouts
- Maximum strength without a prescription

No. 1 DERMATOLOGIST RECOMMENDED BENZOYL PEROXIDE BRAND

Net wt. 4 oz (113 g)

Drug Facts Purpose Benzoyl peroxide 10%	CLEANSE MAXIMUM STRENGTH Colorerin-rich formula Colorerin-rich formula Colorerin-rich formula Colorerin-rich formula	<section-header><section-header><section-header><section-header><section-header><section-header><text><text><text><text></text></text></text></text></section-header></section-header></section-header></section-header></section-header></section-header>	Drug Facts (continued) • decause encessive drying of the shin may occur, start with one application disk, then gradually increases to two of three times daily if needed or as directed by a doctor • Othersome dryiness or peeling control of the shin product, if increases to two of three times daily of every other day • If bothersome dryiness or peeling control of the product of a gray or every other day • Organization of some strength of the product, if intration or sensitivity develops, stop use of both products and ask a doctor. • Store at 20° - 25°C (68° - 77 * f) gray cases the SP Controlled Room Temperature). • Discributing the Transoftum Guarante Discribution Coord I bethor including coord I bethor of the source of the strength of the source of th
3 03160 26404 7	$ \land \land$		

F	PANOXYL	
1.1		

benzoyl peroxide soap

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-0264
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	L PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - ZN9A0GM)	BENZOYL PEROXIDE	12.6 g in 113 g

Inactive Ingredients	
Ingredient Name	Strength
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
ICODEXTRIN (UNII: 2NX48Z0A9G)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
WATER (UNII: 059QF0KO0R)	
SODIUM COCOYL ISETHIONATE (UNII: 518XTE8493)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	

		Packaging			
ltem Code	Package Description	Marketing Start Date	Marketing End Date		
	5	07/01/2023			
		02/23/2024			
arketing I	nformation				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
C Monograph Dru	a M006	07/01/2023			
	NDC:0316-0264- 04 NDC:0316-0264- 01 arketing I Marketing Category	NDC:0316-0264- 04 113 g in 1 CARTON; Type 0: Not a Combination Product NDC:0316-0264- 01 43 g in 1 CARTON; Type 0: Not a Combination Product arketing Category Information Application Number or Monograph Citation	Term CodePackage DescriptionDateNDC:0316-0264- 04113 g in 1 CARTON; Type 0: Not a Combination Product07/01/2023NDC:0316-0264- 013 g in 1 CARTON; Type 0: Not a Combination Product02/23/2024arketing CategoryApplication Number or Monograph CitationMarketing Start Date		

Labeler - Crown Laboratories (079035945)

Revised: 7/2024

Crown Laboratories