ZICAM COLD AND FLU-LIKE SYMPTOMS ECHINACEA PLUS SAMBUCUS- zinc acetate anhydrous, zinc gluconate, echinacea angustifolia whole, and sambucus nigra flowering top tablet, multilayer CHURCH & DWIGHT CO, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

ZICAM ®COLD & FLU-LIKE SYMPTOMS Echinacea + Sambucus

Drug Facts

Active Ingredients (in each tablet)	Purpose
Echinacea angustifolia 5x	Helps to relieve cold and flu-like symptoms *
Sambucus nigra (elderberry) 5x	Helps to relieve cold and flu-like symptoms *
Zincum aceticum 2x Zincum gluconicum 1x	Reduces duration of the common cold and helps relieve nasal congestion

^{*} Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Uses

Reduces duration of the common cold and helps relieve nasal congestion and temporarily relieves

- Fever
- Chills
- Chest Congestion
- Hoarseness
- Cough
- Sore throat
- Body aches

Warnings

If you are allergic or sensitive to zinc, consult a doctor before using.

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomitting, consult a doctor promptly.

Stop use and ask a doctor ifsymptoms, including cough, persist, recur or are accompanied by a fever, rash or persistent headache, or if new symptoms occur. A

persistent cough that lasts for more than one week may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for best results, use at the first sign of cold and flu and continue to use until symptoms completely subside.
- adults and children 12 years of age and older:
 - take 1 tablet at the onset of symptoms.
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
 - repeat every 2 3 hours, not to exceed 7 tablets in 24 hours. Take until symptoms are gone.
 - to avoid minor stomach upset, do not take on an empty stomach.
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use.

Other information

store between 15-29°C (59-84°F)

Inactive ingredients

crospovidone, FD&C Blue No. 2 aluminum lake, FD&C Yellow No. 6 aluminum lake, flavors, magnesium stearate, mannitol, mono-ammonium glycyrrhizinate, silicon dioxide, sodium starch glycolate, stearic acid, sucralose.

Questions? Comments?

call 877-942-2626 toll free

DISTRIBUTED BY CHURCH & DWIGHT CO., INC. EWING, NJ 08628

PRINCIPAL DISPLAY PANEL - 20 Tablet Blister Pack Carton

NEW! ZICAM ®

COLD & FLU-LIKE SYMPTOMS‡

ECHINACEA + SAMBUCUS

HELPS

WITH

SYMPTOMS‡

- ✓ COUGH
- ✓ HOARSENESS
- ✓ SORE THROAT
- ✓ BODY ACHES
- ✓ CHEST CONGESTION
- ✓ FEVER & CHILLS

Plus Zinc to help relieve nasal congestion

HOMEOPATHIC

20 QUICK-DISSOLVE TABLETS

COOLING PEPPERMINT FLAVOR

‡Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

0

ZCFC-50973-01

Zicam® Cold Remedy products are available in a wide range of forms and flavors.

ZICAM_®

COLD & FLU-LIKE SYMPTOMS‡

ECHINACEA + SAMBUCUS



HELPS WITH



- **♂** COUGH
- **SORE THROAT**
- **O** CHEST CONGESTION
- HOARSENESS
- **OBODY ACHES**
- FEVER & CHILLS

Plus Zinc to help relieve nasal congestion

HOMEOPATHIC QUICK-DISSOLVE TABLETS

COOLING PEPPERMINT FLAVOR

‡Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated



Take every 2-3 HOURS until symptoms are gone.

KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION

ne first sign of a cold — you have a Pre-Cold.®





SAFETY SEALED. DO NOT USE IF MARKED SEAL ON BLISTER IS DISTURBED OR MISSING. KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION.

This product is not required to go through the FDA's New Drug Application approval process.

Drug Facts

Active Ingredients (in each tablet) Purpose Echinacea angustifolia 5xHelps to relieve cold and flu-like symptoms‡ Sambucus nigra (elderberry) 5xHelps to relieve cold and flu-like symptoms‡ Zincum aceticum 2x Reduces duration of the common cold and Zincum gluconicum 1xhelps relieve nasal congestion

Uses

Reduces duration of the common cold and helps relieve nasal congestion and temporarily relieves Fever •Chills •Chest Congestion •Hoarseness •Cough •Sore throat •Body aches

Warnings

If you are allergic or sensitive to zinc, consult a doctor before using.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomitting, consult a doctor promptly.

Stop use and ask a doctor if symptoms, including cough, persist, recur or are accompanied by a fever, rash or persistent headache, or if new symptoms occur. A persistent cough that lasts for more than one week may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for best results, use at the first sign of cold and flu and continue to use until symptoms completely subside.
- adults and children 12 years of age and older:
 - take 1 tablet at the onset of symptoms.
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
 - repeat every 2 3 hours, not to exceed 7 tablets in 24 hours. Take until symptoms are gone.
 - to avoid minor stomach upset, do not take on an empty stomach.
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use.

Other information store between 15-29°C (59-84°F)

Inactive ingredients crospovidone, FD&C Blue No. 2 aluminum lake, FD&C Yellow No. 6 aluminum Take, flavors, magnesium stearate, mannitol, mono-ammonium glycyrrhizinate, silicon dioxide, sodium starch glycolate, stearic acid, sucralose.

ZICAM COLD AND FLU-LIKE SYMPTOMS ECHINACEA PLUS SAMBUCUS

zinc acetate anhydrous, zinc gluconate, echinacea angustifolia whole, and sambucus nigra flowering top tablet, multilayer

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10237-479
---------------------	----------------	--------------------	---------------

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC ACETATE ANHYDROUS (UNII: H2ZEY72PME) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2 [hp_X]	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	1 [hp_X]	
ECHINACEA ANGUSTIFOLIA WHOLE (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA WHOLE - UNII: VB06AV5US8)	ECHINACEA ANGUSTIFOLIA WHOLE	5 [hp_X]	
SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	5 [hp_X]	

Inactive Ingredients		
Ingredient Name	Strength	
CROSPOVIDONE (120 .MU.M) (UNII: 68401960MK)		
FD&C BLUE NO. 2ALUMINUM LAKE (UNII: 4AQJ3LG584)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
MANNITOL (UNII: 30WL53L36A)		
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteri	istics		
Color	orange, blue	Score	no score

Shape	ROUND	Size	15mm
Flavor	PEPPERMINT	Imprint Code	ZZ
Contains			

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-479- 20	4 in 1 CARTON	07/01/2023	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	07/01/2023		
1	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - CHURCH & DWIGHT CO, INC. (001211952)

Revised: 12/2025 CHURCH & DWIGHT CO, INC.