

NEXOCHEW- beta carotene, ascorbic acid, sodium ascorbate, cholecalciferol, .alpha.-tocopherol acetate, thiamine mononitrate, riboflavin, niacin, pyridoxine hydrochloride, folic acid, 5-methyltetrahydrofolic acid, and cyanocobalamin tablet
Redmont Pharmaceuticals, LLC

NexoChew

71741-463-30

Multivitamin Chewable Tablet
Dispense by Prescription

DESCRIPTION

FolaChew is a chewable prescription multivitamin.

ACTIVE INGREDIENTS

Supplement Facts		
Serving size: 1 Tablet		
Each Tablet Contains:		%Daily Value
Vitamin A (as Beta-Carotene)	1000 mcg RAE	111%
Vitamin C (as Sodium Ascorbate and Ascorbic Acid)	100 mg	111%
Vitamin D3 (as Cholecalciferol)	20 mcg	100%
Vitamin E (as dl-Alpha Tocopherol Acetate)	15 mg	100%
Thiamin (Vitamin B-1 as Thiamine Mononitrate)	1.2 mg	100%
Riboflavin (Vitamin B-2)	1.3 mg	100%
Niacin (as Niacinamide)	16 mg	100%
Vitamin B6 (as Pyridoxine HCl)	1.6 mg	123%
Folate (from Folic Acid)	1.67 mg DFE 0.67 mg DFE	418%
(from 5-Methyl Tetrahydrofolate, Calcium Salt)	1 mg DFE	
Vitamin B12 (as Cyanocobalamin)	2.4 mcg	100%

OTHER INGREDIENTS: Sorbitol, Natural and Artificial Flavors, Contains Less Than 2% of: Hydroxypropyl Methylcellulose, Locust Bean Gum, Carrageenan, Magnesium Stearate, Stearic Acid.

Preservative Free and Gluten Free. No Starch, Artificial Colors, Wheat, Yeast or Corn Added.

INDICATIONS AND USAGE

NexoChew is indicated to provide significant amounts of Vitamins A, C, D, E, thiamine, riboflavin, niacin, vitamin B6, vitamin B12, and folate to supplement the diet, and to help assure that nutritional deficiencies of these vitamins will not develop. NexoChew is formulated to provide essential nutrients, tailored to the needs of all individuals ages 4 years old and above, promoting overall health, energy, and vitality.

CONTRAINDICATIONS

This product is contraindicated in patients with known hypersensitivity to any of its ingredients.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

PRECAUTIONS

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. NexoChew should only be used under the direction and supervision of a licensed medical practitioner.

ADVERSE REACTIONS

Allergic sensitization has been reported following both oral and parenteral administration of folic acid. You may report side effects by calling Redmont Pharmaceuticals, LLC at 1-800-986-5909.

DOSAGE AND ADMINISTRATION

One tablet daily directed by licensed medical practitioner. Tablet should be chewed before swallowing.

HOW SUPPLIED

Bottles of 30 tablets (71741-463-30¹). Tablet is off-white, round.

This product is a prescription-folate with or without other dietary ingredients that – due to increased folate levels increased risk associated with masking B12 deficiency (pernicious anemia) requires administration under the care of a licensed medical practitioner (64 FR 8760). 1-3 The most appropriate way to ensure pedigree reporting consistent with these regulatory guidelines and safety monitoring is to dispense this product only by prescription. This is not an Orange Book product. This product may be administered only under a physician's supervision and all prescriptions using this product shall be pursuant to state statutes as applicable. The ingredients, indication or claims of this product are not to be construed to be drug claims.

1. Federal Register Notice of August 2, 1973 (38 FR 20750)

2. Federal Register Notice of October 17, 1980 (45 FR 69043, 69044)
3. Federal Register Notice of March 5, 1996 (61 FR 8760)

1 Redmont Pharmaceuticals does not represent this product code to be National Drug Code (NDC). Product codes are formatted according to standard industry practice, to meet the formatting requirement by pedigree reporting and supply-chain control including pharmacies.

STORAGE

Store at 20° to 25°C (68° to 77°F); excursions permitted to 15° to 30°C (59° to 86°F). [See USP Controlled Room Temperature.] Avoid excessive heat, light and moisture.

TAMPER EVIDENT

Do not use if seal if broken or missing.

MADE IN THE USA

Distributed by:
Redmont Pharmaceuticals, LLC
Birmingham, AL 35209
800-986-5909

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

© 2026 Redmont Pharmaceuticals, LLC
463111-0126

PRINCIPAL DISPLAY PANEL - 30 Tablet Bottle Label

71741-463-30
NexoChew
Multivitamin Tablet
30 Chewable Tablets
Dispense by Prescription

71741-463-30

DOSAGE AND ADMINISTRATION:
One tablet daily directed by licensed medical practitioner. Tablet should be chewed before swallowing. For ages 4 years old and above.

WARNING: KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.

STORAGE: Store at 20°-25°C (68°-77°F) excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature.] Avoid excessive heat, light and moisture.

NexoChew

Multivitamin Tablet

30 Chewable Tablets



Dispense by Prescription

See package insert
for full prescribing
information.

REDMONT
PHARMACEUTICALS

Distributed by:
Redmont Pharmaceuticals, LLC
Birmingham, AL 35209
(800) 986-5909

© 2026 Redmont Pharmaceuticals, LLC
MADE IN USA 463221-0126



NEXOCHEW

beta carotene, ascorbic acid, sodium ascorbate, cholecalciferol, .alpha.-tocopherol acetate, thiamine mononitrate, riboflavin, niacin, pyridoxine hydrochloride, folic acid, 5-methyltetrahydrofolic acid, and cyanocobalamin tablet

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:71741-463
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BETA CAROTENE (UNII: 01YAE03M7J) (BETA CAROTENE - UNII:01YAE03M7J)	BETA CAROTENE	1000 ug
Ascorbic Acid (UNII: PQ6CK8PD0R) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	70 mg
Sodium Ascorbate (UNII: S033EH8359) (Ascorbic Acid - UNII:PQ6CK8PD0R)	Ascorbic Acid	40 mg
Cholecalciferol (UNII: 1C6V77QF41) (Cholecalciferol - UNII:1C6V77QF41)	Cholecalciferol	20 ug
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) (.ALPHA.-TOCOPHEROL - UNII:H4N855PNZ1)	.ALPHA.-TOCOPHEROL ACETATE	15 mg
THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.2 mg
Riboflavin (UNII: TLM2976OFR) (Riboflavin - UNII:TLM2976OFR)	Riboflavin	1.3 mg
NIACIN (UNII: 2679MF687A) (NIACIN - UNII:2679MF687A)	NIACIN	16 mg
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2Z1BI6Z)	PYRIDOXINE	1.6 mg
Folic Acid (UNII: 935E97BOY8) (Folic Acid - UNII:935E97BOY8)	Folic Acid	0.4 mg
5-METHYLtetrahydrofolic Acid (UNII: TYK22LML8F) (5-METHYLtetrahydrofolic Acid - UNII:TYK22LML8F)	5-METHYLtetrahydrofolic Acid	0.6 mg
Cyanocobalamin (UNII: P6YC3EG204) (Cyanocobalamin - UNII:P6YC3EG204)	Cyanocobalamin	0.0024

Inactive Ingredients

Ingredient Name	Strength
Sorbitol (UNII: 506T60A25R)	
HYDROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Locust Bean Gum (UNII: V4716MY704)

Carageenan (UNII: 5C69YCD2YJ)

MAGNESIUM PALMITOSTEARATE (UNII: R40XA9G5BV)

Stearic Acid (UNII: 4ELV7Z65AP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:71741-463-30	30 in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Dietary Supplement		01/02/2026	

Supplement Facts

Serving Size :

Serving per Container :

	Amount Per Serving	% Daily Value
color		
scoring	1	
shape		
size (solid drugs)	13 mm	

Labeler - Redmont Pharmaceuticals, LLC (080843607)

Revised: 1/2026

Redmont Pharmaceuticals, LLC