

**BARE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN-  
octinoxate, titanium dioxide cream**  
**IVORY EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN-  
octinoxate, titanium dioxide cream**  
**PORCELAIN EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE  
NORMAN- octinoxate, titanium dioxide cream**  
**ALABASTER BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE  
NORMAN- octinoxate, titanium dioxide cream**  
**CREAMY BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE  
NORMAN- octinoxate, titanium dioxide cream**  
**SIMPLY BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE  
NORMAN- octinoxate, titanium dioxide cream**  
**SOFT BISQUE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE  
NORMAN- octinoxate, titanium dioxide cream**  
**SAND EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN-  
octinoxate, titanium dioxide cream**  
**MEDIUM EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN-  
octinoxate, titanium dioxide cream**  
**SANDY BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE  
NORMAN- octinoxate, titanium dioxide cream**  
**DELICATE BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE  
NORMAN- octinoxate, titanium dioxide cream**  
**TAN EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN-  
octinoxate, titanium dioxide cream**  
**Merle Norman Cosmetics, Inc**

-----

### **Expert Finish Makeup SPF 25**

Active Ingredients	Purpose
Octinoxate 4.0%	Sunscreen
Titanium Dioxide 5.2%	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Stop use and ask a doctor if rash occurs

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes. Rinse with water to remove.

#### Directions

For sunscreen use

apply liberally and evenly 15 minutes before sun exposure

use a water resistant sunscreen if swimming or sweating

reapply at least every 2 hours

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. -2 p.m.

wear long sleeve shirts, pants, hats, and sunglasses

children under 6 months: Ask a doctor

Inactive Ingredients

Isononyl Isononanoate, Ethylhexyl Palmitate, Polyethylene, Nylon-12, C12-15 Alkyl Benzoate, Lauroyl Lysine, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Talc, Isostearyl Neopentanoate, Astrocaryum Murumuru Seed Butter, Cetyl Dimethicone, Silica, Aluminum Starch Octenylsuccinate, Copernicia Cerifera (Carnauba) Wax, Dimethicone, Tocopheryl Acetate, Polyhydroxystearic Acid, Stearic Acid, Polyurethane-40, Sorbitan Oleate, Sorbitan Laurate, Myristyl Malate Phosphonic Acid, BHT Aluminum Oxide, May Contain, Iron Oxides, Titanium Dioxide

Expert Finish Makeup Broad Spectrum SPF 25

Merle Norman

17 g Net Wt. .60 Oz



02354

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25  
ALABASTER BEIGE**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02361

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25  
DELICATE BEIGE**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02351

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25**

**BARE**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02357

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25**

**SOFT BISQUE**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02355

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25  
CREAMY BEIGE**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02358

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25  
SAND**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02359

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25  
MEDIUM**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02360

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25  
SANDY BEIGE**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02352

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25**

**IVORY**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients** (w/w): Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02353

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25**

**PORCELAIN**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

02356

**EXPERT FINISH MAKEUP  
BROAD SPECTRUM SPF 25**

**SIMPLY BEIGE**

17 g e NET WT. .60 OZ.



**Directions:** Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Children under 6 months of age: Ask a doctor.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Active Ingredients (w/w):** Octinoxate 4.0%, Titanium Dioxide 5.2%.

MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045  
MADE IN U.S. OF U.S. AND IMPORTED PARTS

# BARE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-157
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:57627-157-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-157-	17 g in 1 BOTTLE; Type 0: Not a Combination		

01	Product		
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

**IVORY EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN**  
 octinoxate, titanium dioxide cream

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57627-169
Route of Administration	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	

**ALUMINUM OXIDE** (UNII: LMI26O6933)  
**FERRIC OXIDE RED** (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-169-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-169-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

## PORCELAIN EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-159
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	

<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-159-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-159-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

## ALABASTER BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-160
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	

<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)
<b>NYLON-12</b> (UNII: 446U8J075B)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-160-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-160-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

## CREAMY BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-161
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-161-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-161-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

**SIMPLY BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25  
MERLE NORMAN**

octinoxate, titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-162
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:57627-162-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-162-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

## SOFT BISQUE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57627-163
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-163-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-163-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

## SAND EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57627-164
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-164-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-164-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

## MEDIUM EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-165
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	

<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)
<b>NYLON-12</b> (UNII: 446U8J075B)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-165-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-165-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

## SANDY BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-166
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-166-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-166-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	

## DELICATE BEIGE EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57627-167
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>SORBITAN MONOLAUATE</b> (UNII: 6W9PS8B71J)	
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-167-02	1 in 1 CARTON	10/20/2013	
1	NDC:57627-167-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	10/20/2013	

## TAN EXPERT FINISH MAKEUP BROAD SPECTRUM SPF 25 MERLE NORMAN

octinoxate, titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57627-168
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5.2 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>LAUROYL LYSINE</b> (UNII: 113171Q70B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ISOSTEARYL NEOPENTANOATE</b> (UNII: 411THY156Q)	
<b>ASTROCARYUM MURUMURU SEED BUTTER</b> (UNII: 12V64UPU6R)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>PHOSPHONIC ACID</b> (UNII: 35V6A8JW8E)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

Marketing Start      Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-168-02	1 in 1 CARTON	10/20/2013	05/24/2021
1	NDC:57627-168-01	17 g in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/20/2013	05/24/2021

**Labeler** - Merle Norman Cosmetics, Inc (008479388)

Revised: 11/2025

Merle Norman Cosmetics, Inc