

CHILDRENS ALLEGRA HIVES- fexofenadine hcl suspension
Chattem, Inc.

Childrens Allegra Hives

Children's Allegra Hives 12 HR oral suspension - Grape Flavor

Drug Facts

Active ingredient

(in each 5 mL)

Fexofenadine HCl 30 mg

Purpose

Antihistamine

Uses

reduces hives and relieves itching due to hives (urticaria).

This product will not prevent hives or an allergic skin reaction from occurring.

Warnings

Severe Allergy Warning: Get emergency help **immediately** if you have hives along with any of the following symptoms: ■ swelling of tongue ■ trouble swallowing ■ swelling in or around mouth ■ trouble speaking

■ wheezing or problems breathing ■ drooling ■ dizziness or loss of consciousness

These symptoms may be signs of anaphylactic shock. This condition can be life threatening if not treated by a health professional **immediately**. Symptoms of anaphylactic shock may occur when hives first appear or up to a few hours later.

Not a Substitute for Epinephrine. If your doctor has prescribed an epinephrine injector for "anaphylaxis" or severe allergy symptoms that could occur with your hives, never use this product as a substitute for the epinephrine injector. If you have been prescribed an epinephrine injector, you should carry it with you at all times.

Do not use

■ to **prevent** hives from any known cause such as:

■ foods ■ insect stings ■ medicines ■ latex or rubber gloves

because this product will not stop hives from occurring.

Avoiding the cause of your hives is the only way to prevent them. Hives can

sometimes be serious. If you do not

know the cause of your hives, see your doctor for a medical exam. Your doctor may be able to help you find a

cause.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- kidney disease. Your doctor should determine if you need a different dose.
- hives that are an unusual color, look bruised or blistered
- hives that do not itch

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve after 3 days of treatment
- the hives have lasted more than 6 weeks

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before using ■ use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 6 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 6 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with	ask a doctor

kidney disease

ask a doctor

Note: mL= milliliters

Other information

- each 5 mL contains: **potassium 5 mg and sodium 19 mg**
- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- color change from white to beige is expected over time. This does not impact product effectiveness and safety.

Inactive ingredients

edetate disodium, flavor, poloxamer 407, potassium sorbate, propylene glycol, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol

Questions or comments?

call **1-866-844-2798**

PRINCIPAL DISPLAY PANEL

NDC 41167-4227-1

Childrens Allegra Hives

Grape Flavor

30 mg/5 mL antihistamine

Grape

12 HR

240 mL



CHILDRENS ALLEGRA HIVES

fexofenadine hcl suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-4227
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	30 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLOXAMER 407 (UNII: TUF21VW3M2)	

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE (UNII: 70WT22SF4B)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SUCROSE (UNII: C151H8M554)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
XANTHAN GUM (UNII: TTV12P4NEE)	
XYLITOL (UNII: VCQ006KQ1E)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-4227-1	1 in 1 CARTON	05/01/2026	
1		240 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA201373	05/01/2026	

Labeler - Chattem, Inc. (003336013)