# COLDTAC PLUS SOFTGELS- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled OPMX LLC.

-----

## Coldtac Plus - Softgels

#### **Drug Facts**

Active ingredients (in each Softgel)	Purpose	
Acetaminophen 325 mg	Pain reliever/fever reducer	
Dextromethorphan HBr 10 mg	Cough suppressant	
Phenylephrine HCl 5 mg	Nasal decongestant	

#### Uses

Temporarily relieves common cold/flu symptoms:

- Nasal congestion
- Cough due to minor throat & bronchial irritation
- Sore throat
- Headache
- Minor aches & pains
- Fever

#### **Warnings**

## Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

## Allergy alert

Acetaminophen may cause severe skin reactions. Symtoms may include.

- Skin reddening blisters
- Rash
- If a skin reaction occurs, stop use and seek medical help right away.

## Sore throat warning

If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

• with any other drug containing acetaminophen (prescription or nonprescription).

- If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug.
- If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- Liver disease
- Heart disease
- Diabetes
- High blood pressure
- Trouble urinating due to enlarged prostate gland
- Cough that occurs with too much phlegm (mucus)
- Persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis or emphysema.

Ask a doctor or pharmacist before use if you are: Taking the blood thinning drug warfarin.

### When using this product,

do not use more than directed.

## Stop use and ask a doctor if

- You get nervouz, dizzy or sleepless.
- Symptoms get worse or last more than 5 days (children) or 7 days (adults).
- Fever gets worse or lasts more than 3 days.
- Redness or swelling is present.
- New symtoms occur.
- Cough comes back, or occurs with rash or headache that lasts. These could be signs
  of a serious condition.

## Keep out of reach of children.

## If pregnant or breast-feeding,

ask a health professional before use.

## Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well for children even if you do not notice any signs or symptoms.

#### **Directions**

- Take only as directed.
- Do not exceed 4 doses per 24 hrs.

Adults & children 12 yrs & over	2 softgels with water every 4 hrs
Children 4 to under 12 yrs	Ask a doctor
Children under 4 yrs	Do not use

#### Other information

Store at room temperature.

## **Inactive ingredients**

FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol special, titanium dioxide.

#### **Questions?**

Call to free 619-600-5632 Monday through Friday 9AM - 5PM EST

Made for:

**RRX** 

**Exclusively distributed by:** 

**OPMX** 

Chula Vista, CA 91910

Phone: 619-600-5632

#### PRINCIPAL DISPLAY PANEL

NDC 69729-120-10

Coldtac Plus

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCI 5mg

Pain reliever, fever reducer/ Fiebre y cuerpo cortado

Nasal Descongestant/ Descongestivo nasal

Cough Suppressant/ Supresor de la tos

Contents/Content

10 Softgels/ Capsulas de Gel



#### **COLDTAC PLUS SOFTGELS**

COLDTAC

## **Product Information**

Product Type HUMAN	OTC DRUG Item Code	( <b>Source</b> ) NDC:69729-120
--------------------	--------------------	---------------------------------

**Route of Administration** ORAL

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients	
Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics				
Color	red	Score	no score	
Shape	OVAL	Size	20mm	
Flavor		Imprint Code	AP01	
Contains				

Packaging					
# Item Co	de Package Description	Marketing Start Date	Marketing End Date		
NDC:69729	1 in 1 CARTON	06/30/2023			
1	10 in 1 BLISTER PACK; Type 0: Not a Combina Product	ation			

Marketing Information					
Marketing	Application Number or Monograph	Marketing Start	Marketing End		
Category	Citation	Date	Date		

OTC Monograph Drug	M012	06/30/2023	

## **Labeler -** OPMX LLC. (029918743)

Revised: 4/2024 OPMX LLC.