# TAKE CONTROL CALMING CLEANSER- salicylic acid gel mybody

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### ACTIVE INGREDIENT

SALICYLIC ACID 2%

PURPOSE

ACNE TREATMENT

USE FOR TREATMENT OF ACNE

WARNINGS

FOR EXTERNAL USE ONLY

DO NOT USE \* IF YOU HAVE VERY SENSITIVE SKIN OR ARE SENSITIVE TO SALICYLIC ACID.

ASK A DOCTOR OR PHARMACIST BEFORE USE IF \*PREGNANT OR LACTATING. YOU ARE USING OTHER TOPICAL ACNE MEDICATIONS AT THE SAME TIME OR IMMEDIATELY FOLLOWING USE OF THIS PRODUCT. THIS MAY INCREASE DRYNESS OR IRRITATION OF THE SKIN. IF THIS OCCURS, ONLY ONE MEDICATION SHOULD BE USED UNLESS DIRECTED BY A DOCTOR.

WHEN USING THIS PRODUCT \* AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH THOROUGHLY WITH WATER. \* KEEP AWAY FROM LIPS AND MOUTH.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

\* USE AM/PM OR AS DIRECTED BY A DOCTOR. APPLY A NICKEL-SIZE AMOUNT TO WET HANDS. RUB TOGETHER. GENTLY MASSAGE ONTO FACE AND NECK WITH CIRCULAR MOTIONS. LEAVE ON 1-2 MINUTES THEN RINSE WELL.

OTHER INFORMATION

\* AVOID STORAGE AT EXTREME TEMPERATURES (BELOW 40°F AND ABOVE 100°F).

INACTIVE INGREDIENTS: WATER, DISODIUM LAURETH SULFOSUCCINATE, SODIUM COCOYL ISETHIONATE, SODIUM LAUROAMPHOACETATE, GLYCERIN, SODIUM METHYL COCOYL TAURATE, METHYLISOTHIAZOLINONE, COCAMIDOPROPYL BETAINE, BISABOLOL, ZINGIBER OFFICINALE (GINGER) ROOT EXTRACT, OAT (AVENA SATIVA) KERNEL EXTRACT, DISODIUM EDTA, BETA GLUCAN, EUCALYPTUS GLOBULUS OIL, XANTHAN GUM, MENTHOL, MYRISTOYL TETRAPEPTIDE-13, ACETYL CARBOXYMETHYL COCOYL GLYCINE, PHENOXYETHANOL, CAPRYLYL GLYCOL.

QUESTIONS OR COMMENTS?

CALL 877.423.1314 \* WWW.LOVEMYBODY.COM



TAKE CONTROL<sup>™</sup> Calming Gel Cleanser 2% Salicylic Acid Application and Usage: Use AM/PM. Apply a nickelsize amount to wet hands. Rub together. Gently massage onto face and neck with circular motions. Leave on 1-2 minutes then rinse well.

mycleanser STEP 1 + AM / PM www.lovemybody.com 4020250

0.17 FL OZ US/5 mL

# TAKE CONTROL<sup>®</sup> Calming Gel Cleanser • 2% Salicylic Acid AM / PM

5 FL OZ US / 150 mL

# **Drug Facts**

Active Ingredient Salicylic Acid 2%

*Puipose* Ache Treatment

USE for treatment of acne

Warnings For external use only

Do not use • if you have very sensitive skin or are sensitive to Salicylic Acid.

Ask a doctor or pharmacist before use if • Pregnant or lactating, You are using other topical acne medications at the same time or immediately following use of this product. This may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

When using this product • Avoid contact with eyes. If contact occurs, flush thoroughly with water. • Keep away from lips and mouth.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions

Use AM/PM or as directed by a doctor, Apply a nickel-size amount to wet hands. Rub together, Gently massage onto face and neck with circular motions. Leave on 1-2 minutes then rinse well.

#### Other Information

 Avoid storage at extreme temperatures (below 40° F and above 100° F).

*Inactive Ingredients:* Water, Disodium Laureth Sulfosuccinate, Sodium Cocoyl Isethionate, Sodium Lauroamphoacetate, Glycerin, Sodium Methyl Cocoyl Taurate, Methylisothiazolinone, Cocamidopropyl Betaine, Bisabolol, Zingiber Officianale (Ginger) Root Extract, Oat (Avena Sativa) Kernel Extract, Disodium EDTA, Beta Glucan, Eucalyptus Globulus Oil, Xanthan Gum, Menthol, Myristoyl Tetrapepitde-13, Acetyl Carboxymethyl Cocoyl Glycine, Phenoxyethanol, Caprylyl Glycol.

### **Questions or Comments?**

Call 877.423.1314 • www.lovemybody.com

NDC: 59958-300

### TAKE CONTROL CALMING CLEANSER

salicylic acid gel

Product Information						
Product T ype	HUMAN OTC DRUG	Item Code (Source) NDC:4		NDC:49	9520-104	
Route of Administration	TOPICAL					
Active Ingredient/Active Moi	ety					
Ingredient Name Basis of Strength				ength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID			ID	2 g in 100 mL		
Inactive Ingredients						
Ingredient Name				Strength		
WATER (UNII: 059QF0KO0R)						
DISODIUM LAURETH SULFO SUCCINATE (UNII: D6 DH1DTN7E)						
SODIUM COCOYL ISETHIONATE (U	NII: 518 XTE8 49 3)					
SODIUM LAURO AMPHO ACETATE (	UNII: SLK428451L)					
GLYCERIN (UNII: PDC6A3C0OX)						
SODIUM METHYL COCOYL TAURA	<b>TE</b> (UNII: JVL98CG53G)					
METHYLISO THIAZO LINO NE (UNII:	229 D0 E1QFA)					
COCAMIDOPROPYL BETAINE (UNII	50CF3011KX)					

.ALPHABISABOLOL, (+/-)- (UNII: 36 HQN158 VC)	
GINGER (UNII: C5529G5JPQ)	
OAT (UNII: Z6J799EAJK)	
EDETATE DISO DIUM (UNII: 7FLD91C86K)	
CURDLAN (UNII: 6930DL209R)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
XANTHAN GUM (UNII: TTV12P4NEE)	
MENTHOL (UNII: L7T10EIP3A)	
MYRISTOYL PENTAPEPTIDE-4 (UNII: PMA59A699X)	
ACETYL CARBOXYMETHYL COCOYL GLYCINE (UNII: 3TNX4P92J3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00 YIU5438 U)	
Packaging	

Ра	ickaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1 I	NDC:49520-104-31	5 mL in 1 TUBE		
21	NDC:49520-104-15	150 mL in 1 BOTTLE		
3 1	NDC:49520-104-51	1 in 1 BOX		
3 1	NDC:49520-104-11	150 mL in 1 BOTTLE		
<b>4</b> ľ	NDC:49520-104-33	10 mL in 1 TUBE		
<b>5</b> I	NDC:49520-104-35	150 mL in 1 TUBE		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part333D	09/27/2012			

# Labeler - mybody (004460532)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
OWEN BIOSCIENCES INC		790003045	manufacture(49520-104)

## Establishment

Name	Address	ID/FEI	Business Operations
COSMETIC ENTERPRISES LTD		0 1770 1475	repack(49520-104)

Revised: 12/2013