

ALLERGY RELIEF- diphenhydramine hcl 25 mg tablet
Pioneer Life Sciences, LLC

Active Ingredient (*in each tablet*)

Diphenhydramine HCl 25mg

Purpose

Antihistamine

Uses:

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings:

DO NOT USE:

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

DIRECTIONS

- Take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours.
- Adults and children 12 years and over: 1 to 2 tablets
- Children 6 years to under 12 years: 1 tablet
- Children under 6 years: Do not use

OTHER INFORMATION

Each tablet contains: ■ Calcium 24mg

■ Store between 20°-25°C (68°-77°F). Avoid high humidity. Protect from moisture and light.

INACTIVE INGREDIENTS

Microcrystalline Cellulose avicel 102, polyvinylpyrrolidone, colloidal silicone dioxide, Croscarmellose Sodium, Magnesium Stearate, purified water, readycoat pink contains: polyvinylalcohol, polyethylene glycol, methacrylic acid copolymer, talc, fumed silica, titanium dioxide, Phloxine b lake.

QUESTIONS OR COMMENTS?

Call (732)-994-2808 or email support@gencare.health

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark BENADRYL® Tablets.

Distributed by: GenCare Consumer Products, LLC 40E Cotters Ln, Suite A, East Brunswick, NJ 08816

NDC 720090-040-01 (1000s count Bottle)

†compare to **BENADRYL**[®]
ALLERGY active ingredient.

GenCare
generic healthcare

Allergy Relief
antihistamine

Diphenhydramine HCl 25 mg

For the temporary relief of:

- Sneezing • Itchy throat
- Runny nose
- Itchy, watery eyes

NDC 72090-040-01

1000 tablets

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.

Drug Facts

Active Ingredient (in each tablet)
Diphenhydramine HCl 25mg Antihistamine

USES: ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies; ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold:
■ runny nose ■ sneezing

WARNINGS: DO NOT USE: ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin.

Ask a doctor before use if you have: ■ glaucoma ■ trouble urinating due to an enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis.

Ask a doctor or pharmacist before use if you are: taking sedatives or tranquilizers.

When using this product: ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

DIRECTIONS: ■ Take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 times in 24 hours. ■ Adults and children 12 years and over: 1 to 2 tablets ■ Children 6 years to under 12 years: 1 tablet ■ Children under 6 years: Do not use

OTHER INFORMATION: Each tablet contains: ■ Calcium 24mg ■ Store between 20°-25°C (68°-77°F). Avoid high humidity. Protect from moisture and light.

INACTIVE INGREDIENTS: Microcrystalline cellulose avicel 102, polyvinylpyrrolidone, colloidal silicon dioxide, cross carmellose sodium, magnesium stearate, purified water, readycoat pink contains: polyvinyl alcohol, polyethylene glycol, methacrylic acid copolymer, talc, tumbled silica, titanium dioxide, phobkine b lake

QUESTIONS OR COMMENTS? Call (732) 994-2808 or email support@gencare.health

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark BENADRYL[®]. Distributed by **GenCare Consumer Products, LLC** 40E Collins Ln, Suite A, East Brunswick, NJ 08816 www.gencare.health

Lot No. PL0242-00
Exp. Dt. X002ISMK8N

NDC 72090-040-02 (600s count Bottle)

†compare to **BENADRYL**[®]
ALLERGY active ingredient.

GenCare
generic healthcare

Allergy Relief
antihistamine

Diphenhydramine HCl 25 mg

Relieves:

- Sneezing • Itchy throat
- Runny nose
- Itchy, watery eyes

NDC 72090-040-02

600 tablets

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.

Drug Facts

Active Ingredient (in each tablet)
Diphenhydramine HCl 25mg Antihistamine

USES: ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies; ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold:
■ runny nose ■ sneezing

WARNINGS: DO NOT USE: ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin.

Ask a doctor before use if you have: ■ glaucoma ■ trouble urinating due to an enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis.

Ask a doctor or pharmacist before use if you are: taking sedatives or tranquilizers.

When using this product: ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

DIRECTIONS: ■ Take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 times in 24 hours. ■ Adults and children 12 years and over: 1 to 2 tablets ■ Children 6 years to under 12 years: 1 tablet ■ Children under 6 years: Do not use

OTHER INFORMATION: Each tablet contains: ■ Calcium 24mg ■ Store between 20°-25°C (68°-77°F). Avoid high humidity. Protect from moisture and light.

INACTIVE INGREDIENTS: Microcrystalline cellulose avicel 102, polyvinylpyrrolidone, colloidal silicon dioxide, cross carmellose sodium, magnesium stearate, purified water, readycoat pink contains: polyvinyl alcohol, polyethylene glycol, methacrylic acid copolymer, talc, tumbled silica, titanium dioxide, phobkine B Lake

QUESTIONS OR COMMENTS? Call +1 (732) 994-2808 or email support@gencare.health

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark BENADRYL[®]. Distributed by **GenCare Consumer Products, LLC** 40E Collins Ln, Suite A, East Brunswick, NJ 08816 www.gencare.health

Lot No. PL0243-00
Exp. Dt. X002AZQ5VR

GenCare - Allergy Re... & Outdoor Allergies

ALLERGY RELIEF

diphenhydramine hcl 25 mg tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72090-040
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE K30 (UNII: U725QWY32X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	N02
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72090-040-01	1000 in 1 BOTTLE; Type 0: Not a Combination Product	03/04/2025	
2	NDC:72090-040-02	600 in 1 BOTTLE; Type 0: Not a Combination Product	03/04/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/04/2025	

Labeler - Pioneer Life Sciences, LLC (014092742)