

AOBBIY TATTOO NUMBING CREAM- tattoo numbing cream cream
Shenzhen Situya Trading Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

LIDOCAINE 5%

Purpose

Local Anesthetic

Use

temporarily relieves local and anorectal discomfort associated with the anorectal disorder or swelling.

Warnings

For external use only.

Do not use

pregnant or breastfeeding, ask your doctor before use.
in case of accidental overdose, seek immediate medical help or contact the Poison Control Center.
seal is broken or missing.

When Using

do not exceed the recommended daily dosage unless directed by a doctor. Certain sensitive individuals may have an allergic reaction to some of the ingredients of this product.
do not put this cream into the rectum using your fingers, applicators, or any medical devices.

Stop Use

the symptom being treated does not improve, or if redness, irritation, swelling, pain, or other symptoms appear or worsen. Seek medical help right away.

Keep Out Of Reach Of Children

In case of accidental ingestion, seek medical help right away.

Directions

Apply up to 3 times a day.

Children (under 12 years of age): consult a doctor.

Adults: before applying this product, clean the affected area with mild soap and warm water and rinse thoroughly. Pat dry the area with a soft cloth or tissue.

Other information

Keep away from direct sunlight or heat.

Store at room temperature 59°-86°F (15°-30°C).

Inactive ingredients

Aqua, Propylene Glycol, Carbomer 934, Lecithin (Soybean), Tocopheryl Acetate, Benzyl Alcohol.

Notice

Due to the difference in temperature and skin type, the numbness effect duration will differ. Testing in a small area first is recommended to ensure the best numbness effect.

Correct Use Steps Before Tattooing

1. Clean your hands and the treatment area with soft soap and warm water, rinse thoroughly, then gently pat dry.
2. Apply a thick layer of the numbing cream onto the treatment area.
3. Wrap tightly with plastic wrap and wait 45-60 minutes for the numbness to peak. (The peak lasts up to 6 hours.)
4. Wipe away the residue with a soft cloth or tissue.
5. Begin the procedure.

PRINCIPAL DISPLAY PANEL

60 mm*60 mm* 55 cm



AOBBiY TATTOO NUMBING CREAM

tattoo numbing cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82739-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 934 (UNII: Z135WT9208)	
WATER (UNII: 059QF0KO0R)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82739-014-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/04/2023	
2	NDC:82739-014-02	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/04/2023	
3	NDC:82739-014-03	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/04/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M016	07/04/2023	

Labeler - Shenzhen Situya Trading Co., Ltd. (706154255)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Situya Trading Co., Ltd.		706154255	label(82739-014) , manufacture(82739-014)

Revised: 7/2023

Shenzhen Situya Trading Co., Ltd.