# LELY QUARESS PREMO 55 - iodine solution Lely North America, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **KEEP OUT OF REACH OF CHILDREN**

#### **NOT FOR HUMAN USE**

#### **Attention**

#### For External Use Only

Wash hands thoroughly after handling.

Get medical advice/ attention if you feel unwell.

#### **DIRECTIONS**

Lely Quaress Premo 55 is intended to be used with Lely robotic milking systems.

**IMPORTANT**: Do not mix with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling.

Robotics Milking Pre-Milking/Prepping Directions

**Pre-milking/prepping**: When used with the Lely robotic milking system teats should be prepped according to the recommendations of Lely, using the appropriate Astri brush wash product and procedure.

## **Pre-Milk Dipping Directions**

**Pre-milk/prepping**: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

# **Pre-Milk Spraying or Dipping Directions**

**Pre-milk spraying or dipping**: Before each cow is milked, spray or dip entire teat with Lely Quaress Premo 55. Wipe teats after spraying using single-service towels to avoid contamination of milk.

# Post-Milk Spraying or Dipping Directions

**Post-milk spraying or dipping**: Using fresh Lely Quaress Premo 55, spray or dip the full-length of each teat. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage**: When freshening cows, begin spraying or dipping teats twice daily for about 10 days before calving.

PRECAUTION: Lely Quaress Premo 55 is not intended to cure or help the healing of

chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

#### READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

### Principal display panel and representative label

Lely

**Lely Quaress** 

Premo 55

Sanitizing teat spray

56.8 I / 15 US gal

**Lely Astronaut** 

TOTAL INGREDIENTS 100.0%	ACTIVE INGREDIENTS 0.5%	INERT INGREDIENTS 99.5%
Active Ingredients 0.5%	lodine 0.5%	(contains glycerin, propylene glycol)
Inert Ingredients 99.5%		

An aid in reducing the spread of organisms which may cause mastitis.

Distributed by:

Lely North America  $\cdot$  1948 Lely Park Way  $\cdot$  Pella, Iowa 50219 USA  $\cdot$  tel: 1 888 245 4684 Manufactured by:

Ecolab · 1 Ecolab Place · St. Paul MN 55102 USA · tel: 1 800 392 3392

© 2023 Ecolab USA Inc. · All rights reserved

Made in United States

www.ecolab.com





# Lely Quaress Premo 55

Sanitizing teat spray
Spray desinfectante para pezones

56.8 l	/ 15 US gal
--------	-------------

# Lely Astronaut

TOTAL INGREDIENTS	100.0%	ACTIVE INGREDIENTS	0.5%	INERT INGREDIENTS	99.5%
Active Ingredients	0.5%	Iodine	0.5%	(contains glycerin, propylene	glycol)
Inert Ingredients	99.5%				

#### Lely Quaress Premo 55

· An aid in reducing the spread of organisms which may cause mastitis

Lely Quaress Premo 55 is intended to be used with Lely robotic milking systems. IMPORTANT: Do not mix with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container

Robotics Milking Pre-Milking/Prepping Directions

**Pre-milking/prepping:** When used with the Lely robotic milking system teats should be prepped according to the recommendations of Lely, using the appropriate Astri brush

prepped according to the recommendations or Lety, using the appropriate Astri brush wash product and procedure.

Pre-Milk Dipping Directions

Pre-milk/prepping: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping. washing or pre-dipping.

Pre-Milk Spraying or Dipping Directions
Pre-milk spraying or dipping: Before each cow is milked, spray or dip entire teat with Lely Quaress Premo 55. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying or Dipping Directions

Post-milk spraying or dipping: Using fresh Lely Quaress Premo 55, spray or dip the full-length of each teat. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin spraying or dipping teats twice daily for about 10 days before calving.

about 10 days before calving.

PRECAUTION: Lely Quaress Premo 55 is not intended to cure or help the healing of

chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.
KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

#### Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/attention if you feel unwell.
READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United

States and Canada, call collect 1 651 222 5352 (number is in the US).

Lely North America · 1948 Lely Park Way · Pella, Iowa 50219 USA · tel: 1 888 245 4684

Ecolab · 1 Ecolab Place · St. Paul MN 55102 USA · tel: 1 800 392 3392 © 2023 Ecolab USA Inc. · All rights reserved | Todos los derechos reservados

Made in United States | Hecho en Estados Unidos

Lely Quaress Premo 55

· Ayuda a evitar la proliferación de organismos que pueden causar mastitis INSTRUCCIONES

Lely Quaress Premo 55 está diseñada para usarse con los sistemas de ordeño robótico Lely. IMPORTANTE: No mezcle con agua, otros selladores de pezones u otros productos a menos que se específique en las instrucciones de uso del producto. Si se transfiere de este contenedor a cualquier otro, asegúrese de que el otro contenedor esté completamente limpio y que esté correctamente etiquetado

Instrucciones de pre-ordeño/preparación para sistema de ordeño robótico

Pre-ordeño/preparación: Cuando se utilicen con el sistema de ordeño robótico Lely, los pezones deben prepararse de acuerdo con las recomendaciones de Lely, utilizando el producto de limpieza, cepillo Aspri y el procedimiento adecuado

Instrucciones de inmersión previo al ordeño
Pre-ordeño/preparación: Lave bien los pezones justo antes del próximo ordeño con
una solución de lavado de ubres o selladores de pezones de pre-ordeño para evitar la
contaminación de la leche. Posteriormente, los pezones deberán secarse con paños desechables o de uso único. Utilice los procedimientos adecuados para el lavado o preinmersión de las ubres.

Instrucciones de rocio o inmersión previo al ordeño
Rocio o inmersión previo al ordeño: Antes de ordeñar cada vaca, rocie o sumerja todo
el pezón con Lely Quaress Premo 55. Limpie los pezones después de rociar usando paños
desechables o de uso único para evitar la contaminación de la leche.

Instrucciones de rocío o immersión post-ordeño Rociado o baño posterior al ordeño: Usando Lely Quaress Premo 55, rocíe o sumerja la totalidad de cada pezón y deje secar al aire. No exponga las vacas a climas helados hasta que el producto esté completamente seco.

Uso Extendido: Al refrescar vacas, comience a rociar o sumergir los pezones dos veces al día durante aproximadamente 10 días antes del parto.

PRECAUCIÓN: Lely Quaress Premo 55 no está pensado para curar ni ayudar a sanar los pezones agrietados o irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles. Si los pezones están agrietados o irritados, encarque a un veterinario que examine la condición y la trate si es necesario.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

#### Atención

Solo de uso externo

Lavarse las manos cuidadosamente después de la manipulación.

Consultar a un médico si la persona se encuentra mal.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

6302474



# **LELY QUARESS PREMO 55**

iodine solution

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86190-008
Route of Administration	TOPICAL		

#### **Active Ingredient/Active Moiety Basis of Strength** Strength **Ingredient Name IODINE** IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) 5 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86190-008-17	56800 mL in 1 DRUM		
2	NDC:86190-008-21	208000 mL in 1 DRUM		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	10/02/2023			
ľ	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

# Labeler - Lely North America, Inc. (798881780)

Revised: 10/2023 Lely North America, Inc.