

NITROUS OXIDE - nitrous oxide gas
Encompass Medical & Specialty Gases, Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Nitrous Oxide Label

LifeGas

NITROUS OXIDE UN1070

USP CAS: 10024-97-2

Distributed by: Linde Linde Gas North America LLC 575 Mountain Ave. Murray Hill, NJ 07974

NON-FLAMMABLE GAS 2 OXIDIZER 5.1

MEDICAL GAS

Rx only. **WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. When used as a diluent for oxygen to produce respirable mixtures, user must assure sufficient oxygen concentration to sustain life.

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS. CAN CAUSE RAPID SUFFOCATION. MAY CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. For liquid withdrawal, wear protective equipment to prevent getting liquid in eyes, on skin or clothing. Keep away from heat, flame or sparks. Keep oil, grease and other combustibles away. Transport, store and use with adequate ventilation. Do not strike arc or laser beam on cylinder. Use equipment cleaned for Oxygen service and rated for cylinder pressure. . Use a back flow preventive device in the piping. Cylinder temperature should not exceed 52C (125F). Always secure cylinder in upright position. Use in accordance with the Material Safety Data Sheets for this product, available at Web Site: www.lindeus.com. Close valve after each use and when empty. Return cylinder with 25 psig pressure and cylinder cap secured, if applicable. Open valve slowly.

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

DO NOT REMOVE THIS LABEL.

LG040C (R 02/08) L and SP 7468

LifeGas®

MEDICAL GAS

RX ONLY.

**UN1070
USP**
CAS 10024-97-2

NITROUS OXIDE

NON-FLAMMABLE GAS 2

OXIDIZER 5.1

CONTENTS:

CYLINDER TYPE	LITERS
K <input type="checkbox"/>	13810
M <input type="checkbox"/>	7386
E <input type="checkbox"/>	1726
D <input type="checkbox"/>	991

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effect, dosages, methods and frequency and duration of administration, and the hazards, contraindication and side effects and the precautions to be taken. When used as a diluent for oxygen to produce respirable mixtures, user must assure sufficient oxygen concentration to sustain life.

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS CAN CAUSE RAPID SUFFOCATION. MAY CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. For liquid withdrawal, wear protective equipment to prevent getting liquid in eyes, on skin or clothing. Keep away from heat, flame or sparks. Keep oil, grease and other combustibles away. Transport, store and use with adequate ventilation. Do not strike arc or laser beam on cylinder. Use equipment cleaned for Oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperature should not exceed 52°C (125°F). Always secure cylinder in upright position.

Use in accordance with the **Material Safety Data Sheet** for this product, available at Web Site: www.lindeus.com. Close valve after each use and when empty. Return cylinder with 25 psig pressure and cylinder cap secured, if applicable. Open valve slowly.

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Distributed by:
Linde
Linde Gas North America LLC
575 Mountain Ave.
Murray Hill, NJ 07974

DO NOT REMOVE THIS LABEL.

**LG040C
(R 02/08) L&SP 7468**

NITROUS OXIDE USP UN1070

NON-FLAMMABLE GAS 2 OXIDIZER 5.1 37736 (06/05)

Rx only. **WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only with equipment cleaned for oxygen and rated for cylinder pressure. Do not get liquid in eyes, on skin, or clothing. Cylinder temperature should not exceed 52C (125F). Open valve slowly. Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheets (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL.

Cylinders must be refilled by:

Encompass Medical and Specialty Gases, LTD. 4646 Linden Road P.O. Box 5404 Rockford, IL 61109
CONTENTS: LTRS. CU. FT.



NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:48883-004
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrous Oxide (UNII: K50 XQU1029) (Nitrous Oxide - UNII:K50 XQU1029)	Nitrous Oxide	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48883-004-01	148 L in 1 CYLINDER		
2	NDC:48883-004-02	936 L in 1 CYLINDER		
3	NDC:48883-004-03	991 L in 1 CYLINDER		
4	NDC:48883-004-04	1577 L in 1 CYLINDER		
5	NDC:48883-004-05	1726 L in 1 CYLINDER		
6	NDC:48883-004-06	2464 L in 1 CYLINDER		
7	NDC:48883-004-07	4927 L in 1 CYLINDER		
8	NDC:48883-004-08	7386 L in 1 CYLINDER		
9	NDC:48883-004-09	7391 L in 1 CYLINDER		
10	NDC:48883-004-10	12318 L in 1 DEWAR		
11	NDC:48883-004-11	13810 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved medical gas		01/02/2008	
------------------------	--	------------	--

Labeler - Encompass Medical & Specialty Gases, Ltd. (963344143)

Establishment

Name	Address	ID/FEI	Business Operations
Encompass Medical & Specialty Gases, Ltd.		963344143	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Encompass Medical & Specialty Gases, Ltd.		963719286	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Encompass Medical & Specialty Gases, Ltd.		963719096	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Encompass Medical & Specialty Gases, Ltd.		963718361	manufacture

Revised: 12/2010

Encompass Medical & Specialty Gases, Ltd.