

**NO MAKEUP FOUNDATION LIGHT BROAD SPECTRUM SPF 30- zinc oxide and titanium dioxide cream**

**Allure Labs, Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

Active Ingredients:

Zinc Oxide: 12.88 %

Titanium Dioxide: 3.37%

Sunscreen

Uses:

- help prevent sunburn.
- if used as directed with other sun protection measures (see directions), decreases the chance of skin cancer and early skin aging caused by the sun.

For external use only.

on damaged or broken skin.

Do not use and ask a doctor if

- rash occurs
  
- keep out of eyes. Rinse with water to remove.

If swallowed, get a medical help or contact a Poison Control Center right away.

Directions Apply evenly with your fingertips and blending product in circular motions. Can be re-applied as necessary to build desired coverage.

For sunscreen use: apply liberally 15 minutes before sun exposure. use water resistant sunscreen if swimming or sweating. reapply at least every 2 hours. not for use on children. Sun Protection Measures. Spending time in the sun increase your risk to skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients:

Water/Aqua/Eau, cyclopentasiloxane, Butylene Glycol, Glycerin, Glyceryl Stearate, PEG-100 Stearate, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, caprylic/Capric Triglyceride, Dimethicone, Sorbitan Stearate, Ethylhexyl palmitate, Cyclohexasiloxane, Aluminum Hydroxide, Stearic Acid, C12-15 Alkyl Benzoate, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Tetrahexyldecyl Ascorbate, Dimethyl MEA, Mica, Phenoxyethanol, Glycolic Acid, Iron Oxides (CI 77491, CI 77492, CI

77499), Lecithin, Tocopheryl Linoleate/Oleate, Cetyl Alcohol, Caprylyl Glycol, Tribehniin, citric Acid, Xanthan Gum, Ethylhexylglycerin, Hexylene Glycol, PEG-8, Fragrance/Parfum, Polyacrylamide, Sodium Lactate, C13-14 Isoparaffin, Dipotassium Glycyrrhizate, Disodium ESTA, Tocopherol, Ceramide NG, Phoenix Dactylifera (Date) Fruit Extract, Silica Dimethyl Silylate, PEG-10 Phytosterol, Thioctic acid, Silica, Sodium Hylarunate, Palmitoyl Hexapeptide-12, Limonene, Linalool

Protect the product in this container from excessive heat and direct sun.

Dist By: NV Perricone LLC

San Francisco, CA 94111

Made in USA

18888237837

perriconemd.com

**LIGHT**

**Perricone MD**

**No Makeup Foundation**  
Broad Spectrum SPF 30

**APPLICATION**  
Apply evenly with your fingertips and blend product in circular motions.  
US Patent Numbers 6,191,121, 6,979,459  
Please refer to the enclosed insert for additional information.

**ALPHA LIPOIC ACID**  
Minimizes the appearance of fine lines, wrinkles and enlarged pores over time.

**BENEFITS**

- ✓ Instant sheer coverage with a natural, no-makeup texture and finish
- ✓ Corrects and evens skin tone
- ✓ Broad Spectrum SPF 30

*Instant sheer, radiant coverage.  
Perricone MD science visibly improves skin's appearance over time.*

Dist. By: NV Perricone LLC, San Francisco CA 94111, Made in USA.  
Dist. By: Perricone MD Cosmeceuticals LTD, London, W1T 3LN UK 650961  
1 888 823 7837  
perriconemd.com

**Drug Facts**

Active Ingredients	Purpose
Titanium Dioxide (3.37%) Zinc Oxide (12.28%)	Sunscreen

**Uses**  

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by the sun.

**Warnings**  
 For external use only.  
 Do not use if:  

- on damaged or broken skin.
- you use and risk a doctor if rash occurs.

 When using this product:  

- keep out of eyes. Rinse with water to remove.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 Apply one to two finger tips and blending product in circular motions. Can be re-applied as necessary to build desired coverage.  
 For sunscreen use:  

- apply liberally 15 minutes before sun exposure.
- use a water resistant sunscreen if swimming or sweating.
- reapply at least every 2 hours.
- not for use on children.

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  

- limit time in the sun, especially from 10 a.m. to 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive ingredients**  
 Water/Aqua/Eau, Cyclopentasiloxane, Butylene Glycol, Glycerin, Glyceryl Stearate, PEG-10 Stearate, Polyglyceryl-3 Polydimethylsilyloxyethyl Dimethylsiloxane, Caprylyl Capryl Glycol, Dimethylsiloxane, Titanium Dioxide (CI 77891), Sorbitan Stearate, Ethylhexyl Palmitate, Cyclohexasiloxane, Aluminum Hydroxide, Stearic Acid, C12-15 Alkyl Benzoate, Triethoxyethyl Polydimethylsilyloxyethyl Dimethylsiloxane, Iron Oxides (CI 77491, CI 77492, CI 77499), Tetraethylthiuram Disulfide, Disodium EDTA, Mica, Phenylethyltrimethylammonium Chloride, Tocopheryl Linoleate/Oleate, Cetyl Alcohol, Caprylyl Glycol, Tribehniin, Citric Acid, Xanthan Gum, Ethylhexylglycerin, Hexylene Glycol, PEG-8, Fragrance/Parfum, Polyacrylamide, Sodium Lactate, C13-14 Isoparaffin, Dipotassium Glycyrrhizate, Disodium EDTA, Tocopherol, Ceramide NG, Phoenix Dactylifera (Date) Fruit Extract, Silica Dimethyl Silylate, PEG-10 Phytosterol, Thioctic Acid, Silica, Sodium Hylarunate, Palmitoyl Hexapeptide-12, Limonene, Linalool

**Other information**  
 Protect the product in this container from excessive heat and direct sun.

**Questions?** 1-888-823-7837

## NO MAKEUP FOUNDATION LIGHT BROAD SPECTRUM SPF 30

zinc oxide and titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62742-410 1
<b>Route of Administration</b>	Topical		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	128.8 mg in 1 mL
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	33.7 mg in 1 mL
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>	<b>Strength</b>	
	WATER (UNII: 059QF0KO0R)		
	CYCLOMETHICONE 5 (UNII: 0THT5PC10R)		
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)		
	PEG-100 STEARATE (UNII: YD01N1999R)		
	POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)		
	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
	DIMETHICONE (UNII: 92RU3N3Y1O)		
	SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)		
	ETHYLHEXYL PALMITATE (UNII: 2865993309)		
	CYCLOMETHICONE 6 (UNII: XHK3U310BA)		
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
	STEARIC ACID (UNII: 4ELV7Z65AP)		
	ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)		
	TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)		
	DEANOL (UNII: 2N6K9DRA24)		
	MICA (UNII: V8A1AW0880)		
	PHENOXYETHANOL (UNII: HIE492ZZ3T)		
	GLYCOLIC ACID (UNII: 0WT12SX38S)		
	FERRIC OXIDE RED (UNII: 1K09F3G675)		
	FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
	FERROSO FERRIC OXIDE (UNII: XM0M87F357)		
	LECITHIN, SOYBEAN (UNII: 1DI56QDM62)		
	.ALPHA.-TOCOPHEROL LINOLEATE, D- (UNII: G0N132Q0ED)		
	CETYL ALCOHOL (UNII: 936JST6JCN)		
	CAPRYLYL GLYCOL (UNII: 00YIU5438U)		
	TRIBEHENIN (UNII: 8OC9U7TQZ0)		
	CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
	XANTHAN GUM (UNII: TTV12P4NEE)		
	ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
	HEXYLENE GLYCOL (UNII: KEH0A3F75J)		
	POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)		
	POLYACRYLAMIDE (1500 MW) (UNII: 5D6TC4BRWV)		
	SODIUM LACTATE (UNII: TU7HW0W0QT)		
	C13-14 ISOPARAFFIN (UNII: E4F12ROE70)		
	GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)		

EDETATE DISODIUM (UNII: 7FLD91C86K)
TOCOPHEROL (UNII: R0ZB2556P8)
CERAMIDE NG (UNII: C04977SRJ5)
DATE (UNII: H3O7QI5HY7)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
THIOCTIC ACID (UNII: 73Y7P0K73Y)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
PALMITOYL HEXAPEPTIDE-12 (UNII: HO4ZT5S86C)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+)- (UNII: F4VNO44C09)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62742-4101-2	1 in 1 CARTON	11/30/2017	
1	NDC:62742-4101-1	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	11/30/2017	

**Labeler** - Allure Labs, Inc (926831603)