


Proposed Furadantin 230 mL Carton



Proposed Furadantin Bottle Label

NDC 59630-450-08

**SHAKE VIGOROUSLY.**  
**USUAL ADULT DOSE:** 50 to 100 mg q.i.d. with food.  
Children: 5 to 7 mg/kg of body weight per 24 hours, given in four  
divided doses.  
Elderly: 50 mg q.i.d. (25 mg/mL) contains 25 mg nitrofurantoin.  
See package insert for full prescribing information.  
Dispense in a light, light-resistant glass container.

**25 mg/5 mL**  
**Furadantin®**  
(nitrofurantoin)  
**oral**  
**suspension**  
**URINARY TRACT**  
**ANTIBACTERIAL**  
**230 mL**  
Rx Only  
**Sciele**  
Pharmaceuticals, Inc.

Manufactured by  
Sciele Pharmaceuticals, Inc.  
11000 S.W. 25th St.  
Miami, FL 33155

Store between 20°-25°C  
(68°-77°F); excursions  
permitted to 15°-30°C  
(59°-86°F). [See USP  
Controlled Room Temperature  
Requirements.]  
Protect from light.  
Keep out of reach of  
children.

59630-450-08  
3  
FURADANTIN 230 mL

PROOF SHOWN © 100%  
BAR CODE MADE © (b) (4) © 85%

---

**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**

---

/s/

---

KATHERINE A LAESSIG  
10/27/2010