



Carbocaine®
mepivacaine hydrochloride
injection, USP
1%
STERILE INJECTION
Hospira
30 mL Single-Dose Vial
PRESERVATIVE-FREE
NDC 0409-1036-30

NDC 0409-1036-30

30 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine®
mepivacaine hydrochloride
injection, USP
1%
STERILE INJECTION

Dosage: See package insert.

No preservative added.

Discard unused portion after
initial use.

Vial may be autoclaved.

TEST-2

Each mL contains 10 mg
mepivacaine hydrochloride, 6.6 mg
sodium chloride, 0.3 mg potassium
chloride, and 0.33 mg calcium
chloride in Water for Injection.
pH adjusted with NaOH or HCl.

Store at 20 to 25°C (68 to 77°F). [See
USP Controlled Room Temperature.]

NSN 6505-00-754-0076

©Hospira 2005 Printed in USA
Hospira, Inc., Lake Forest, IL 60045 USA



NDC 0409-1036-30
C-400

30 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine®
mepivacaine hydrochloride
injection, USP
1%
STERILE INJECTION

For PERIPHERAL
NERVE BLOCK,
CAUDAL, EPIDURAL,
and INFILTRATION
ANESTHESIA

*Not for spinal anesthesia.
Not intended for dental use.*

R_x only



NDC 0409-1036-30

30 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine®
mepivacaine hydrochloride
injection, USP
1%
STERILE INJECTION



(01) 0 030409 103630 7



(b) (4)

Redacted information area containing multiple lines of obscured text and a blacked-out box.





NDC 0409-1041-30
 30 mL Single-Dose Vial
PRESERVATIVE-FREE
Carbocaine[®]
 mepivacaine hydrochloride
 Injection, USP
 1.5%
 Hospira
 STERILE INJECTION

NDC 0409-1041-30

30 mL Single-Dose Vial
PRESERVATIVE-FREE
Carbocaine[®]
 mepivacaine hydrochloride
 injection, USP
1.5%
 STERILE INJECTION

NDC 0409-1041-30
 C-430

30 mL Single-Dose Vial
PRESERVATIVE-FREE
Carbocaine[®]
 mepivacaine hydrochloride
 injection, USP
1.5%
 STERILE INJECTION

NDC 0409-1041-30

30 mL Single-Dose Vial
PRESERVATIVE-FREE
Carbocaine[®]
 mepivacaine hydrochloride
 injection, USP
1.5%
 STERILE INJECTION

TEST-3

Each mL contains 15 mg mepivacaine hydrochloride, 5.6 mg sodium chloride, 0.3 mg potassium chloride, and 0.33 mg calcium chloride in Water for Injection. pH adjusted with NaOH or HCl.

Store at 20 to 25°C (68 to 77°F).
 [See USP Controlled Room Temperature.]

NSN 6505-00-914-1742

©Hospira 2005 Printed in USA
 Hospira, Inc.
 Lake Forest, IL 60045 USA

Dosage: See package insert.

No preservative added.

Discard unused portion after initial use.

Vial may be autoclaved.


For PERIPHERAL NERVE BLOCK, CAUDAL and EPIDURAL ANESTHESIA

*Not for spinal anesthesia.
 Not intended for dental use.*

R_x only



(01) 0 030409 104130 1



| | | |
|----------------------------------|----------------------------------|----------------------------------|
| (1) (4) | | |
| _____ _____ _____ _____ | _____ _____ _____ _____ | _____ _____ _____ _____ |

STERILE INJECTION
Hospira
2%
mepivacaine hydrochloride
injection, USP
Carbocaine[®]
PRESERVATIVE-FREE
20 mL Single-Dose Vial
NDC 0409-1067-20

NDC 0409-1067-20

20 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine[®]

mepivacaine hydrochloride
injection, USP

2%

STERILE INJECTION

Dosage: See package insert.

No preservative added.

**Discard unused portion after
initial use.**

Vial may be autoclaved.

TEST-4

Each mL contains 20 mg mepivacaine hydrochloride, 4.6 mg sodium chloride, 0.3 mg potassium chloride, and 0.33 mg calcium chloride in Water for Injection. pH adjusted with NaOH or HCl.

Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.]

NSN 6505-00-727-3207

©Hospira 2005 Printed in USA
Hospira, Inc.
Lake Forest, IL 60045 USA

Hospira

NDC 0409-1067-20

20 mL Single-Dose Vial

PRESERVATIVE-FREE

Carbocaine[®]

mepivacaine hydrochloride
injection, USP

2%

STERILE INJECTION

**For PERIPHERAL
NERVE BLOCK,
CAUDAL and EPIDURAL
ANESTHESIA**

*Not for spinal anesthesia.
Not intended for dental use.*

Rx only

Hospira

NDC 0409-1067-20

20 mL Single-Dose Vial

PRESERVATIVE-FREE


Carbocaine[®]

mepivacaine hydrochloride
injection, USP

2%


STERILE INJECTION

Hospira



(b) (4)

(b) (4)



20 mL SINGLE-DOSE VIAL – STERILE INJECTION

NDC 0409-1067-20
C-440



PRESERVATIVE-FREE

Carbocaine® 2%
mepivacaine hydrochloride
injection, USP

For NERVE BLOCK, CAUDAL, EPIDURAL,
and INFILTRATION ANESTHESIA

*Not for spinal anesthesia.
Not intended for dental use.*

Hospira, Inc., Lake Forest, IL 60045 USA

Printed in USA

Each 1 mL contains 20 mg mepivacaine HCl, 4.6 mg sodium chloride, 0.3 mg potassium chloride, and 0.33 mg calcium chloride in Water for Injection, pH adjusted with NaOH or HCl. No preservative added. Dosage: See package insert. Vial may be autoclaved. Discard unused portion after initial use.


©Hospira 2005

Rx only



(01) 0 030409 106720 2

TEST-10



| |
|--|
| (b) (4) |
| ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- |
| ----- ----- ----- ----- ----- ----- ----- ----- ----- ----- |
| (b) (4) |
| ----- ----- |

