

(b) (4)

<p>NDC 0234-0575-08</p> <p>HIBICLENS[®] (Chlorhexidine Gluconate solution 4.0% w/v)</p> <p>Antiseptic/Antimicrobial Skin Cleanser</p> <p>HIBICLENS[®] prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS[®] has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.</p> <p>MÖLNLYCKE[®] HEALTH CARE</p> <p>8 Fl. oz. (236 mL) Distributed by Mölnlycke Health Care US, LLC Norcross, GA, 30092</p>		<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate solution 4.0% w/v</p> <p>Purpose Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease for skin wound and general skin cleansing surgical hand scrub healthcare personnel handwash <p>Warnings For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation as a patient preoperative skin preparation of the head or face in contact with the meninges in the genital area on wounds that involve more than the superficial layers of skin <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures, or may cause deafness when instilled in the middle ear through perforated eardrums.
<p>Drug Facts (continued)</p> <p>If contact occurs in any of these areas, rinse with cold water right away.</p> <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs and lasts 72 hours. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. healthcare personnel handwash. Wet hands with water. Dispense about 5 mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. 	
<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> store between 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol, 4% w/v, lauramine oxide, polyoxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p>	<p>Drug Facts (continued)</p> <p>Lot number and expiration date printed on bottom of container.</p> <p>Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products. Rinse completely and use only non-chlorine detergents.</p> <p>See website for more details. www.hibiclens.com</p> <p>26002-10-MHC</p> <p>7 532551 065706</p>	



(b) (4)

NDC 0234-0575-16

HIBICLENS[®]


(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser


HIBICLENS[®] prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS[®] has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wider range of microorganisms.



16 Fl. oz. (1 pt.) (473 mL)
Distributed by Mölnlycke Health Care US, LLC
Norcross, GA 30092

<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate solution 4.0% w/v</p> <p>Purpose Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease for skin wound and general skin cleansing surgical hand scrub healthcare personnel handwash 	<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. skin wound and general skin cleansing: Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. surgical hand scrub: Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. healthcare personnel handwash: Wet hands with water. Dispense about 5 mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.
<p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation as a patient preoperative skin preparation of the head or face in contact with the meninges in the genital area on wounds that involve more than the superficial layers of the skin <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures, or may cause deafness when instilled in the middle ear through perforated eardrums. if contact occurs in any of these areas, rinse with cold water right away. 	<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> store between 20-25 C (68-77 F) avoid excessive heat above 40 C (104 F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p> <p>Laundry/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains on white and colored products. Rinse completely and use only in white linens. See website for more details. www.molnlycke.com</p> <p>Lot number and expiration date printed on bottom of container.</p> 

Part # 26004-08-MHC



(b) (4)

NDC 0234-0575-32

HIBICLENS®

(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser

HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.



32 Fl. oz. (1 qt.) (946 mL)
 Distributed by Mölnlycke Health Care US, LLC, Norcross, Georgia 30092

<p>Drug Facts</p> <p>Active ingredient Purpose Chlorhexidine gluconate solution 4.0% w/v Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease for skin wound and general skin cleansing surgical hand scrub healthcare personnel handwash <p>Warnings For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation as a patient preoperative skin preparation of the head or face in contact with the meninges in the genital area on wounds that involve more than the superficial layers of skin <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears, and mouth May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures, or may cause deafness when instilled in the middle ear through perforated eardrums. if contact occurs in any of these areas, rinse with cold water right away 	<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. 	<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> store between 20-25 C (68-77 F) avoid excessive heat above 40 C (104 F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p> <p>Laundry/Cleaning Instructions. Chlorhexidine Gluconate skin cleansers will cause stains if laundered with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details. www.hibiclens.com</p> <p>Lot number and expiration date printed on bottom of container.</p>
<p>Part# 26006-09-MHC</p> 		


(b) (4)

Refer

8

NDC 0234-0575-17

Distributed by Mölnlycke Health Care, LLC, Norcross, GA 30092



MÖLNLYCKE HEALTH CARE

50 Single Use 15ml Packettes

Antiseptic/Antimicrobial Skin Cleanser
Non Sterile Solution

HIBICLENS®
(Chlorhexidine Gluconate Solution 4.0% w/w)

<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate 4.0% w/w</p> <p>Purpose Antiseptic</p> <p>Uses • antimicrobial skin cleanser • helps reduce bacteria that cause skin infections • for skin wound and general skin cleansing • for patient, preoperative skin preparation</p>	<p>Drug Facts (continued)</p> <p>• HealthCare Personnel/Handwash: Rub hands together for at least 20 seconds. Use about 5ml of the product into cupped hands and wash in a vigorous manner for 15 seconds.</p> <p>• patient, preoperative skin preparation: Apply the product to the skin and rub for 30 seconds. Swab for at least 2 minutes.</p> <p>• Dry with a sterile towel. Repeat. Dry with a sterile towel.</p> <p>• Store between 20-25°C (68-77°F) and below 40°C (104°F)</p> <p>• avoid excessive heat above 40°C (104°F)</p> <p>Inactive ingredients fragrance, 4% w/w, lauramine oxide, parabens, 2,3-T, purified water and rest 4)</p> <p>Questions? 1 800 843 8497</p> <p>Landing/Cleaning instructions. Chlorhexidine Gluconate skin cleansers will cause stains. Rinse thoroughly with clean water. Do not use on fabrics. See website for more details. www.hibiclens.com</p> <p>Lot number and expiration date printed on side of box.</p> <p style="text-align: right;">Part # 24013-08-MHC</p>
<p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> • if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation • in the preparation of the head or face • in contact with the meninges • in the areas that involve more than the superficial layers of the skin <p>When using this product</p> <ul style="list-style-type: none"> • avoid contact with eyes, nose and mouth. May cause serious and permanent eye injury if placed in eyes. • avoid contact with mucous membranes, or may cause deafness when 	<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> • rubbed in the middle ear through perforated eardrums. • if you experience irritation in these areas, rinse with cold water right away. <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> • skin wound and general skin preparation: If you experience allergic reaction occurs and lasts for 72 hours. These may include: hives, itching, rash, or swelling. • patient, preoperative skin preparation: If you experience allergic reaction occurs and lasts for 72 hours. These may include: hives, itching, rash, or swelling. <p>Directions</p> <ul style="list-style-type: none"> • For use on infants or premature infants or infants under 2 months of age. These products are not intended for use on chemical burns. • skin wound and general skin preparation: Apply the minimum amount of the product necessary to cover the area to be cleaned with water and wash gently. Rinse thoroughly. • patient, preoperative skin preparation: Apply the product for 30 seconds and rinse thoroughly. Do not use on the face or neck for 3 minutes with about 5ml of product. Rinse thoroughly under running water. Repeat. Dry thoroughly.

NDC 0234-0575-17

HIBICLENS®
(Chlorhexidine Gluconate Solution 4.0% w/w)

Antiseptic/Antimicrobial Skin Cleanser
Non Sterile Solution



MÖLNLYCKE HEALTH CARE

50 Single Use 15ml Packettes

Distributed by Mölnlycke Health Care, LLC
Norcross, GA 30092

LOT
EXP



RECYCLE
This symbol means that the material is made from recycled fibers.

NDC 0234-0575-17

HIBICLENS®
(Chlorhexidine Gluconate Solution 4.0% w/w)

Antiseptic/Antimicrobial Skin Cleanser
Non Sterile Solution



MÖLNLYCKE HEALTH CARE

50 Single Use 15ml Packettes

Distributed by Mölnlycke Health Care, LLC
Norcross, GA 30092

NDC 0234-0575-17

HIBICLENS®
(Chlorhexidine Gluconate Solution 4.0% w/w)


Antiseptic/Antimicrobial Skin Cleanser
Non Sterile Solution



MÖLNLYCKE HEALTH CARE



7 53255 1 0652 1



(b) (4)

<p>NDC 0234-0675-04</p> <p>HIBICLENS (Chlorhexidine Gluconate solution 4.0% w/v)</p> <p>Antiseptic/Antimicrobial Skin Cleanser</p> <p>HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.</p> <p>4 Fl. oz. (118 mL) Norcross, GA 30062</p>		<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate solution 4.0% w/v</p> <p>Purpose Antiseptic</p> <p>Uses antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease</p> <p>Warnings for skin wound and general skin cleansing</p> <p>Do not use if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation</p> <p>For external use only</p>		<p>Drug Facts (continued)</p> <p>When using this product Keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures, or may cause deafness when instilled in the middle ear through perforated eardrums.</p> <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions Use only on premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</p> <p>Other information Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.</p>		<p>Drug Facts (continued)</p> <p>Healthcare personnel/handwash Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.</p> <p>Healthcare personnel/handwash Wet hands with water. Dispense about 5 mL of the product into a cupper and wash vigorously for 15 seconds. Rinse and dry thoroughly.</p> <p>Other information store between 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F)</p> <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol (4% w/v), purified water, polymer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p>	
<p>2600-11-MHC</p> <p>For more details, visit hiblens.com</p> <p>non-toxic detergents. See website for more details.</p> <p>products. Rinse completely and use only for the intended purpose.</p> <p>Chlorhexidine gluconate skin cleansers will cause stains if used with colored fabrics.</p> <p>Laundering/Cleaning Instructions on bottom of container.</p> <p>Lot number and expiration date printed on bottom of container.</p>		<p>7 332551 065690</p>					



(b) (4)

NDC 0234-0576-91

HIBICLENS®
(Chlorhexidine Gluconate
solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser

HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.



MÖLNLYCKE®
HEALTH CARE
1 gal. (3.79 L)

Distributed by Mölnlycke Health Care US, LLC
 Norcross, GA 30062

Drug Facts

Active ingredient Purpose
 Chlorhexidine gluconate solution 4.0% w/v.....Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings
For external use only

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation
- as a patient preoperative skin preparation of the head or face
- in contact with the meninges
- in the genital area
- on wounds that involve more than the superficial layers of the skin

Drug Facts (continued)

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs in any of these areas, rinse with cold water right away.

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Drug Facts (continued)

- skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash. Wet hands with water. Dispense about 5 mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Drug Facts (continued)

Inactive ingredients
 fragrance, gluconolactone, isopropyl alcohol, 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Laundry/Cleaning Instructions.
 Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents. See website for more details. www.hibiclens.com

Printed on bottom of container.

7 532551 065782

PF#18 26088 11 MH/C