 <p>Mölnlycke®</p> <p>Component no: 26013-10 Font size: 9,9 pt Component Type: Label Created by: (b) (4) Artwork version: 6 Date: 171004</p> <p><small>Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg. This artwork was created based on internal procedure T-085.</small></p>	Colour information
	(b) (4)

Distributed by Mölnlycke Health Care US, LLC, Norcross, GA 30092

Mölnlycke®

Contains: 50 Single Use Packettes, 0.507 fl oz (15 mL) Each

Antiseptic/Antimicrobial Skin Cleanser
Non-Sterile Solution

HIBICLENS®
(Chlorhexidine Gluconate solution 4.0% w/v)

NDC 0234-0575-17

<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate solution 4.0% w/v.....Antiseptic</p> <p>Purpose Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease for skin wound and general skin cleansing surgical hand scrub healthcare personnel handwash patient preoperative skin preparation <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> wheezing/difficulty breathing shock facial swelling hives rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product as a patient preoperative skin preparation of the head or face in contact with the meninges in the genital area <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears, and mouth. May cause serious and permanent eye injury 	<p>Drug Facts (continued)</p> <p>if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums</p> <ul style="list-style-type: none"> if contact occurs in any of these areas, rinse with cold water right away wounds which involve more than the superficial layers of the skin should not be routinely treated repeated general cleansing of large body areas should not be done except when advised by a health care provider <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a 	<p>Drug Facts (continued)</p> <p>vigorous manner for 15 seconds. Rinse and dry thoroughly.</p> <ul style="list-style-type: none"> patient preoperative skin preparation. Apply the product liberally to surgical site and swab for at least 2 minutes. Dry with a sterile towel. Repeat. Dry with a sterile towel. <p>Other information</p> <ul style="list-style-type: none"> store between 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p> <p>Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents. See website for more details. www.hibiclens.com</p> <p>Lot number and expiration date printed on bottom of container.</p> <p>Part # 26013-10-MHC</p>
--	--	---

NDC 0234-0575-17

HIBICLENS®
(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser
Non-Sterile Solution




7 323190 200252 >

NDC 0234-0575-17

HIBICLENS®
(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser
Non-Sterile Solution




Contains: 50 Single Use Packettes, 0.507 fl oz (15 mL) Each

Distributed by Mölnlycke Health Care US, LLC
Norcross, GA 30092


NDC 0234-0575-17

HIBICLENS®
(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser
Non-Sterile Solution



LOT
EXP


RECYCLED RECYCLABLE
This carton is made from at least 35% postconsumer recycled fibers.

Hibiclens_NDA017768_S04_A003


6"

3 3/4"

6"

3 3/4"

26083-08b Hibiclens 15ml Pouchette



Component no: 26083-08
Font size: -
Component Type: Pouch
Created by: (b) (4)
Artwork version: 7
Date: 170907

Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg.
This artwork was created based on internal procedure T-085.

Colour information (b) (4)

11.00

TEAR AT NOTCH

HIBICLENS®
NDC 024-0675-17
(Chlorhexidine Gluconate solution 4.0% w/v)
Antiseptic/Antimicrobial Skin Cleanser
Non-Sterile Solution

HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.

Mölnlycke®
Distributed by Mölnlycke Health Care US, LLC
Norcross, GA 30092

0.507 fl oz (15 mL)
Single Use



7 332551 065720

TEAR AT NOTCH

HIBICLENS®
NDC 024-0675-17
(Chlorhexidine Gluconate solution 4.0% w/v)
Antiseptic/Antimicrobial Skin Cleanser
Non-Sterile Solution

HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.

Mölnlycke®
Distributed by Mölnlycke Health Care US, LLC
Norcross, GA 30092

0.507 fl oz (15 mL)
Single Use



7 332551 065720


Part # 26083-08-MHC
Please refer to outer packaging for directions for use and product warnings.

Part # 26083-08-MHC
Please refer to outer packaging for directions for use and product warnings.

4.00

Hibiclens_NDA017768)S044_A002

Hibiclens_NDA017768_S044_A003
Colour information (b) (4)



Component no: 26024-09
Font size: 6 pt (bullet texts)
Component Type: Carton
Created by: (b) (4)
Artwork version: 6
Date: 171005

Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg.
This artwork was created based on internal procedure T-085.



HIBICLENS®
Chlorhexidine Gluconate
Solution 4.0% w/v
ANTISEPTIC SKIN CLEANSER

HIBICLENS®
Chlorhexidine Gluconate
Solution 4.0% w/v
ANTISEPTIC SKIN CLEANSER

Helps reduce bacteria that potentially can cause disease

HIBICLENS®: Persistent effect with rapid activity against a wide range of microorganisms

Part # 26024-09-MHC



7 33255 1938352

Laundry/Cleaning Instructions. Chlorhexidine Gluconate skin cleansers will cause stains if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

The Mölnlycke Health Care, Hibi, Hibiclens, and Hibistat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care US, LLC, Norcross, Georgia 30092 ©2015 Mölnlycke Health Care AB. All rights reserved. MHC-2015-3203

One 4 fl oz [118 mL] bottle



This package is tamper evident. If package is damaged, do not use

HIBICLENS®
Chlorhexidine Gluconate
Solution 4.0% w/v
ANTISEPTIC SKIN CLEANSER

NDC 0234-0575-04

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate solution 4.0% w/v	Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings
For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing.** Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub.** Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.** Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

• Great for hand hygiene

• Skin wound and general skin cleansing

DERMATOLOGICALLY TESTED


#1 PHARMACIST RECOMMENDED BRAND
2017-2018
ANTIBACTERIAL SOAPS
A WORLD REPORT
USNews
Pharmacy Times

For more information go to
www.hibiclens.com
www.molnlycke.com

One 4 fl oz [118 mL] bottle



26000-13 Hibiclens 4oz Bottle





Mölnlycke®

Component no: 26000-13
Font size: 6 pt (bullet texts)
Component Type: Front label
Created by: (b) (4)
Artwork version: 7
Date: 170907

Colour information
 (b) (4)

Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg.
 This artwork was created based on internal procedure T-085.


2 1/4"

<p>NDC 0234-0575-04</p> <p>HIBICLENS® (Chlorhexidine Gluconate solution 4.0% w/v)</p> <p>Antiseptic/Antimicrobial Skin Cleanser</p> <p>HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.</p> <p></p> <p>4 fl oz (118 mL) Distributed by Mölnlycke Health Care US, LLC Norcross, GA 30092</p>	<p>Drug Facts</p> <p>Active ingredient Purpose Chlorhexidine gluconate solution 4.0% w/v.....Antiseptic</p> <p>Uses ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash</p> <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area</p>	<p>Drug Facts (continued)</p> <p>When using this product ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums ■ if contact occurs in any of these areas, rinse with cold water right away ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider</p> <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</p>	<p>Drug Facts (continued)</p> <p>■ skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.</p> <p>■ surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.</p> <p>■ healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.</p> <p>Other information ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F)</p> <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p>	<p>26000 13 MHC</p> <p>on bottom of container. Laundering, Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause staining if used with chlorine releasing products. Please completely rinse and use only non-chlorine cleansers. See website for more details. www.hibiclens.com</p>  <p>3 3255 11065690</p> <p>7</p>
---	---	--	---	--




5 1/4"

Hibiclens_NDA017768)S044_A002

57540-02 Hibiclens 4oz WN Bottle

 Mölnlycke® Component no: 57540-02 Font size: 6 pt (bullet texts) Component Type: Front label Created by: (b) (4) Artwork version: 4 Date: 170907	Colour information
	(b) (4)
Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg. This artwork was created based on internal procedure T-065.	

3 3/8" (85,72 mm)

NDC 0234-0575-40  HIBICLENS® (Chlorhexidine Gluconate solution 4.0% w/v) Antiseptic/Antimicrobial Skin Cleanser HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.  Mölnlycke® 4 fl oz (118 mL) Distributed by Mölnlycke Health Care US, LLC Norcross, GA 30092		Drug Facts Active ingredient Chlorhexidine gluconate solution 4.0% w/v Antiseptic Purpose Antiseptic Uses <ul style="list-style-type: none"> antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease for skin wound and general skin cleansing surgical hand scrub healthcare personnel handwash Warnings For external use only Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: <ul style="list-style-type: none"> wheezing/difficulty breathing shock facial swelling hives rash If an allergic reaction occurs, stop use and seek medical help right away. Do not use <ul style="list-style-type: none"> if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product in contact with the meninges in the genital area When using this product <ul style="list-style-type: none"> keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. if contact occurs in any of these areas, rinse with cold water right away wounds which involve more than the superficial layers of the skin should not be routinely treated 	Drug Facts (continued) <ul style="list-style-type: none"> repeated general cleansing of large body areas should not be done except when advised by a health care provider Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. Other information <ul style="list-style-type: none"> store between 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F) Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40 Questions? 1-800-843-8497	57540-02-MHC Lot number and expiration date printed on bottom of container. Laundry/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with other cleaning products. Rinse completely and use only non-chlorine detergents. See website for more details. www.hibiclens.com  7 323190 133468
--	--	---	---	--

5 7/16" (138,11 mm)

Hibiclens_NDA017768)S044_A002

Hibiclens_NDA017768)S044_A002

Mölnlycke®

Colour information (b) (4)

Component no: 26066-09
Font size: 6 pt (bullet texts)
Component Type: Carton
Created by: (b) (4)
Artwork version: 6
Date: 170927

Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg.
This artwork was created based on internal procedure T-085.

This package is tamper evident. If package is damaged, do not use.

HIBICLENS®
Chlorhexidine Gluconate
Solution 4.0% w/v
ANTISEPTIC SKIN CLEANSER

HIBICLENS®
Chlorhexidine Gluconate
Solution 4.0% w/v
ANTISEPTIC SKIN CLEANSER

HIBICLENS®
Chlorhexidine Gluconate
Solution 4.0% w/v
ANTISEPTIC SKIN CLEANSER

Helps reduce bacteria that potentially can cause disease

DERMATOLOGICALLY TESTED

#1 PHARMACIST RECOMMENDED BRAND
2017-2018
ANTIBACTERIAL SOAPS
USNews Pharmacy Times

One 8 fl oz (236mL) bottle

Mölnlycke®

HIBICLENS®: Persistent effect with rapid activity against a wide range of microorganisms

Part #26066-09-MHC

7 332551 065249 >

The Mölnlycke Health Care, Hibi, Hibiclens, and Hibistat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care US, LLC, Norcross, Georgia 30092 ©2015 Mölnlycke Health Care AB. All rights reserved. MHC-2015-3203

Great for hand hygiene

Skin wound and general skin cleansing

#1 PHARMACIST RECOMMENDED BRAND
2017-2018
ANTIBACTERIAL SOAPS
USNews Pharmacy Times

One 8 fl oz (236mL) bottle

Mölnlycke®

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate solution 4.0% w/v	Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing.** Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub.** Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.** Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information


- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Laundrying/Cleaning Instructions. Chlorhexidine Gluconate skin cleansers will cause stains if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

26002-13 Hibiclens 8oz Bottle



Colour information

(b) (4)

Component no: 26002-13
Font size: 6 pt (bullet texts)
Component Type: Front label
Created by: (b) (4)
Artwork version: 4
Date: 170907

Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg.
This artwork was created based on internal procedure T-085.

Hibiclens_NDA017768)S044_A002

2,88"


NDC 0234-0575-08

HIBICLENS[®]

(Chlorhexidine Gluconate solution 4.0% w/v)


Antiseptic/Antimicrobial Skin Cleanser

HIBICLENS[®] prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS[®] has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.



8 fl oz (236 mL)


Distributed by Mölnlycke Health Care US, LLC
Norcross, GA 30092

<p>Drug Facts</p> <p>Active ingredient Purpose Chlorhexidine gluconate solution 4.0% w/v.....Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area <p>When using this product</p> <ul style="list-style-type: none"> ■ keep out of eyes, ears, and mouth. ■ May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums 	<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> ■ if contact occurs in any of these areas, rinse with cold water right away ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. ■ skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. 	<p>Drug Facts (continued)</p> <p>Rinse and dry thoroughly.</p> <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p> <p>Lot number and expiration date printed on bottom of container.</p> <p>Laundry/Cleaning instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine bleach and use only non-chlorine detergents. See website for more details. www.hibiclens.com</p> <p style="font-size: x-small;">26002-13-MHC</p>  <p style="text-align: right;">7 332551 065706 ></p>
--	---	--

Pg. 1

6,5"

26006-12 Hibiclens 32oz Bottle

 Mölnlycke®	Colour information (b) (4)
Component no: 26006-12 Font size: 7,7 pt (bullet texts) Component Type: Front label Created by: (b) (4) Artwork version: 4 Date: 170907	
Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg. This artwork was created based on internal procedure T-085.	


NDC 0234-0575-32

HIBICLENS®

(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser

HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.




32 fl oz (1 qt) (946 mL)

Distributed by Mölnlycke Health Care US, LLC, Norcross, Georgia 30092

<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate solution 4.0% w/v.....Antiseptic</p> <p>Purpose Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area <p>When using this product</p> <ul style="list-style-type: none"> ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums ■ if contact occurs in any of these areas, rinse with cold water right away ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body 	<p>Drug Facts (continued)</p> <p>areas should not be done except when advised by a health care provider</p> <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. ■ skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p>
---	---

Laundering/Cleaning Instructions.
Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.
See website for more details.
www.hibiclens.com


Lot number and expiration date printed on bottom of container.


 33255110657751
 7

Hibiclens_NDA017768)S044_A002

4,625"

10,375"

 <p>Component no: 26008-13 Font size: 11 pt (bullet texts) Component Type: Front label Created by: (b) (4) Artwork version: 4 Date: 170907</p>	<p>Colour information</p> <p>(b) (4)</p>
<p>Mölnlycke Health Care, Gamlestadsvägen 3C, SE-402 52, Göteborg. This artwork was created based on internal procedure T-089.</p>	

NDC 0234-0575-91

HIBICLENS®

(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser

HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.



1 gal (3.79 L)

Distributed by Mölnlycke Health Care US, LLC
 Norcross, GA 30092

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate solution 4.0% w/v.....	Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings
For external use only

Allergy alert:
 This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

Drug Facts (continued)

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount

Drug Facts (continued)

of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.

- surgical hand scrub.**
 Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.**
 Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information


- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
 fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Laundering/Cleaning Instructions.
 Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents. See website for more details. www.hibiclens.com

Part # 26008-13-MHC



7 332551 065782

Lot number and expiration date printed on bottom of container.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

KAREN M MAHONEY
10/17/2017