

NDC 0234-0575-04

# HIBICLENS

Chlorhexidine Gluconate Solution 4% w/v  
**ANTISEPTIC SKIN CLEANSER**

PERSISTENT EFFECT

GREAT FOR HAND HYGIENE

GENERAL SKIN CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04  
**HIBICLENS**  
 Chlorhexidine Gluconate Solution 4% w/v  
**ANTISEPTIC SKIN CLEANSER**  
 4 fl oz (118 mL)  
 Mölnlycke

**Drug Facts**

**Active ingredient**  
Chlorhexidine gluconate solution 4% w/v

**Uses**

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

**Warnings**  
For external use only

**Allergy alert:**  
This product may cause a severe allergic reaction. Symptoms may include:  
 ■ wheezing/difficulty breathing ■ shock ■ facial swelling  
 ■ hives ■ rash  
 If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges ■ in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

**Other information**

- store between 20-25 °C (68-77°F)
- avoid excessive heat above 40 °C (104°F)

**Inactive ingredients**  
Fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, polysomer 237, purified water and red 40

**Questions? 1-800-843-8497**

NDC 0234-0575-04

# HIBICLENS

Chlorhexidine Gluconate Solution 4% w/v  
**ANTISEPTIC SKIN CLEANSER**

PERSISTENT EFFECT

GREAT FOR HAND HYGIENE

GENERAL SKIN CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

The Mölnlycke Health Care, Hib, Hibidens, and Hibidat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2021 Mölnlycke Health Care AB. All rights reserved. For more information go to [www.hibicleans.com](http://www.hibicleans.com)

26024-13-MHC

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate  
Solution 4% w/v  
ANTISEPTIC  
SKIN CLEANSER

Mölnlycke


4 fl oz (118 mL)

| Drug Facts   | Drug Facts (continued)  | Drug Facts (continued)   |
|--|---|--|
| <p><b>Active ingredient</b> Chlorhexidine gluconate solution 4% w/v.....Antiseptic</p> <p><b>Purpose</b></p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease</li> <li>■ for skin wound and general skin cleansing</li> <li>■ surgical hand scrub</li> <li>■ healthcare personnel handwash</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p><b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> <li>■ wheezing/difficulty breathing</li> <li>■ shock</li> <li>■ facial swelling</li> <li>■ hives</li> <li>■ rash</li> </ul> <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product</li> <li>■ in contact with the meninges</li> <li>■ in the genital area</li> </ul> | <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums</li> <li>■ if contact occurs in any of these areas, rinse with cold water right away</li> <li>■ wounds which involve more than the superficial layers of the skin should not be routinely treated</li> <li>■ repeated general cleansing of large body areas should not be done except when advised by a health care provider</li> </ul> <p><b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> </ul> | <p><b>skin wound and general skin cleansing.</b> Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.</p> <p><b>surgical hand scrub.</b> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.</p> <p><b>healthcare personnel handwash.</b> Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store between 20-25°C (68-77°F)</li> <li>■ avoid excessive heat above 40°C (104°F)</li> </ul> <p><b>Inactive ingredients</b><br/>fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p><b>Questions? 1-800-843-8497</b></p> |

List number and registration date printed on bottom of container. Laundry, cleaning, disinfectants, Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hib, Hibbans, and Hibtan names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies.

Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2021 Mölnlycke Health Care AB. All rights reserved. 20000-13491C





**HIBICLENS**  
Chlorhexidine Gluconate  
Solution 4% w/v  
**ANTISEPTIC  
SKIN CLEANSER**



ONE 8 fl oz (236 mL) BOTTLE



The Mölnlycke Health Care, Hib, Hibidens, and Hibostat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2021 Mölnlycke Health Care AB. All rights reserved.  
For more information go to [www.hibiclens.com](http://www.hibiclens.com) or [www.molnlycke.com](http://www.molnlycke.com)



This packaging is tamper evident. If packaging is damaged, do not use.

**HIBICLENS**  
Chlorhexidine Gluconate  
Solution 4% w/v  
**ANTISEPTIC  
SKIN CLEANSER**

NDC 0234-0575-08

**HIBICLENS**  
Chlorhexidine Gluconate  
Solution 4% w/v  
**ANTISEPTIC  
SKIN CLEANSER**



ONE 8 fl oz (236 mL) BOTTLE

**Drug Facts**

| Active ingredient                       | Purpose    |
|---|------------|
| Chlorhexidine gluconate solution 4% w/v | Antiseptic |

**Uses**

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

**Warnings**

**For external use only**

**Allergy alert:**  
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.** These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing.** Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub.** Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.** Wet hands with water. Dispense about 5 mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

**Other information**

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients**  
fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

**Questions? 1-800-843-8497**


**Laundering/Cleaning Instruction.**  
Chlorhexidine Gluconate skin cleansers will cause stains if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

NDC 0234-0575-08


# HIBICLENS<sup>®</sup>

**Chlorhexidine Gluconate  
Solution 4% w/v**


**ANTISEPTIC  
SKIN CLEANSER**



PERSISTENT  
EFFECT



GREAT FOR  
HAND HYGIENE




GENERAL SKIN  
CLEANSING

**Mölnlycke**

8 fl oz (236 mL)

| Drug Facts   | Drug Facts (continued)  | Drug Facts (continued)   |
|--|---|--|
| <p><b>Active ingredient</b><br/>Chlorhexidine gluconate solution 4% w/v.....Antiseptic</p> <p><b>Purpose</b></p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease</li> <li>■ for skin wound and general skin cleansing</li> <li>■ surgical hand scrub</li> <li>■ healthcare personnel handwash</li> </ul> <p><b>Warnings</b><br/><i>For external use only</i></p> <p><b>Allergy alert:</b><br/>This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> <li>■ wheezing/difficulty breathing</li> <li>■ shock</li> <li>■ facial swelling</li> <li>■ hives</li> <li>■ rash</li> </ul> <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product</li> <li>■ in contact with the meninges</li> <li>■ in the genital area</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums</li> </ul> | <ul style="list-style-type: none"> <li>■ if contact occurs in any of these areas, rinse with cold water right away</li> <li>■ wounds which involve more than the superficial layers of the skin should not be routinely treated</li> <li>■ repeated general cleansing of large body areas should not be done except when advised by a health care provider</li> </ul> <p><b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> <li>■ <i>skin wound and general skin cleansing.</i> Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.</li> <li>■ <i>surgical hand scrub.</i> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.</li> <li>■ <i>healthcare personnel handwash.</i> Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a</li> </ul> | <p>vigorous manner for 15 seconds. Rinse and dry thoroughly.</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store between 20-25°C (68-77°F)</li> <li>■ avoid excessive heat above 40°C (104°F)</li> </ul> <p><b>Inactive ingredients</b><br/>fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p><b>Questions? 1-800-843-8497</b></p> <p style="font-size: 0.8em;">Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents. 5200620-00-1</p> |

The Mölnlycke Health Care, Hibiclens, Hibiscrub, and Hibistat names and respective logos are registered globally to one of the following companies: Mölnlycke Health Care, US, LLC, Peachtree Corners, Georgia 30092. For ©21 Mölnlycke Health Care. All rights reserved. For more information, visit [www.molnlycke.com](http://www.molnlycke.com).



**80% TRUNCATED  
FPO UPC  
7332551065706**



NDC 0234-0575-16  
**HIBICLENS**  
Chlorhexidine Gluconate  
Solution 4% w/v  
**ANTISEPTIC  
SKIN CLEANSER**



NDC 0234-0575-16  
**HIBICLENS**  
Chlorhexidine Gluconate  
Solution 4% w/v  
**ANTISEPTIC  
SKIN CLEANSER**

- PERSISTENT EFFECT
- GREAT FOR HAND HYGIENE
- GENERAL SKIN CLEANSING

Includes Foam Dispenser

ONE 16 fl oz (473 mL) BOTTLE

**MitsNycke**  
The MitsNycke Health Care, Hib, Hibiclens, and Hibistat names and respective logos are registered globally to one or more of the MitsNycke Health Care Group of Companies, Chartered by MitsNycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2021 MitsNycke Health Care AB. All rights reserved.  
For more information go to [www.hibiclens.com](http://www.hibiclens.com) or [www.mitsnycke.com](http://www.mitsnycke.com)



- PERSISTENT EFFECT
- GREAT FOR HAND HYGIENE
- GENERAL SKIN CLEANSING

Includes Foam Dispenser

ONE 16 fl oz (473 mL) BOTTLE

**Drug Facts**

| Active ingredient                       | Purpose    |
|---|------------|
| Chlorhexidine gluconate solution 4% w/v | Antiseptic |

**Uses**

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

**Warnings**  
For external use only

**Allergy alert:**  
This product may cause a severe allergic reaction. Symptoms may include:  

- difficulty breathing
- hives
- facial swelling
- hoarseness
- itching
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- to contact with the meninges
- in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remains in the eye, or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs in any of these areas, rinse with cold water right away.
- spreads which involve more than the superficial layers of the skin should not be routinely treated.
- repeated general cleansing of large body areas should not be done except when advised by a health care provider.

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. There may be signs of a serious condition.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing: Thoroughly rinse the area to be cleaned with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub: Wet hands and forearms with water. Scrub for 3 minutes with about 5ml (1 1/2 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat, dry thoroughly.
- healthcare personnel handwash: Wet hands with water. Dispense about 5ml (1 1/2 pumps) of the product into sponged hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

**Other information**

- store between 20° to 25° (68° to 77°)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients**  
fragrance, glycolic acid, isopropyl alcohol 4% w/v, lauramine oxide, polyanion 231, purified water and red 40

**Questions? 1-800-843-8497**


**Laundering/Cleaning Instruction:**  
Chlorhexidine Gluconate skin cleansers will cause stains if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

NDC 0234-0575-16


# HIBICLENS®

Chlorhexidine Gluconate  
Solution 4% w/v


## ANTISEPTIC SKIN CLEANSER



PERSISTENT  
EFFECT




GREAT FOR  
HAND HYGIENE



GENERAL SKIN  
CLEANSING

16 fl oz (473 mL)

|   |  |  |
|---|--|--|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b><br/>Chlorhexidine gluconate solution 4% w/v.....Antiseptic</p> <p><b>Purpose</b></p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease</li> <li>■ for skin wound and general skin cleansing</li> <li>■ surgical hand scrub</li> <li>■ healthcare personnel handwash</li> </ul> <p><b>Warnings</b><br/><b>For external use only</b></p> <p><b>Allergy alert:</b><br/>This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> <li>■ wheezing/difficulty breathing</li> <li>■ shock</li> <li>■ facial swelling</li> <li>■ hives</li> <li>■ rash</li> </ul> <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product</li> <li>■ in contact with the meninges</li> <li>■ in the genital area</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause</li> </ul> | <p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>■ deafness when instilled in the middle ear through perforated eardrums.</li> <li>■ if contact occurs in any of these areas, rinse with cold water right away</li> <li>■ wounds which involve more than the superficial layers of the skin should not be routinely treated</li> <li>■ repeated general cleansing of large body areas should not be done except when advised by a health care provider</li> </ul> <p><b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> <li>■ <b>skin wound and general skin cleansing.</b> Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.</li> <li>■ <b>surgical hand scrub.</b> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.</li> <li>■ <b>healthcare personnel handwash.</b> Wet hands with water. Dispense about 5mL (4 pumps) of the product into cupped hands</li> </ul> | <p><b>Drug Facts (continued)</b></p> <p>and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store between 20-25°C (68-77°F)</li> <li>■ avoid excessive heat above 40°C (104°F)</li> </ul> <p><b>Inactive ingredients</b><br/>fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p><b>Questions? 1-800-843-8497</b></p> <p><b>Mölnlycke</b></p> <p>Lot number and expiration date printed on bottom of container.<br/>Laundering/Cleaning Instructions.<br/>Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.</p> <p>The Mölnlycke Health Care, Hibi, Hibiclens, and Hibistat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092. ©2021 Mölnlycke Health Care AB. All rights reserved.</p> <p>For more information go to:<br/><a href="http://www.hibiclens.com">www.hibiclens.com</a><br/><a href="http://www.molnycke.com">www.molnycke.com</a></p> <p>26004-11-MHC</p>  |
|---|--|--|

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

KAREN A HICKS  
02/11/2022 03:28:02 PM