



NDC 0234-0575-80

HIBICLENS.
Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**



PERSISTENT EFFECT
GREAT FOR HAND HYGIENE
GENERAL SKIN CLEANSING

With foam pump
Replace cap after use

ONE 8 fl oz (236 mL) BOTTLE

The packaging to keep or extend if package is damaged, do not use

HIBICLENS.
Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

NDC 0234-0575-80

HIBICLENS.
Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**



PERSISTENT EFFECT
GREAT FOR HAND HYGIENE
GENERAL SKIN CLEANSING

With foam pump
Replace cap after use

ONE 8 fl oz (236 mL) BOTTLE



The Mölnlycke Health Care, HIB, HIBICLENS, and HIBISTAT names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.

For more information go to www.hibiclens.com



5200794-00-1

Drug Facts

Active ingredient Chlorhexidine gluconate solution 4% w/v **Purpose** Antiseptic

Uses
 ■ antiseptic skin cleanser helps reduce bacteria that potentially can cause disease
 ■ for skin wound and general skin cleansing
 ■ surgical hand scrub
 ■ healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:
 ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash
 If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product. ■ in contact with the meninges ■ in the genital area

When using this product

■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
 ■ if contact occurs in any of these areas, rinse with cold water right away
 ■ avoid which breaks more than the superficial layers of the skin should not be routinely treated
 ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
 ■ after removal of general skin cleansing, thoroughly rinse the area to be cleaned with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
 ■ surgical handwash. Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
 ■ healthcare personnel handwash. Wet hands with water. Dispense about 5 mL (4 pumps) of the product into capped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

■ store between 20-25°C (68-77°F)
 ■ avoid excessive heat above 40°C (104°F)

Inactive ingredients
 fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-845-8897

Laundering/Cleaning Instructions.
 Chlorhexidine Gluconate skin cleansers will cause stains if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

NDC 0234-0575-80

HIBICLENS[®]

Chlorhexidine Gluconate
 Solution 4% w/v

**ANTISEPTIC
 SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

With foam pump
Replace cap after use

GENERAL SKIN
CLEANSING

8 fl oz (236 mL)


<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate solution 4% w/v.....Antiseptic</p> <p>Purpose</p> <p>Uses</p> <ul style="list-style-type: none"> ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area <p>When using this product</p> <ul style="list-style-type: none"> ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums ■ if contact occurs in any of these areas, → 	<p>Drug Facts (continued)</p> <p>rinse with cold water right away</p> <ul style="list-style-type: none"> ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. ■ <i>skin wound and general skin cleansing.</i> Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ <i>surgical hand scrub.</i> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ <i>healthcare personnel handwash.</i> Wet hands with water. Dispense about 5mL (4 pumps) of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. → 	<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p> <p><small>Lot number and expiration date printed on bottom of container.</small></p> <p><small>Laundry/Cleaning Instructions. This product will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.</small></p> <p><small>8200738-00-1</small></p> <p>Mölnlycke[®]</p> <p><small>The Mölnlycke Health Care, Hibi and Hibiens names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2023 Mölnlycke Health Care AB. All rights reserved. www.hibiclens.com www.molnlycke.com</small></p>
---	---	--

NDC 0234-575-36


HIBICLENS[®]

Chlorhexidine Gluconate
 Solution 4% w/v


ANTISEPTIC SKIN CLEANSER



PERSISTENT
EFFECT



GREAT FOR
HAND HYGIENE



GENERAL SKIN
CLEANSING

16 fl oz (473 mL)

Drug Facts	Purpose
Active ingredient Chlorhexidine gluconate solution 4% w/v	Antiseptic
Uses	
<ul style="list-style-type: none"> ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash 	
Warnings	
For external use only	
Allergy alert:	
This product may cause a severe allergic reaction. Symptoms may include:	
<ul style="list-style-type: none"> ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away.	
Do not use	
<ul style="list-style-type: none"> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area 	
When using this product	
<ul style="list-style-type: none"> ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause 	

Drug Facts (continued)

- deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- *skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- *surgical hand scrub.* Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- *healthcare personnel handwash.* Wet hands with water. Dispense about 5mL of the product into cupped hands

Drug Facts (continued)

and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information


- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
 fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Mölnlycke
 Lot number and expiration date printed on bottom of container.
 Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibi, HibiClen, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.
 For more information go to: www.hibiclens.com
www.molnlycke.com
 5201080-00-1



07333350864316

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

PAMELA J HORN
06/22/2023 12:37:33 PM