

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04
HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
ANTISEPTIC
SKIN CLEANSER
4 fl oz (118 mL)
Mölnlycke

Drug Information
Active ingredient: Chlorhexidine gluconate solution 4% w/v
Uses: antimicrobial skin cleanser for skin wound and general skin cleansing, surgical hand scrub, healthcare personnel handwash
Warnings: For external use only
Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: wheezing/difficulty breathing, shock, facial swelling, hives, rash. If an allergic reaction occurs, stop use and seek medical help right away.
Do not use: if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product, in contact with the meninges, in the genital area
When using this product: keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. If contact occurs in any of these areas, rinse with cold water right away. Wounds which involve more than the superficial layers of the skin should not be routinely treated. Repeated general cleansing of large body areas should not be done except when advised by a health care provider.
Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions: use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. Skin wound and general skin cleansing: Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. Surgical hand scrub: Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. Healthcare personnel handwash: Wet hands with water. Dispense about 5 mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.
Other information: store between 20-25°C (68-77°F), avoid excessive heat above 40°C (104°F)
Inactive ingredients: fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, polysorbate 20, purified water and red 40
Questions? 1-800-843-8497

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

NDC 0234-0575-04

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

Helps reduce bacteria that
potentially can cause disease


Mölnlycke

4 fl oz (118 mL)

Drug Facts

Active ingredient **Purpose**
Chlorhexidine gluconate
solution 4% w/v.....Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

Drug Facts (continued)

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Drug Facts (continued)

- skin wound and general skin cleansing.** Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub.** Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.** Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40





Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibl, HiblClen, and HiblStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies.

Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved. 5200776-00-1



<p>NDC 0234-0575-41</p> <h1>HIBICLENS</h1> <p>Chlorhexidine Gluconate Solution 4% w/v</p> <h2>ANTISEPTIC SKIN CLEANSER</h2> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  PERSISTENT EFFECT </div> <div style="text-align: center;">  GREAT FOR HAND HYGIENE </div> <div style="text-align: center;">  GENERAL SKIN CLEANSING </div> </div> <p>Helps reduce bacteria that potentially can cause disease</p> <p>With foam pump • Replace cap after use</p> <p>4 fl oz (118 mL)</p>	<p>Drug Facts</p> <p>Active ingredient Purpose Chlorhexidine gluconate solution 4% w/v.....Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash 	<p>Drug Facts (continued)</p> <p>rinse with cold water right away</p> <ul style="list-style-type: none"> ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p>	<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p>
	<p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area <p>When using this product</p> <ul style="list-style-type: none"> ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums ■ if contact occurs in any of these areas, ➔ 	<p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. ■ <i>skin wound and general skin cleansing.</i> Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ <i>surgical hand scrub.</i> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ <i>healthcare personnel handwash.</i> Wet hands with water. Dispense about 5mL (4 pumps) of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. ➔ 	<p>Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.</p> <p>The Mölnlycke Health Care, Hibi, HibiClenS, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.</p> <p>For more information go to: www.hibiclens.com www.molnlycke.com</p> <p>5200937-00-1</p> <p>Mölnlycke</p> <div style="text-align: center;">  FPO UPC 7323190212972 0 00000 00000 0 </div>

NDC 0234-0575-08

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 8 fl oz (236 mL) BOTTLE

NDC 0234-0575-08

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

8 fl oz (236 mL)

NDC 0234-0575-08

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

ONE 8 fl oz (236 mL) BOTTLE

This packaging is tamper evident. If package is damaged, do not use.

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate solution 4% w/v	Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings
For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- *skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- *surgical hand scrub.* Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- *healthcare personnel handwash.* Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Laundry/Cleaning Instruction.
Chlorhexidine Gluconate skin cleansers will cause stains if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

The Mölnlycke Health Care, Hibi, HibClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved. For more information go to www.hibiclens.com or www.molnlycke.com

Mölnlycke

FPO UPC

7332551065249

0 00000 00000 0

5200775-00-1

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

NDC 0234-0575-08

HIBICLENS[®]

Chlorhexidine Gluconate
Solution 4% w/v

**ANTISEPTIC
SKIN CLEANSER**



PERSISTENT
EFFECT



GREAT FOR
HAND HYGIENE



GENERAL SKIN
CLEANSING

Helps reduce bacteria that potentially can cause disease


Mölnlycke[®]

8 fl oz (236 mL)

Drug Facts

Active ingredient

Chlorhexidine gluconate
solution 4% w/v.....

Purpose

Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums

Drug Facts (continued)

- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub.* Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.* Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a

Drug Facts (continued)

vigorous manner for 15 seconds.
Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container.
Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

6200620-00-1

The Mölnlycke Health Care, Hibi, HibCleans, and HibSlat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30089. ©2022 Mölnlycke Health Care AB. All rights reserved. For more information go to: www.hibiclens.com, www.molnlycke.com





NDC 0234-0575-16

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

- PERSISTENT EFFECT
- GREAT FOR HAND HYGIENE
- GENERAL SKIN CLEANSING

Includes Foam Dispenser

ONE 16 fl oz (473 mL) BOTTLE



Mölnlycke

The Mölnlycke Health Care, HbL, HbIClen, and HbISol names and respective logos are registered globally to one or more of The Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved. For more information go to www.molnlycke.com



820019401

NDC 0234-0575-16

HIBICLENS

Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

- PERSISTENT EFFECT
- GREAT FOR HAND HYGIENE
- GENERAL SKIN CLEANSING

Includes Foam Dispenser

ONE 16 fl oz (473 mL) BOTTLE

Active ingredient	Purpose
Chlorhexidine gluconate solution 4% w/v	Antiseptic

Uses

- antiseptic skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- health-care personnel handwash

Warnings
For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- shwelling/ difficulty breathing
- stuck
- head swelling
- hives
- itch

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye, or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs in any of these areas, rinse with cold water right away
- avoid contact with mucous membranes. The mucous membranes of the skin should not be routinely treated.
- avoid general cleansing of large body areas. Should not be done except when advised by a health-care provider.

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- also avoid and general skin cleansing. Thoroughly rinse the area to be cleaned with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub: Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL (14 grams) of the product with brush. Rinse thoroughly under running water. Repeat, dry thoroughly.
- health-care personnel handwash: Wet hands with water. Dispense about 5 mL (14 grams) of the product into cupped hands, and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20°-25° C (68°-77° F)
- avoid excessive heat above 40° C (104° F)

Inactive ingredients
hydroxyethylcellulose, hydroxyethylcellulose, polyethylene glycol 400, polyethylene glycol 150, purified water and red 40.

Questions? 1-800-843-8497

Labeling/Cleaning Instructions:
Chlorhexidine Gluconate skin cleansers will cause stains if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

NDC 0234-0575-16

HIBICLENS®

Chlorhexidine Gluconate
Solution 4% w/v

ANTISEPTIC
SKIN CLEANSER



PERSISTENT
EFFECT



GREAT FOR
HAND HYGIENE



GENERAL SKIN
CLEANSING

Helps reduce bacteria that potentially can cause disease

16 fl oz (473 mL)

Drug Facts

Active ingredient

Chlorhexidine gluconate

solution 4% w/v.....Antiseptic

Purpose

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause

Drug Facts (continued)

deafness when instilled in the middle ear through perforated eardrums.

- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing.** Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub.** Wet hands and forearms with water. Scrub for 3 minutes with about 5mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.** Wet hands with water. Dispense about 5mL (4 pumps) of the product into cupped hands

Drug Facts (continued)

and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497



Mölnlycke®

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibi, HibiClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.

For more information go to: www.hibiclens.com www.molnlycke.com

5200773-00-1




NDC 0234-0575-32

HIBICLENS®

**Chlorhexidine Gluconate
Solution 4% w/v**

**ANTISEPTIC
SKIN CLEANSER**

**Helps reduce bacteria that
potentially can cause disease**


32 fl oz (1 qt) (946 mL)


Drug Facts	Drug Facts (continued)
<p>Active ingredient Chlorhexidine gluconate solution 4% w/v.....Antiseptic</p> <p>Purpose</p> <p>Uses</p> <ul style="list-style-type: none"> ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area <p>When using this product</p> <ul style="list-style-type: none"> ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums ■ if contact occurs in any of these areas, rinse with cold water right away ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body 	<p>areas should not be done except when advised by a health care provider</p> <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. ■ <i>skin wound and general skin cleansing.</i> Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ <i>surgical hand scrub.</i> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ <i>healthcare personnel handwash.</i> Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p>

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibi, HibiClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.

For more information go to:
www.hibiclens.com
www.molnlycke.com

5200950-00-1



**FPO UPC
7332551065775**

NDC 0234-0575-91


HIBICLENS®

Chlorhexidine Gluconate
Solution 4% w/v

**ANTISEPTIC
SKIN CLEANSER**

Helps reduce bacteria that
potentially can cause disease

Mölnlycke® 1 gal (3.79 L)

<p>Drug Facts</p> <p>Active ingredient Chlorhexidine gluconate solution 4% w/v.....Antiseptic</p> <p>Purpose Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area 	<p>Drug Facts (continued)</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums ■ if contact occurs in any of these areas, rinse with cold water right away ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. ■ <i>skin wound and general skin cleansing.</i> Thoroughly rinse the area to be cleansed with water. Apply the minimum amount 	<p>Drug Facts (continued)</p> <p>of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.</p> <ul style="list-style-type: none"> ■ <i>surgical hand scrub.</i> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ <i>healthcare personnel handwash.</i> Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p>	<p>Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.</p> <p>The Mölnlycke Health Care, Hibi, HibiClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.</p> <p>For more information go to: www.hibiclens.com www.molnlycke.com</p> <p>5200944-00-1</p> <div style="text-align: center;">  <p>FPO UPC 7332551065782</p> </div>
---	---	--	---






HIBICLENS
 Chlorhexidine Gluconate
 Solution 4% w/v
 ANTISEPTIC SKIN CLEANSER
 NON-STERILE SOLUTION
 NDC 0234-0575-17

<p>Drug Facts</p> <p>Active ingredient Purpose Chlorhexidine gluconate solution 4% w/v.....Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease for skin wound and general skin cleansing surgical hand scrub healthcare personnel handwash patient preoperative skin preparation <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> wheezing/difficulty breathing shock facial swelling hives rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product as a patient preoperative skin preparation of the head or face in contact with the meninges in the genital area <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears, and mouth. May cause serious and permanent eye injury 	<p>Drug Facts (continued)</p> <p>if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums</p> <ul style="list-style-type: none"> if contact occurs in any of these areas, rinse with cold water right away wounds which involve more than the superficial layers of the skin should not be routinely treated repeated general cleansing of large body areas should not be done except when advised by a health care provider <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a 	<p>Drug Facts (continued)</p> <p>vigorous manner for 15 seconds. Rinse and dry thoroughly.</p> <ul style="list-style-type: none"> patient preoperative skin preparation. Apply the product liberally to surgical site and swab for at least 2 minutes. Dry with a sterile towel. Repeat. <p>Other information</p> <ul style="list-style-type: none"> store between 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F) <p>Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40</p> <p>Questions? 1-800-843-8497</p> <p>Lot number and expiration date printed on bottom of container. Laundering/ Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.</p> <p>For more information go to: www.hibiclens.com www.molnlycke.com</p> <p>Part # 5200952-00-1</p> <p>RECYCLED • RECYCLABLE This carton is made from at least 35% postconsumer recycled fibers.</p>
---	---	--

NDC 0234-0575-17
HIBICLENS
 Chlorhexidine Gluconate
 Solution 4% w/v
 ANTISEPTIC SKIN CLEANSER
 NON-STERILE SOLUTION
 Helps reduce bacteria that potentially can cause disease

NDC 0234-0575-17
HIBICLENS
 Chlorhexidine Gluconate
 Solution 4% w/v
 ANTISEPTIC SKIN CLEANSER
 NON-STERILE SOLUTION
 Helps reduce bacteria that potentially can cause disease

NDC 0234-0575-17
HIBICLENS
 Chlorhexidine Gluconate
 Solution 4% w/v
 ANTISEPTIC SKIN CLEANSER
 NON-STERILE SOLUTION
 Helps reduce bacteria that potentially can cause disease

Helps reduce bacteria that potentially can cause disease

FPO UPC
7323190200252
 0 00000 00000 0
 Mölnlycke

Contains: 50 Single Use Packettes, 0.507 fl oz (15mL) Each
 Mölnlycke
 The Mölnlycke Health Care, Hibi, HibiClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.
 Mölnlycke
 LOT
 EXP

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

PAMELA J HORN
07/26/2023 11:06:16 AM