



COLORS

Note: PMS Swatch on proof does not represent exact color (b) (4)

AUTHORIZED SIGNATURE _____

DATE _____



HEADING:
Helvetica Bold
Condensed Italic
10 pt.

SUBHEADS:
Helvetica Bold
Condensed Italic
8 pt.

BODY TEXT:
Helvetica Condensed/
Helvetica Bold Condensed
6 pt.

(b) (4)

G&W Labs

G&W dwg# 1813

2+3/8 x 1 x 4+3/4

reverse tuck, slit lock - v-notched

.016 sbs

approved

pgrm# s5806

date

Drug Facts

Active ingredient
(in each rectal suppository)

Acetaminophen 120 mg Pain reliever/fever reducer

Purpose

Uses

• temporarily reduces fever • relieves minor aches, pains, and headache

Warnings

For rectal use only

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child inserts
• more than 5 suppositories in 24 hours, which is the maximum daily amount
• with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use

• if your child is allergic to acetaminophen
• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Drug Facts (continued)

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

Stop use and ask a doctor if

• fever lasts more than 3 days (72 hours), or recurs
• you need to use this product for pain for more than 5 days continuously
Severe or recurrent pain, or high or continued fever may indicate a serious illness.

Keep out of reach of children. If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical in case of overdose for children even if you do not notice any signs or symptoms.

Directions

This product does not contain directions or complete warnings for adult use.

• do not use more than directed
• remove foil wrapper
• insert suppository well up into rectum
• children 3-6 years
• 1 suppository every 4 to 6 hours while symptoms persist
• do not exceed 5 suppositories in any 24-hour period
• children under 3 years: ask a doctor

Drug Facts (continued)

Other information

• for your safety, suppositories are packaged in tamper-evident sealed foil.
Do not use if foil is torn or open.
• store at 8°-25°C (46°-77°F)

Drug Facts (continued)

Inactive ingredients butylated hydroxyanisole, butylated hydroxytoluene, glyceryl stearate, hydrogenated vegetable oil, polyethylene glycol 100 stearate, polysorbate 80

Questions? call 1-800-922-1038 Monday-Friday 9am-4pm EST

G&W Laboratories, Inc., 111 Coolidge Street, South Plainfield, NJ 07080 Visit our website @ www.gwllabs.com

NDC 0713-0118-12



Pediatric
ACEPHEN™
ACETAMINOPHEN SUPPOSITORIES USP

ASPIRIN FREE

120 mg

**12 Rectal
Suppositories**

Pain Reliever • Fever Reducer

FOR YOUR SAFETY, SUPPOSITORIES ARE
PACKAGED IN TAMPER-EVIDENT SEALED FOIL.
DO NOT USE IF SEAL IS TORN OR OPEN.



UPC
N3-0713-0118-12-

10-11812GW/23

50 RECTAL SUPPOSITORIES

Pain Reliever • Fever Reducer

ASPIRIN FREE

120 mg

ACETAMINOPHEN

SUPPOSITORIES USP

Pediatric

G&W

Drug Facts

Active ingredient (in each rectal suppository)

Acetaminophen 120 mg..... Pain reliever/fever reducer

Purpose

Uses

temporarily • reduces fever • relieves minor aches, pains, and headache

Warnings

For rectal use only

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if your child inserts
• more than 5 suppositories in 24 hours, which is the maximum daily amount
• with other drugs containing acetaminophen

Allergy alert:

acetaminophen may cause severe skin reactions.
Symptoms may include: • skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use

• if your child is allergic to acetaminophen
• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has

liver disease

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin

Stop use and ask a doctor if

• fever lasts more than 3 days (72 hours), or recurs
• you need to use this product for pain for more than 5 days continuously
Severe or recurrent pain, or high or continued fever may indicate a serious illness.

Keep out of reach of children.

If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical in case of overdose for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions

This product does not contain directions or complete warnings for adult use.
• do not use more than directed
• remove foil wrapper
• insert suppository well up into rectum
• children 3-6 years
• 1 suppository every 4 to 6 hours while symptoms persist
• do not exceed 5 suppositories in any 24-hour period
• children under 3 years: ask a doctor

Other information

• for your safety, suppositories are packaged in tamper-evident sealed foil. Do not use if foil is torn or open.
• store at 8°-25°C (46°-77°F)

Inactive ingredients

butylated hydroxyanisole, butylated hydroxytoluene, glyceryl stearate, hydrogenated vegetable oil, polyethylene glycol 100 stearate, polysorbate 80

Questions?

call 1-800-922-1038
Monday-Friday 9am-4pm EST

G&W Laboratories, Inc.

111 Coolidge Street

South Plainfield, NJ 07080

Visit our website @ www.gwlab.com

NDC 0713-0118-50

Pediatric

ACEPHENTM

ACETAMINOPHEN

SUPPOSITORIES USP

ASPIRIN FREE

120 mg

Pain Reliever • Fever Reducer

50 RECTAL SUPPOSITORIES

G&W

TAMPER-EVIDENT:
Individually sealed in foil
for your protection.
Do not use if foil is torn or open.

UPC Code Placement

N3-0713-0118-50-

10-11850GW8

G&W

LABORATORIES, INC.

COLORS

Note: PMS Swatch on proof does not represent exact color.
(b) (4)


AUTHORIZED SIGNATURE

DATE

PROOF APPROVED

REPROOF REQUIRED

Reference ID: 3476794



This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

THERESA M MICHELE
03/25/2014