

00000000



LOT  
EXP  
3 0045-0481-023



**New Information: Read Entire Label**

# Motrin<sup>®</sup> IB

**Ibuprofen Tablets USP, 200 mg**

**Pain Reliever / Fever Reducer (NSAID)**

**50 Coated Caplets**



NDC 50590-110-02

© 2019 Janssen Pharmaceutica  
www.motrin.com

**Drug Facts (continued)**

- Keep out of reach of children. Do not use if you are allergic to any of the ingredients or if you have ever had an allergic reaction to ibuprofen or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.

**Drug Facts**

**Active ingredient (in each caplet):** Ibuprofen (NSAID) ...

**Uses:**

- Temporarily relieves minor aches and pains due to:
  - muscular aches
  - minor pain of arthritis
  - backache
  - common cold
  - toothaches
  - and
  - temporarily reduces fever

**Warnings:**

Always read the label. Ibuprofen may cause severe allergic reaction, especially in people allergic to aspirin.

Symptoms may include:

- hives (red, itchy skin)
- swelling of the face, lips, tongue, and throat, which may make breathing difficult
- fever
- stomach pain or discomfort
- and
- other symptoms

Do not use if you are taking aspirin, aspirin-like products, or other NSAIDs. Do not use if you are taking aspirin, aspirin-like products, or other NSAIDs.

**Drug Facts (continued)**

- Keep out of reach of children. Do not use if you are allergic to any of the ingredients or if you have ever had an allergic reaction to ibuprofen or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.

**Drug Facts (continued)**

- Keep out of reach of children. Do not use if you are allergic to any of the ingredients or if you have ever had an allergic reaction to ibuprofen or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.

**Drug Facts (continued)**

- Keep out of reach of children. Do not use if you are allergic to any of the ingredients or if you have ever had an allergic reaction to ibuprofen or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.

**Drug Facts (continued)**

- Keep out of reach of children. Do not use if you are allergic to any of the ingredients or if you have ever had an allergic reaction to ibuprofen or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.
- Do not use if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer.



(b) (4)















00000000

00000000

**Drug Facts**

**Active Ingredient:** Ibuprofen 200 mg (NSAID)\*..... pain reliever/fever reducer  
\*nonsteroidal anti-inflammatory drug

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscle aches
  - backache
  - sore throat
  - rheumatoid arthritis
  - menstrual cramps
  - temporary reduces fever

**Warnings**

Always read the label. Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- wheezing
- skin rash/itching
- dizziness
- others

If a severe reaction occurs, stop use and seek medical help right away.

Some side effects may be serious. The following information does not cover all possible side effects. This information does not include all possible risks. For this and other information, see the important information about this product below.

**Do not use if you:**

- are allergic to ibuprofen or any of the ingredients listed above
- are taking aspirin or other salicylates
- are taking another NSAID (aspirin, ibuprofen, naproxen, celecoxib, valdecoxib, etc.)
- have had ulcers or bleeding in the stomach or intestines
- have had kidney disease
- have had heart failure
- have had a heart attack
- have had a stroke
- have had a seizure
- have had a severe allergic reaction to a medicine or other product
- have had a severe allergic reaction to a medicine or other product
- have had a severe allergic reaction to a medicine or other product

**Do not use if you are:**

- pregnant or trying to get pregnant
- breastfeeding or planning to breastfeed
- taking other pain relievers/fever reducers
- taking other medicines
- taking other medicines
- taking other medicines

**Ask a doctor before use if:**

- you have asthma or other breathing problems
- you have high blood pressure, heart disease, liver disease, kidney disease, or stomach ulcers
- you are taking blood thinners
- you are taking other medicines
- you are taking other medicines
- you are taking other medicines

00000000

**New Information: Read Entire Label** NDC 50580-110-38

# Motrin<sup>®</sup> IB

**Ibuprofen Tablets USP, 200 mg**

Pain Reliever / Fever Reducer (NSAID)

**300 Coated Caplets\***



\*Caplet-Shaped Tablets

00000000

**Drug Facts (continued)**

**Other information**

- store between 20° to 25° C (68° to 77° F)
- do not use if neck wrap or foil inner seal is imprinted
- "SAFETY SEAL" is broken or missing

**Inactive ingredients**

cambeba wax, croscollon, croscollon, FD&C yellow no. 6, hypromellose, iron oxide, magnesium stearate, modified starch, polydextrose, polyethylene glycol, pregelatinized starch, propylene glycol, shellac, stearic acid, titanium dioxide

**Questions or comments?**

Call 1-877-899-3663 (toll free) or 1-215-273-6255 (collect)

**Distributed by:**  
**JOHNSON & JOHNSON CONSUMER INC.**  
McNeil Consumer Healthcare Division  
Fort Washington, PA 19004 USA  
©J&JCI 2018  
[www.motrin.com](http://www.motrin.com)

00000000

**New Information: Read Entire Label** NDC 50580-110-38

# Motrin<sup>®</sup> IB

**Ibuprofen Tablets USP, 200 mg**

Pain Reliever / Fever Reducer (NSAID)

**300 Coated Caplets\***



\*Caplet-Shaped Tablets

00000000

**Drug Facts (continued)**

**Other information**

- store between 20° to 25° C (68° to 77° F)
- do not use if neck wrap or foil inner seal is imprinted
- "SAFETY SEAL" is broken or missing

**Inactive ingredients**

cambeba wax, croscollon, croscollon, FD&C yellow no. 6, hypromellose, iron oxide, magnesium stearate, modified starch, polydextrose, polyethylene glycol, pregelatinized starch, propylene glycol, shellac, stearic acid, titanium dioxide

**Questions or comments?**

Call 1-877-899-3663 (toll free) or 1-215-273-6255 (collect)

**Distributed by:**  
**JOHNSON & JOHNSON CONSUMER INC.**  
McNeil Consumer Healthcare Division  
Fort Washington, PA 19004 USA  
©J&JCI 2018  
[www.motrin.com](http://www.motrin.com)

00000000

**New Information: Read Entire Label** NDC 50580-110-38

# Motrin<sup>®</sup> IB

**Ibuprofen Tablets USP, 200 mg**

Pain Reliever / Fever Reducer (NSAID)

**300 Coated Caplets\***



\*Caplet-Shaped Tablets

00000000

**Drug Facts (continued)**

**Other information**

- store between 20° to 25° C (68° to 77° F)
- do not use if neck wrap or foil inner seal is imprinted
- "SAFETY SEAL" is broken or missing

**Inactive ingredients**

cambeba wax, croscollon, croscollon, FD&C yellow no. 6, hypromellose, iron oxide, magnesium stearate, modified starch, polydextrose, polyethylene glycol, pregelatinized starch, propylene glycol, shellac, stearic acid, titanium dioxide

**Questions or comments?**

Call 1-877-899-3663 (toll free) or 1-215-273-6255 (collect)

**Distributed by:**  
**JOHNSON & JOHNSON CONSUMER INC.**  
McNeil Consumer Healthcare Division  
Fort Washington, PA 19004 USA  
©J&JCI 2018  
[www.motrin.com](http://www.motrin.com)

00000000









(b) (4)



(b) (4)

**Drug Facts (continued)**

Active ingredient (in each caplet)	Purpose
Ibuprofen (NSAID)	Pain reliever and fever reducer

**Use:** Motrin IB is used to relieve minor aches and pains such as headache, muscle aches, toothache, menstrual cramps, and the common cold.

**Warnings:** A large effort should be made to avoid a serious allergic reaction. Do not use if you are allergic to aspirin or any of the ingredients listed below.

**Directions:** A large effort should be made to avoid a serious allergic reaction. Do not use if you are allergic to aspirin or any of the ingredients listed below.

**Other information:** Do not use if you are allergic to aspirin or any of the ingredients listed below.

---

**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**

---

/s/  
-----

VALERIE S PRATT  
08/18/2016