

NDC 0116-1061-18

DYNA-HEX 4[®]

Chlorhexidine Gluconate 4% Solution
Antiseptic

Contains: 4% Chlorhexidine Gluconate
With foam pump


Distributed By: Xtrium Laboratories, Inc.
Mount Prospect, IL 60056

FOR EXTERNAL USE ONLY

Net Contents 18 fl oz (532 mL)

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 4% solution	Antiseptic



0 11610 61180 7

4DY18FM1061BLB


NDC 0116-1061-18

DYNA-HEX 4[®]
 Chlorhexidine Gluconate 4% Solution
Antiseptic

Contains: 4% Chlorhexidine Gluconate
 With foam pump
 Distributed By: Xttrium Laboratories, Inc.
 Mount Prospect, IL 60056

FOR EXTERNAL USE ONLY
 Net Contents 18 fl oz (532 mL)

Drug Facts	Purpose
Active ingredient Chlorhexidine gluconate 4% solution	Antiseptic



0 1161061180 7

Drug Facts (continued)

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, leucamine oxide, PEG-75 lanolin, purified water, ribeoyl alcohol

Questions or comments?
 call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

Laundering/Cleaning Instructions:
 Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Drug Facts (continued)

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
 - shock
 - facial swelling
 - hives
 - rash
- If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a healthcare provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with 4 full pumps (about 5 mL) of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 4 full pumps (about 5 mL) of product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense 4 full pumps (about 5 mL) of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Lift Here
for more
Drug Facts

NDC 0116-1061-18


DYNA-HEX 4[®]
Chlorhexidine Gluconate 4% Solution
Antiseptic

Contains: 4% Chlorhexidine Gluconate
With foam pump
Distributed By: Xttrium Laboratories, Inc.
Mount Prospect, IL 60056

FOR EXTERNAL USE ONLY
Net Contents 18 fl oz (532 mL)

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 4% solution	Antiseptic



0 11610 61180 7

4DY18FM1061LBLB

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

KAREN M MURRY
09/29/2022 07:37:40 AM