



LOT

EXP YYY-MM-DD



NDC 10019-075-87

BREVIBLOC
DOUBLE STRENGTH
Injection
Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)

BARCODE
POSITION

100 mL Single-Dose Container Rx only
Discard Unused Portion

For Intravenous Use Only

EACH mL CONTAINS 20 mg ESMOLOL HYDROCHLORIDE USP 4.1 mg SODIUM CHLORIDE USP IN WATER FOR INJECTION USP BUFFERED WITH 2.8 mg SODIUM ACETATE TRIHYDRATE USP AND 0.546 mg GLACIAL ACETIC ACID USP PH ADJUSTED WITH SODIUM HYDROXIDE AND/OR HYDROCHLORIC ACID PH 5.0 (4.5-5.5) STERILE NONPYROGENIC

RECOMMENDED DOSAGE: SEE PRESCRIBING INFORMATION

CAUTIONS: CHECK FOR LEAKS BY SQUEEZING CONTAINER FIRMLY IF LEAKS ARE FOUND DISCARD AS STERILITY MAY BE IMPAIRED USE ONLY IF SOLUTION IS CLEAR COLORLESS TO LIGHT YELLOW

DO NOT INTRODUCE ADDITIVES

MUST NOT BE USED IN SERIES CONNECTIONS

STORE AT 25°C (77°F) EXCURSIONS PERMITTED TO 15°-30°C (59°-86°F) [SEE USP CONTROLLED ROOM TEMPERATURE] PROTECT FROM FREEZING AVOID EXCESSIVE HEAT

0725006214 NDC 10019-075-87

Baxter
DEERFIELD, IL 60015 USA
MADE IN USA





LOT

EXP YYYY-MM-DD



NDC 10019-666-10

BREVIBLOC
DOUBLE STRENGTH
Injection
Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)

BARCODE
POSITION

100 mL Single-Dose Container Rx only
Discard Unused Portion

For Intravenous Use Only
EACH mL CONTAINS 20 mg ESMOLOL HYDROCHLORIDE USP 4.1 mg SODIUM CHLORIDE USP IN WATER FOR INJECTION USP BUFFERED WITH 2.8 mg SODIUM ACETATE TRIHYDRATE USP AND 0.546 mg GLACIAL ACETIC ACID USP pH ADJUSTED WITH SODIUM HYDROXIDE AND/OR HYDROCHLORIC ACID pH 5.0 (4.5-5.5) STERILE NONPYROGENIC

RECOMMENDED DOSAGE: SEE PRESCRIBING INFORMATION

CAUTIONS: CHECK FOR LEAKS BY SQUEEZING CONTAINER FIRMLY IF LEAKS ARE FOUND DISCARD AS STERILITY MAY BE IMPAIRED USE ONLY IF SOLUTION IS CLEAR COLORLESS TO LIGHT YELLOW

DO NOT INTRODUCE ADDITIVES

MUST NOT BE USED IN SERIES CONNECTIONS
STORE AT 25°C (77°F) EXCURSIONS PERMITTED TO 15°-30°C (59°-86°F) [SEE USP CONTROLLED ROOM TEMPERATURE] **PROTECT FROM FREEZING** AVOID EXCESSIVE HEAT

MANUFACTURED BY

Baxter

USA

PREMIER P r o x® 0725006215 2J1420





LOT

EXP YYYY-MM-DD



NDC 10019-668-10

BREVIBLOC
DOUBLE STRENGTH
Injection
Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)

BARCODE
POSITION

100 mL Single-Dose Container Rx only
Discard Unused Portion

For Intravenous Use Only

EACH mL CONTAINS 20 mg ESMOLOL HYDROCHLORIDE USP 4.1 mg SODIUM CHLORIDE USP IN WATER FOR INJECTION USP BUFFERED WITH 2.8 mg SODIUM ACETATE TRIHYDRATE USP AND 0.546 mg GLACIAL ACETIC ACID USP pH ADJUSTED WITH SODIUM HYDROXIDE AND/OR HYDROCHLORIC ACID pH 5.0 (4.5-5.5) STERILE NONPYROGENIC

RECOMENDED DOSAGE: SEE PRESCRIBING INFORMATION

CAUTIONS: CHECK FOR LEAKS BY SQUEEZING CONTAINER FIRMLY IF LEAKS ARE FOUND DISCARD AS STERILITY MAY BE IMPAIRED USE ONLY IF SOLUTION IS CLEAR COLORLESS TO LIGHT YELLOW

DO NOT INTRODUCE ADDITIVES

MUST NOT BE USED IN SERIES CONNECTIONS

STORE AT 25°C (77°F) EXCURSIONS PERMITTED TO 15°-30°C (59°-86°F) [SEE USP CONTROLLED ROOM TEMPERATURE] PROTECT FROM FREEZING AVOID EXCESSIVE HEAT

MANUFACTURED BY
Baxter

USA

novaplus⁺

0725006216 2J1416





TO OPEN - TEAR NOTCH

Do not remove unit from overwrap until ready to use. Do not use if overwrap has been previously opened or damaged. The overwrap is a moisture barrier. The inner bag maintains the sterility of the product.

NDC 10019-668-10

**BREVIBLOC
DOUBLE STRENGTH
Injection**

**Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)**

For Intravenous Use Only

**100 mL Single-Dose Container Iso-Osmotic
Discard Unused Portion No Preservative Added**

Each mL contains 20 mg Esmolol Hydrochloride USP, 4.1 mg Sodium Chloride USP in Water for Injection USP. Buffered with 2.8 mg Sodium Acetate Trihydrate USP, 0.546 mg Glacial Acetic Acid USP. pH adjusted with sodium hydroxide and/or hydrochloric acid.
pH 5.0 (4.5 - 5.5).
Sterile, nonpyrogenic.

RECOMENDED DOSAGE: See prescribing information.

CAUTIONS: After removing the overwrap, check for leaks by squeezing container firmly. If leaks are found, discard as sterility may be impaired. Use only if solution is clear colorless to light yellow.

DO NOT INTRODUCE ADDITIVES.

Must not be used in series connections.

Store at 25°C (77°F). Excursions permitted to 15°-30°C (59°-86°F).

[See USP Controlled Room Temperature.]

PROTECT FROM FREEZING.

Avoid excessive heat.

novaplus⁺

Baxter

Baxter Healthcare Corporation
Deerfield, IL 60015 USA
For Product Inquiry 1 800 ANA DRUG
(1-800-262-3784)

Made in USA
IntraVia Container
Baxter, Brevibloc and IntraVia are trademarks of Baxter International Inc. or its subsidiaries.

Novaplus is a registered trademark of Vizient, Inc.

Rx only



2J1416
0707003153



LOT:


EXP DATE: YYYY-MM-DD





**BREVIBLOC
DOUBLE STRENGTH
Injection**

**Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)**





TO OPEN - TEAR NOTCH

Do not remove unit from overwrap until ready to use. Do not use if overwrap has been previously opened or damaged. The overwrap is a moisture barrier. The inner bag maintains the sterility of the product.

NDC 10019-666-10

**BREVIBLOC
DOUBLE STRENGTH
Injection**

**Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)**

For Intravenous Use Only

**100 mL Single-Dose Container Iso-Osmotic
Discard Unused Portion No Preservative Added**

Each mL contains 20 mg Esmolol Hydrochloride USP, 4.1 mg Sodium Chloride USP in Water for Injection USP. Buffered with 2.8 mg Sodium Acetate Trihydrate USP, 0.546 mg Glacial Acetic Acid USP. pH adjusted with sodium hydroxide and/or hydrochloric acid.
pH 5.0 (4.5 - 5.5).
Sterile, nonpyrogenic.

RECOMENDED DOSAGE: See prescribing information.

CAUTIONS: After removing the overwrap, check for leaks by squeezing container firmly. If leaks are found, discard as sterility may be impaired. Use only if solution is clear colorless to light yellow.

DO NOT INTRODUCE ADDITIVES.

Must not be used in series connections.

Store at 25°C (77°F). Excursions permitted to 15°-30°C (59°-86°F).

[See USP Controlled Room Temperature.]


PROTECT FROM FREEZING.

Avoid excessive heat.

PREMIERProRx® Rx only

Baxter
Baxter Healthcare Corporation **2J1420**
Deerfield, IL 60015 USA 0707003154
For Product Inquiry 1 800 ANA DRUG
(1-800-262-3784)



Made in USA
IntraVia Container
Baxter, Brevibloc and IntraVia are trademarks of Baxter International Inc. or its subsidiaries.
PREMIERProRx® is a registered trademark of Premier Healthcare Alliance, L.P., used under license.



LOT:


EXP DATE: YYYY-MM-DD





**BREVIBLOC
DOUBLE STRENGTH
Injection**

**Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)**





TO OPEN - TEAR NOTCH

Do not remove unit from overwrap until ready to use. Do not use if overwrap has been previously opened or damaged. The overwrap is a moisture barrier. The inner bag maintains the sterility of the product.

NDC 10019-075-87

**BREVIBLOC
DOUBLE STRENGTH
Injection**

**Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)**

For Intravenous Use Only

**100 mL Single-Dose Container Iso-Osmotic
Discard Unused Portion No Preservative Added**

Each mL contains 20 mg Esmolol Hydrochloride USP, 4.1 mg Sodium Chloride USP in Water for Injection USP. Buffered with 2.8 mg Sodium Acetate Trihydrate USP, 0.546 mg Glacial Acetic Acid USP. pH adjusted with sodium hydroxide and/or hydrochloric acid.
pH 5.0 (4.5 - 5.5).
Sterile, nonpyrogenic.

RECOMENDED DOSAGE: See prescribing information.

CAUTIONS: After removing the overwrap, check for leaks by squeezing container firmly. If leaks are found, discard as sterility may be impaired. Use only if solution is clear colorless to light yellow.

DO NOT INTRODUCE ADDITIVES.

Must not be used in series connections.

Store at 25°C (77°F). Excursions permitted to 15°-30°C (59°-86°F).

[See USP Controlled Room Temperature.]

PROTECT FROM FREEZING.

Avoid excessive heat.


Rx only

Baxter

Baxter Healthcare Corporation
Deerfield, IL 60015 USA
For Product Inquiry 1 800 ANA DRUG
(1-800-262-3784)

0707003155



Made in USA
IntraVia Container
Baxter, Brevibloc and IntraVia are trademarks of Baxter International Inc. or its subsidiaries.



LOT:


EXP DATE: YYYY-MM-DD





**BREVIBLOC
DOUBLE STRENGTH
Injection**

**Esmolol Hydrochloride
in Sodium Chloride
2,000 mg/100 mL (20 mg/mL)**





Julia
Pinto

Digitally signed by Julia Pinto

Date: 9/23/2025 11:36:30AM

GUID: 5050dbcb00001294a888a4bdc20a3a58