




200 %



Actual Size 100%

DRUG FACTS INFO: Modified Format		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>7.0 pt	NA
Drug Facts Continued	7 pt	NA
Headings*	7 pt-bold italic*	5 pt
Subheadings	≥6 pt	5 pt
Body Text	≥6 pt	5 pt
Bullets	5 pt	3 pt
Leading	≥0 pt	5.5 pt
Hairlines	0.5 pt rule	NA
Box and Barlines†	>0.5 pt rule	NA

\* Headings are to be at least 2x as large than Body Text  
 \*\* Drug Facts Title to be larger than all other type size used in DFF  
 † Box Barlines may be omitted and color contrast used to highlight Drug Facts Info



**Actual Size 100%**

DRUG FACTS INFO		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt.**	8 pt.
Drug Facts Continued	8 pt.	8 pt.
Headings*	8 pt bold italic*	8 pt.
Subheadings	>6 pt.	6 pt.
Body Text	>6 pt.	6 pt.
Bullets	5 pt.	3.5 pt.
Leading	>0.5 pt.	0.5 pt.
Headlines	0.5 pt rule	.5 pt.
Box and Barlines†	>0.5 pt rule	1 pt.
Characters Per Inch:	No more than 30	≥ 30

\* Headings are to be at least 2pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DPP  
† FDA recommends 2.5pt rule.



**Non-Drowsy\***  
**Claritin**® **24 Hour**  
loratadine tablets 10 mg/antihistamine

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

**Indoor & Outdoor Allergies**

\* When taken as directed. See Drug Facts Panel.

**55 45 TABLETS**

**Active ingredient (in each tablet)**  
Loratadine 10 mg.....Antihistamine  
**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ itchy, watery eyes ■ sneezing  
■ itching of the nose or throat  
**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** ■ adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor  
**Other information** ■ Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken ■ store between 20° to 25° C (68° to 77° F)  
**Questions or comments? 1-800-CLARITIN (1-800-252-7484) or www.claritin.com**

© 2017 Bayer.  
Dist by: Bayer HealthCare LLC  
Whippany, NJ 07981  
Product of Ireland.

**Exp**  
**Lot**  
00000000

200 %



**Non-Drowsy\***  
**Claritin**® **24 Hour**  
loratadine tablets 10 mg/antihistamine

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

**Indoor & Outdoor Allergies**

\* When taken as directed. See Drug Facts Panel.

**55 45 TABLETS**

**Active ingredient (in each tablet)**  
Loratadine 10 mg.....Antihistamine  
**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ itchy, watery eyes ■ sneezing  
■ itching of the nose or throat  
**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** ■ adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor  
**Other information** ■ Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken ■ store between 20° to 25° C (68° to 77° F)  
**Questions or comments? 1-800-CLARITIN (1-800-252-7484) or www.claritin.com**


© 2017 Bayer.  
Dist by: Bayer HealthCare LLC  
Whippany, NJ 07981  
Product of Ireland.

**Exp**  
**Lot**  
00000000

Actual Size 100%

DRUG FACTS INFO: Modified Format		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>7.0 pt	NA
Drug Facts Continued	7 pt	NA
Headings*	7 pt-bold italic*	5 pt
Subheadings	≥6 pt	5 pt
Body Text	≥6 pt	5 pt
Bullets	5 pt	3 pt
Leading	≥0 pt	5.5 pt
Hairlines	0.5 pt rule	NA
Box and Barlines†	>0.5 pt rule	NA

\* Headings are to be at least 2xpt larger than Body Text  
\*\* Drug Facts Title to be larger than all other type size used in DFP  
† Box Barlines may be omitted and color contrast used to highlight Drug Facts Info



**Actual Size 100%**

DRUG FACTS INFO		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt.**	8 pt.
Drug Facts Continued	8 pt.	8 pt.
Headings*	8 pt bold italic*	8 pt.
Subheadings	>6 pt.	6 pt.
Body Text	>6 pt.	6 pt.
Bullets	5 pt.	3.5 pt.
Leading	>0.5 pt.	0.5 pt.
Headlines	0.5 pt. rule	.5 pt.
Box and Barlines†	>0.5 pt. rule	1 pt.
Characters Per Inch:	No more than 30	≥ 30

\* Headings are to be at least 2 pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DPP  
† FDA recommends 2.5 pt. rule.




200 %



Actual Size 100%

DRUG FACTS INFO: Modified Format		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>7.0 pt	NA
Drug Facts Continued	7 pt	NA
Headings*	7 pt-bold italic*	5 pt
Subheadings	≥6 pt	5 pt
Body Text	≥6 pt	5 pt
Bullets	5 pt	3 pt
Leading	≥0 pt	5.5 pt
Hairlines	0.5 pt rule	NA
Box and Barlines†	>0.5 pt rule	NA

\* Headings are to be at least 2xpt larger than Body Text  
 \*\* Drug Facts Title to be larger than all other type size used in DFF  
 † Box Barlines may be omitted and color contrast used to highlight Drug Facts Info



**Actual Size 100%**

DRUG FACTS INFO		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt.**	8 pt.
Drug Facts Continued	8 pt.	8 pt.
Headings*	8 pt bold italic*	8 pt.
Subheadings	>6 pt.	6 pt.
Body Text	>6 pt.	6 pt.
Bullets	5 pt.	3.5 pt.
Leading	>0.5 pt.	0.5 pt.
Headlines	0.5 pt rule	.5 pt.
Box and Barlines†	>0.5 pt rule	1 pt.
Characters Per Inch:	No more than 30	≥ 30

\* Headings are to be at least 2pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DPP  
† FDA recommends 2.5pt rule.

**Non-Drowsy\***  
**Claritin**®  
loratadine tablets 10 mg/antihistamine  
**24 Hour**

**Indoor & Outdoor Allergies**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

\* When taken as directed. See Drug Facts Panel.

**110** ~~90~~ TABLETS

**Active ingredient (in each tablet)** Purpose  
Loratadine 10 mg.....Antihistamine  
**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ itchy, watery eyes ■ sneezing  
■ itching of the nose or throat  
**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause allergic reaction to this product occurs. Seek medical help right away. If you pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** ■ adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor  
**Other information** ■ Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken ■ store between 20° to 25° C (68° to 77° F)  
**Questions or comments?** 1-800-CLARITIN (1-800-252-7484) or [www.claritin.com](http://www.claritin.com)  
© 2017 Bayer.  
Dist by: Bayer HealthCare LLC  
Whippany, NJ 07981  
Product of Ireland.

**Exp**  
**107**  
**00000000**

200 %

**Non-Drowsy\***  
**Claritin**®  
loratadine tablets 10 mg/antihistamine  
**24 Hour**

**Indoor & Outdoor Allergies**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

\* When taken as directed. See Drug Facts Panel.

**110** ~~90~~ TABLETS


**Active ingredient (in each tablet)** Purpose  
Loratadine 10 mg.....Antihistamine  
**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ itchy, watery eyes ■ sneezing  
■ itching of the nose or throat  
**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause allergic reaction to this product occurs. Seek medical help right away. If you pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** ■ adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor  
**Other information** ■ Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken ■ store between 20° to 25° C (68° to 77° F)  
**Questions or comments?** 1-800-CLARITIN (1-800-252-7484) or [www.claritin.com](http://www.claritin.com)  
© 2017 Bayer.  
Dist by: Bayer HealthCare LLC  
Whippany, NJ 07981  
Product of Ireland.

**Exp**  
**107**  
**00000000**

Actual Size 100%

DRUG FACTS INFO: Modified Format		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>7.0 pt	NA
Drug Facts Continued	7 pt	NA
Headings*	7 pt-bold italic*	5 pt
Subheadings	≥6 pt	5 pt
Body Text	≥6 pt	5 pt
Bullets	5 pt	3 pt
Leading	≥0 pt	5.5 pt
Hairlines	0.5 pt rule	NA
Box and Barlines†	>0.5 pt rule	NA

\* Headings are to be at least 2xpt larger than Body Text  
\*\* Drug Facts Title to be larger than all other type size used in DFP  
† Box Barlines may be omitted and color contrast used to highlight Drug Facts Info



**Actual Size 100%**

DRUG FACTS INFO		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt.**	8 pt.
Drug Facts Continued	8 pt.	8 pt.
Headings*	8 pt bold italic*	8 pt.
Subheadings	>6 pt.	6 pt.
Body Text	>6 pt.	6 pt.
Bullets	5 pt.	3.5 pt.
Leading	>0.5 pt.	0.5 pt.
Headlines	0.5 pt rule	.5 pt.
Box and Barlines†	>0.5 pt rule	1 pt.
Characters Per Inch:	No more than 30	≥ 30

\* Headings are to be at least 2pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DPP  
† FDA recommends 2.5pt rule.

---

**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**

---

/s/  
-----

THERESA M MICHELE  
05/30/2018