



**CARDENE I.V.**  
 Nicardipine Hydrochloride  
 In 0.86% Sodium Chloride Injection  
 For Intravenous Infusion Only.

**20 mg in 200 mL**  
**(0.1 mg/mL)**

**GALAXY**                      **200 mL**                      **NDC 43066-009-10**  
 Single-Dose Container                      Iso-osmotic                      Rx only  
 Discard unused portion                                           Sterile, Nonpyrogenic

Each mL contains 0.1 mg NICARDIPINE HYDROCHLORIDE in 8.6 mg SODIUM CHLORIDE, USP with 0.0192 mg CITRIC ACID ANHYDROUS, USP and 1.92 mg SORBITOL, NF. HYDROCHLORIC ACID and/or SODIUM HYDROXIDE may have been added to adjust pH.

**DOSAGE:** See prescribing information.  
**CAUTIONS:** Check for minute leaks by squeezing bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear. Do not add supplemental medication. Must not be used in series connections.

**STORAGE:** Store at controlled room temperature 20° to 25° C (68° to 77° F); refer to USP Controlled Room Temperature. Protect from freezing. Avoid excessive heat. **PROTECT FROM LIGHT, STORE IN CARTON UNTIL READY TO USE.**

U.S. Patent Numbers 7612102 and 7659291  
 Baxter and Galaxy are registered trademarks of Baxter International Inc.  
 Cardene is a registered trademark of Chiesi USA, Inc. and is used under license

**Code 2G3443**


**Baxter**                      Manufactured and Marketed by:  
 Baxter Healthcare Corporation  
 Deerfield, IL 60015 USA

To report suspected adverse reactions, contact Baxter Healthcare Corporation at 1-866-888-2472

07-34-00-2345

\*BAR CODE  
 POSITION ONLY  
 343066009106

This artwork requires the plant to print a bar code(s) per specification. Bar code human readable information must match human readable on spec. Bar code(s) must conform to all applicable Baxter specifications.



NDC 43066-016-10

Rx only

# CARDENE I.V.

## Nicardipine Hydrochloride in 0.83% Sodium Chloride Injection

### For Intravenous Infusion Only.

**DOUBLE CONCENTRATION:  
CHECK INFUSION RATE**

Code 2G3444

**Baxter** Baxter Healthcare Corporation, Deerfield, IL 60015 USA  
Made in the USA

# 40 mg in 200 mL (0.2 mg/mL)

STORE IN CARTON  
UNTIL READY TO USE

1 GALAXY Single Dose Container  
Discard unused portion

CARDENE I.V.  
Nicardipine Hydrochloride  
in 0.83% Sodium Chloride Injection

40 mg in 200 mL

DOUBLE CONCENTRATION:  
CHECK INFUSION RATE

## CARDENE I.V. Nicardipine Hydrochloride in 0.83% Sodium Chloride Injection

# 40 mg in 200 mL

## CARDENE I.V. Nicardipine Hydrochloride in 0.83% Sodium Chloride Injection

# 40 mg in 200 mL (0.2 mg/mL)

UNVARNISHED AREA FOR  
LOT AND EXP

UCC/EAN 128 BAR CODE POSITION  
1.75" W (excluding quiet zone)  
0.5" H (excluding human readable)

(01) 00343066016104

Iso-osmotic

Sterile, nonpyrogenic

Each mL contains 0.2 mg NICARDIPINE HYDROCHLORIDE in 8.3 mg SODIUM CHLORIDE, USP with 0.0384 mg CITRIC ACID ANHYDROUS, USP and 3.84 mg SORBITOL, NF, HYDROCHLORIC ACID and/or SODIUM HYDROXIDE may have been added to adjust pH.

**DOSAGE:** See prescribing information.

**CAUTIONS:** Check for minute leaks by squeezing bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear. Do not add supplemental medication. Must not be used in series connections.

**STORAGE:** Store at controlled room temperature 20° to 25° C (68° to 77° F); refer to USP Controlled Room Temperature. Protect from freezing. Avoid excessive heat. **PROTECT FROM LIGHT, STORE IN CARTON UNTIL READY TO USE.**

U.S. Patent Numbers 7612102 and 7659291

Baxter and Galaxy are registered trademarks of Baxter International Inc. Cardene is a registered trademark of Chiesi USA, Inc. and is used under license.

Manufactured and Marketed by:  
Baxter Healthcare Corporation  
Deerfield, IL 60015 USA

To report suspected adverse reactions, contact Baxter Healthcare Corporation  
at 1-866-888-2472

07-01-00-1677

CARDENE I.V.  
Nicardipine Hydrochloride  
in 0.83% Sodium Chloride Injection

40 mg in 200 mL

DOUBLE CONCENTRATION:  
CHECK INFUSION RATE

# 40 mg in 200 mL

## CARDENE I.V. Nicardipine Hydrochloride in 0.83% Sodium Chloride Injection



-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

MARY R SOUTHWORTH  
02/21/2025 03:27:30 PM