

BIOMED

PRE - SCRUB

NDC 22884-8103-1
Item No. 8103-08

(chlorhexidine gluconate) 4% solution

Surgical Hand Scrub Brush-Sponge and nail cleaner
See caution for Drug Facts Labeling L8103-3

Active ingredient Chlorhexidine gluconate 4% solution..... Antiseptic Approximate volume 25 mL Uses • surgical hand scrub: significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care Warnings For external use only Do not use • if you are allergic to chlorhexidine gluconate or any other ingredients in this product • as a patient preoperative skin preparation (especially of the head & face) • in contact with meningitis in the genital area Directions • use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. • open package, • wet hands and forearms to the elbows with warm water • clean under nails with the nail pick provided. Nails should be maintained with a 1 millimeter free edge. • wet sponge and squeeze to work up a lather • scrub thoroughly for 3 minutes. Paying particular attention to the nails, cuticles and interdigital spaces. Use the brush side to clean the nails, cuticles and interdigital spaces between the fingers and the sponge side to scrub the hands and forearms • rinse thoroughly with warm water • scrub for an additional 3 minutes, using sponge side • discard brush-sponge • rinse hands and forearms thoroughly and dry with sterile towel store between 20 –25°C (68-77°F) • avoid excessive heat above 40°C (104°F) Inactive ingredients cocamide DEA, fragrance POFL 147, glucono-delta-lactone, isopropyl alcohol 4%, lauramine oxide, PEG-75 lanolin, purified water, USP, triethyl alcohol	Purpose Antiseptic
--	--------------------------------------

PEEL TO OPEN

Made in the U.S.A by: BioMed Systems, Inc. Norwalk, CT 06850
Order Direct (800) 424-6556 Order Online: KWGriffenpackaging.com
Lot No. & Expiration Date embossed on lower peel flap

L8103-3

*Red color indicates where a change has been made.
Pouch label will be printed one color.*


8103-08

**PRE-
SCRUB II**™

(chlorhexidine gluconate) 4% solution

Surgical Hand Scrub
(Brush-Sponge and Nail Cleaner)

Single Use



Manufactured in the USA by
BIOMED Systems, Inc.

Remove to check level of contents.

1 Ea. Scrub Brush-Sponge, 1 Ea. Nail Cleaner,
1 Ea. Chlorhexidine gluconate 4% solution
(Approximate volume 26 mL)
Quantity: 1 Bx., 30 Ea./Bx.

To dispense, remove this panel.

Dispenser / Carton Label
Face Panel 1

30 BRUSH-SPONGES

8103-08


Dispenser / Carton Label
Left Panel 2

PRE-SCRUB 
(chlorhexidine gluconate) 4% solution


Surgical Hand Scrub
(Brush-Sponge and Nail Cleaner)

Single Use

Directions for Use:




1. Open package and clean under nails with the nail pick provided. Nails should be maintained with a 1 millimeter free edge.



2. Wet hands and forearms to the elbows with warm water.

3. Wet sponge and squeeze to work up lather.



4. Scrub thoroughly for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces. Use the brush side of the product to clean the nails, cuticles, and interdigital spaces. Use the sponge side of the product when scrubbing the hands and forearms.

5. Rinse thoroughly with warm water and repeat scrub for an additional 3 minutes using the sponge side of the product only.

6. Rinse thoroughly and dry with a sterile towel.

Warning

For External Use Only

Other Information

- store between 20-25°C (68-77°F)
- avoid freezing and excessive heat above 40°C (104°F)

Manufactured in the USA by

BIOMED Systems, Inc.

NORWALK, CT 06850

Toll Free: (800) 424-5556

Lot No.:

Exp. Date:



+M08681030828

30 BRUSH-SPONGES

8103-08

PRE-SCRUB 

Dispenser / Carton
Label

Right Panel 3

Drug Facts	
Active ingredient Chlorhexidine Gluconate 4% Solution	Purpose Antiseptic
Uses • surgical hand scrub: significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care	
Warnings For external use only	
Do not use • if you are allergic to chlorhexidine gluconate or any other ingredients in this product • as a patient preoperative skin preparation (especially of the head and face) • in contact with meninges • in the genital area	
When using this product • keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter or allowed to remain • if contact occurs, rinse with cold water right away • do not use routinely if you have wounds which involve more than the superficial layers of the skin	
Stop use and ask a doctor if • irritation, sensitization, or allergic reaction occurs and lasts more than 72 hours	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. • open package • wet hands and forearms to the elbows with warm water • clean under nails with nail pick provided. Nails should be maintained with a 1 millimeter free edge. • wet sponge and squeeze to work up lather • scrub thoroughly for 3 minutes. Paying particular attention to the nails, cuticles and interdigital spaces. Use the brush side to clean the nails, cuticles and interdigital spaces between the fingers and the sponge side to scrub the hands and forearms. • rinse thoroughly with warm water • scrub for an additional 3 minutes using the sponge side • discard brush-sponge • rinse hands and forearms thoroughly and dry with a sterile towel.	
Other information • store between 20-25°C (68-77°F) • avoid freezing and excessive heat 40°C (104°F)	
Inactive ingredients cocamide DEA, fragrance POFL 147, glucono-delta-lactone, isopropyl alcohol 4%, lauramine oxide, PEG-75 lanolin, purified water, USP, tridecyl alcohol	
Questions? 800-424-5656 (Monday to Friday 8 AM - 5 PM)	

NDC 22884-8103-2



Made from
recycled paper

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

JOEL SCHIFFENBAUER
01/07/2013